











Available in perforated and non-perforated.

MICROTEX[™] – Low gloss textured finish. Feel it to believe it.





Density:







Sage 327

824

Baja Blue Tile

Available in perforated and non-perforated.

SPECIFICATIONS

	Thickness:
	Size:
Standard installation instructions available online	Edges:
	Tile Edges:
at www.decpanels.com	Fire Rating:

	58 lbs Per Cubic Foot (+/- 3 lbs.)
S:	5.0 mm Nominal (.195" +/015")
	4' X 8' (+/- 1/16")
	Square Cut – All Four Sides
S:	Rounded – All Four Sides
ng:	Class III Fire Rating

AFFORDABLE BEAUTY.

Perfect for Retail, Commercial, and Residential applications, DPI's UHDF panels deliver all the looks of today's most popular styles, at a fraction of the cost. Choose from stock styles and colors or work closely with DPI's industry-leading design team to create a customized look all your own!

DURABLE, DEPENDABLE PERFORMANCE.

Beneath the beautiful exterior finish of these panels lies an incredibly tough, Ultra High Density Fiberboard (UHDF) core. An acrylic polymer topcoat – often with Speriglass[®] particles – delivers long-lasting moisture, stain, scratch and mildew resistant performance for broader applications in a wide range of demanding environments.

EASY TO WORK WITH. VERSATILITY AT ITS BEST.

Perfect for projects of any size, these panels are both designer and specifier-friendly. Use ordinary woodworking tools to bring your project ideas to life. Easily saw, route, drill or shape them to your exacting specifications.

NEED PRODUCT SAMPLES CUSTOM COLORS OR SIZES PANEL DESIGN HELP

CALL US AT 800.521.4301 EXT. 1279

BEAUTIFUL DURABLE AFFORDABLE DESIGN.



UHDF PANELS

by Decorative Panels International



PRODUCT WARRANTY.

The advanced technology of our manufacturing facilities has earned DPI a valued reputation. It is that same reputation for manufacturing excellence we share through our product warranty.

DPI will promptly furnish, without charge, a replacement panel or refund the purchase price thereof, at DPI's option, for any panel that is shown to be defectively manufactured as long as any installation thereof is in accordance with DPI printed instructions. DPI disclaims any and all other warranties, express or implied, including without limitation, the implied warranties of fitness and merchantability.

DPI's liability shall be limited to replacement or refund and DPI shall not be liable for other damage or loss including without limitation special, consequential, incidental, punitive and multiple damages.

DPI reserves the right to validate any claim. This warranty is valid only in North America. Some states and provinces do not allow the exclusion or limitation of warranties or of incidental or consequential damages so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights and you may also have other rights, which vary from state to state or province to province.

UHDF Panels Have Been Independently Tested For The Following:

Adhesion Coating ASTM D3359-97

Pencil Hardness ASTM D3363-00

24 – Hour Stain Resistance ASTM D1308-02

Taber Abrasion ASTM D4060-01

Boiling Water Resistance NEMA LD3-95

Fire Rating ASTM E84-01

* Test results by independent labs. Results available upon request. Testing data may not be available for all new products. Contact us for details.



2900 Hill Avenue Toledo, Ohio 43607 800.521.4301 decpanels.com

© 2005 Decorative Panels International. All rights reserved. CarbonTechTM MetallicsTM TufftexTM MicrotexTM are trademarks of DPI. Spheriglass is a registered trademark of Potters Industries, Inc. Printed in the U.S.A.

DPIMKTG-UHDF04.05