



Professional Products=Top Performance=Winning Results

**US Sublimation a division of
PrintVillage, Inc.**

1881 West State Rd. 84 , Building 107
Fort Lauderdale, Florida 33315, USA
Tel..+ 954 727 2807 Fax + 954 727 2812

JetTran HR Series

High Release Transfer Paper for Digital Dye Sublimation

JETTRAN HR is a high release paper designed for Dye Sublimation transfer. Thanks to a unique receiving layer that keeps the ink on the surface of the paper and prevents it from being absorbed in the core area of the paper sheet nearly all of the ink is released during the sublimation process resulting in lower ink consumption, rich and vibrant colors, better resolution and dramatic savings on ink.

Main Features:

- Excellent transfer yield
- Reduced wet cockling
- Superior image sharpness
- Good scuff resistance
- Full color gamut
- High resolution
- Substantial ink savings



JETTRAN HR 200

75g/m² / 20lb : Economical and effective this paper performs best at ink densities of approx. 200% with good ink bleed resistance (resolution). Available roll sizes are 52" and 64" wide and 330' in length. See Product Data Sheet for specifications.

JETTRAN HR 300

100g/m² / 27b : A heavier paper the HR300 offers versatility and performance at ink densities of approx. 250% with improved ink bleed resistance (resolution). Available roll sizes are 52", 64" & 75" wide and 330' in length. See Product Data Sheet for specifications.

JETTRAN HR 400

130g/m² / 33b : Ideal in production environments that require ink densities of approx. 350/400% or where cockling is typically an issue this paper offers excellent ink bleed resistance (resolution). Available roll sizes are 52", 64" & 75" wide and 250' in length. See Product Data Sheet for specifications

JETTRAN HR 500

150g/m² / 37b : Thanks to it's unique barrier coating this paper handles very high density levels right on the surface for maximum ink release during the sublimation process resulting in the richest and vibrant colors at the highest resolution. This paper eliminates issues with wet cockling. Due to it's unique features this paper is particularly sensitive to humidity and requires longer drying time. Available roll sizes are 52" & 64" wide and 250' in length. See Product Data Sheet for specifications.

JETTRAN 1401 Single side coating, very versatile paper performs well on hard surfaces such as tiles and ceramics. Dries instantly out of the printer. Available in sheets and rolls

JETTRAN 1405 Can be printed on either side, this paper offers performance on a budget and substrate versatility. Available in sheets.

Paper Weight Basis

HR200	HR300	HR1401	HR400	HR500
↑ 20lb 75gsm	↑ 27lb 100gsm	↑ 33lb 130gsm		↑ 37lb 150gsm

Ink Density

HR200	HR300	HR1401	HR400	HR500
↑ 200%	↑ 250%	↑ 300%	↑ 350%	↑ 400%
				→ +++

Ink Bleed Resistance

HR200	HR300	HR400	HR500
↑	↑	↑	↑
GOOD		VERY GOOD	EXCELLENT