

# product release

**NPR-14** 

from

# **GUNDLACH**

# **Gundlach Sealers and Cleaners**

Beno J. Gundlach Company is now offering a line of innovative chemicals used for sealing, protecting, enhancing, cleaning and maintaining grout, ceramic and porcelain tile, marble, granite and other natural stone materials. This Gundlach product line offers unsurpassed protection and the easiest application in the industry. Available in both solvent and water based formulas and are specified based on the conditions of the application or the type of surface to

which the product is being applied. Solvent based products penetrate into grout, stone and masonry surfaces deeper than water based products due to their low surface tension. Solvent based products also dry more quickly than their water based counterparts allowing for quicker access to the job site. Water based products have the advantage of being more user friendly and are compatible with common spraying equipment.

# Sealers — Solvent Based Formulas

# **Grout Sealer**

No. GS02 Grout Sealer Is a VOC (Volatile Organic Compounds) compliant, solvent based formula designed for deep penetration on both polished and porous stone, masonry, grout, and concrete. It protects against oil and water based stains while still allowing the surface to breathe. The inverted "anyway" valve spray tip allows for application to floors, walls and countertop surfaces from a standing position.

### Features:

- Apply to cured or damp uncured grout
- Will not change the surface appearance
- Non-yellowing
- · No hard-to-remove residue

### · Provides UV protection

- · Fast drying
- · Cures in 24 hours
- · Use indoors or outdoors

Expected Wear: 20 Years

# Coverage:

Linear Feet: 800–1000 Square Feet: 50–150

### **Available Size:**

15 oz. inverted 'anyway' valve spray tip aerosol can.



### **Grout & Stone Sealer**

No. GS03 and No. GS04 Grout & Stone Sealer is a VOC (Volatile Organic Compounds) compliant, solvent based formula designed for deep penetration on both polished and porous stone, masonry, grout, and concrete. It protects against oil and water based stains while still allowing the surface to breathe.

### Features:

- Apply to cured or damp uncured grout
- Will not change the surface appearance
- Non-yellowing
- · No hard-to-remove residue
- Provides UV protection

### · Fast drying

- · Cures in 24 hours
- Antimicrobial protection

Expected Wear: 20 Years

### Coverage:

**Quart:** 125–625 square feet **Gallon:** 500–2500 square

### feet

# Available Sizes:

No. GS03 (quart) No. GS04 (gallon)



# Sealers — Water Based Formula

# **Grout & Stone Sealer**

No. GW10 and No. GW11 Grout & Stone Sealer is a low VOC (Volatile Organic Compounds) water based formula for use where flammability or odor sensitivity is a concern. This penetrating water based product forms an invisible, breathable barrier and protects against both oil and water based stains.

### Features

- Use on porous stone, grout, concrete, masonry and more
- Will not change the surface appearance
- Non-yellowing
- · No hard-to-remove residue
- Can be applied as soon as 6 hours after grouting
- Easy application with a sprayer, brush or roller
- Provides UV protection
- · Cures in 24 hours
- Antimicrobial protection

Expected Wear: 15 Years

### Coverage:

Quart: 125–625 square feet Gallon: 500–2500 square feet

# Available Sizes:

No. GS03 (quart) No. GS04 (gallon)





# **Beno J. Gundlach Company**

211 North 21st Street • P.O. Box 544
Belleville, IL 62222 • U.S.A.
TEL: 618 233-1781 • FAX: 618 233-3636
www.benojgundlachco.com

# Color Enhancer — Solvent Based Formula

No. GS05 and No. GS06 Color Enhancer seals and protects various types of porous stone such as slate, flagstone, and sandstone while intensifying the colors and 'depth' of the stone. This is a VOC (Volatile Organic Compounds) compliant, solvent based formula designed for deep penetration and protection against both oil and water based stains on porous stone, masonry, grout, concrete and more.

### Features:

- Provides UV protection
- Durable and long lasting
- Stain and scuff resistant
- Cures in 24 hours
- Antimicrobial protection

Expected Wear: 20 Years

Coverage:

Quart: 100-250 square feet Gallon: 400-1000 square feet **Available Sizes:** 

No. GS05 (quart) No. GS06 (gallon)



# Color Enhancer — Water Based Formula

No. GW14 and No. GW15 Color Enhancer seals and protects various types of porous stone such as slate, flagstone, and sandstone while intensifying the colors and 'depth' of the stone. This is a VOC (Volatile Organic Compounds) compliant, non-flammable, water-based formula designed for deep penetration and protection against both oil and water based stains on porous stone, masonry, grout, concrete and more. This environmentally friendly formula allows for application without any solvent fumes.

### Features:

- · Beautify, protect and intensify the natural color of stone
- · Durable and long lasting
- · Provides UV protection
- · Stain and scuff resistant
- · Easy application with a

sprayer, brush or roller

- · Cures in 24 hours
- · Antimicrobial protection

**Expected Wear:** 15 Years

Coverage:

Quart: 100-250 square feet Gallon: 400-1000 square feet

### **Available Sizes:**

No. GW14 (quart) No. GW15 (gallon)



# Travertine Conditioner & Sealer — Water Based Formula

# THE ONLY PRODUCT OF ITS KIND!

No. GW12 and No. GW13 Travertine Conditioner & Sealer is a VOC (Volatile Organic Compounds) compliant water-based travertine conditioner that brings out the natural beauty of unpolished travertine while protecting the stone from oil and water-based stains. This is the only product you will want to use on your travertine natural stone. It makes any travertine look rich and leaves a nice low to medium sheen finish. Just apply with a clean cloth, or sprayer and buff into the stone.

## Features:

- Provides UV protection
- · Condition, protect and rejuvenate travertine natural stone
- · Cures in 24 hours
- · Antimicrobial protection

**Expected Wear:** 15 Years

Quart: 100-250 square feet Gallon: 400-1000 square feet

**Available Sizes:** No. GW12 (quart) No. GW13 (gallon)



# GLOSS & SEAL — Water Based Formula

No. GW19 Gloss & Seal is a VOC (Volatile Organic Compounds) compliant, water-based high gloss topical protective coating that creates a durable, crystal clear finish on slate, saltillo, pavers and more. Gloss & Seal has the easiest application in the industry, is self leveling, breathable, has UV protection and penetrates the substrate to protect against oil and water-based stains. NOT RECOMMENDED FOR USE ON HIGHLY POLISHED, CERĂMIC/GLAZED OR NON-POROUS SURFACES.

# Features:

- Easy spray on application
- Provides UV protection
- Will not whiten
- · Durable and long lasting
- · Antimicrobial protection

**Expected Wear:** 5 Years

## Coverage:

Gallon: 400-1000 square feet

Available Size: No. GW19 (gallon)



# **Grout Release — Water Based Formulas**

No. GW17 Grout Release is a VOC (Volatile Organic Compounds) compliant solution designed to prevent grout from staining when applied prior to grouting and makes for an effortless grout clean up. Grout Release is excellent for use on natural stone, porous tile, ceramic, porcelain, limestone, flagstone, concrete block, pavers, saltillo, brick, slate, stucco and more.

### Features:

- Easy application with a sprayer, brush, roller or sponge
- Ready for grouting in as little as 30 minutes
- Protects porous surfaces against grout staining
- · Comes off in the grouting process with no acid washing required

### Coverage:

Gallon: 200-1000 square feet

**Available Size:** 

No. GW17 (gallon)



# Cleaners — Non Toxic and Biodegradable

### **Grout & Tile Cleaner**

No. GC20 Grout & Tile Cleaner is specially formulated for use on ceramic tile, porcelain and grout. It is a biodegradable, non-toxic acid mimic. When applied to grout, it acts like an acid but is safe to the touch. Use full strength for heavy duty cleaning or dilute with 8 parts water to 1 part cleaner for a lighter cleaning or as daily routine maintenance. NOT FOR USE ON POLISHED SURFACES AND NATURAL STONE AS IT WILL ETCH.

### Features:

- Removes stains, grease, or heavy soil
- · Environmentally safe

· Use Indoors or Outdoors

- Cost effective
- Non-hazardous

### Coverage:

Gallon: 250–1000 square feet

## Available Size:

No. GC20 (quart)



# **Stone Cleaner**

No. GC22 Stone Cleaner is formulated for use on any polished or porous natural stone and grout. Use full strength or dilute up to 8 parts water to 1 part cleaner—depending on difficulty of soiling or staining.

### Features:

- Removes stains, grease, or heavy soil
- · Environmentally safe
- · Use Indoors or Outdoors
- · Cost effective
- · Non-hazardous

### Coverage:

Gallon: 250-1000 square feet

### **Available Size:**

No. GC22 (quart)



# pH Neutral Cleaner

No. GC24 pH Neutral Cleaner has a neutral pH and is safe on almost any surface. Use as a daily cleaner for light or heavy soiling. Mix 1 to 8 ounces of cleaner to a gallon of water depending on the difficulty of soiling.

### Features:

- Use on Ceramic tile, porcelain, natural stone, vinyl floors, showers and more
- · Environmentally safe
- For daily use or spot cleaning
- · Cost effective
- · Non-hazardous

# Coverage:

Gallon: 250-1000 square feet

### **Available Size:**

No. GC24 (quart)



# **Applicators**

# **Applicator Gun**

No. GA30 Applicator Gun saves wear and tear on your knees and back. Use our Applicator Gun with No. GS02 Floor & Wall Grout Sealer to apply from a standing position.

# **Water Resistant Sprayer**

No. GA31 2 Gallon Solvent/Water Resistant Sprayer is designed specifically for use with all Beno J. Gundlach Company sealers and cleaners

# **Granite Countertop Wipes**

No. GC26 Granite Countertop Wipes with antimicrobial protection cleans and protects your countertops, granite, marble, ceramic tile, porcelain, backsplashes, floors and more! They are ideal for use in kitchens and bathrooms as a daily cleaner while increasing stain protection every time you use them, keeping the surfaces beautiful for years to come.

- Great For Granite Countertops
- A Safe Everyday Cleaner In An Easy To Use Lint-Free Wipe
- Antimicrobial Protection
- Net Contents 50 Wet Wipes Compared to others with just 35



# Product Recommendation Table (Item Nos. shown below Product Catagory.)

Surface to be Protected	Grout & Stone Sealers (Solvent Based)	Grout & Stone Sealers (Water Based)	Color Enhancer (Solvent Based)	Gloss & Seal (Water Based)
			(Water Based)	(water baseu)
	GS02, GS03, GS04	GW10, GW11	GS05, GS06, GW14, GW15	GW19
Aggregate, Exposed	Good	Best	Yes <sup>1</sup>	Yes <sup>2</sup>
Brick	Good	Best	Yes <sup>1</sup>	Yes <sup>2</sup>
Canterra	Good	Best	Yes <sup>1</sup>	Yes <sup>2</sup>
Concrete, Colored & Uncolored	Good	Best	Yes <sup>1</sup>	Yes <sup>2</sup>
Concrete, Colored w/Clear Coat	Best	No	No	No
Flagstone	Good	Best	Yes <sup>1</sup>	Yes <sup>2</sup>
Granite, Polished	Good	Good	No	No
Granite, Unpolished	Best	Good	Yes <sup>1</sup>	Yes <sup>2</sup>
Grout, Sanded & Unsanded	Best	Good	Yes <sup>1</sup>	Yes <sup>2</sup>
Limestone, Polished	Good	Good	No	No
Limestone, Unpolished	Good	Best	Yes <sup>1</sup>	No
Marble, Polished	Good	Good	No	No
Marble, Tumbled	Good	Best	Yes <sup>1</sup>	Yes <sup>2</sup>
Pavers	Good	Best	Yes <sup>1</sup>	Yes <sup>2</sup>
Pool/Kool Deck	No	Best	No	No
Porcelain	Best	Good	No	No
Porcelain, Polished	Best	Good	No	No
Quarry Tile	Good	Best	Yes <sup>1</sup>	Yes <sup>2</sup>
Saltillo	Good	Best	Yes <sup>1</sup>	Yes <sup>2</sup>
Slate	Best	Good	Yes <sup>1</sup>	Yes <sup>2</sup>
Travertine, Polished	Good	Good	No	No
Travertine, Unpolished	Good	Good	Yes <sup>1</sup>	No

<sup>&</sup>lt;sup>1</sup> Color Enhancer will change the depth or darkness of the surface applied to as well as seal and protect it.

Always test in an inconspicuous area for suitability of appearance change before application to entire surface.

# General Notes:

- 1. Time between coats (two coats recommended) is 10–30 minutes for solvent based sealers; 20–60 minutes for all others.
- 2. Drying time (the time to wait before using the surface) is 15–30 minutes for solvent based sealers; 1–3 hours for all others.
- 3. Cure time (the time needed before maximum stain protection is achieved) is 24–48 hours for all products.
- 4. Coverage depends on surface porosity and application method. All products are liquid unless otherwise specified and can be applied with a brush, roller or pump type sprayer.

  5. Material Safety Data Sheets (MSDS) are available at www.benojgundlachco.com.
- 6. Products are freeze/thaw stable through multiple cycles.

<sup>&</sup>lt;sup>2</sup> Gloss & Seal is a high gloss topical finish which seals and protects the surface applied to.