

TransLogic Carriers

PTS Tube System

TransLogic PTS Carriers Provide Safe and Reliable Transport Protection for Hospitals

Swisslog's TransLogic carriers serve as the vehicles within a pneumatic tube system (PTS). When used in a TransLogic PTS, a 6-inch carrier can safely and efficiently transport up to 7 lbs (net payload) at speeds of up to 25 feet per second. Several TransLogic carriers are designed for use in other manufacturer pneumatic tube systems as well.

TransLogic carriers transport a wide variety of fragile items, lab specimens, IVs, pharmaceuticals, documents, supplies and materials.



Features & Benefits

- Solid, durable, high-impact design
Protects content | Reduces replacement costs
- Patented long-life DuraBand wearbands
Improves transport | Reduces carrier maintenance tasks
- Sealed Carriers
Provides for safe transport of biohazards and sensitive medications and materials
- Versatile Carrier Portfolio
Antimicrobial protection | RFID reporting | Color carriers | Carriers for non-TransLogic pneumatic tube systems


swisslog

Swisslog's TransLogic carriers are available with several options to meet your individual needs. The side-opening (clam shell) design of the carriers give the user full access to the carrier interior, making it easy to load and unload.



Leak-Resistant

The Eco-Seal leak-resistant carriers incorporate a full-perimeter o-ring to aid in containing liquids and guard against the spread of pathogens.



Quantum Carriers

Quantum pneumatic tube systems require non-reflective frosted ends to permit interface with sensors in Quantum stations, diverters and other system components.



Color Carriers

The polycarbonate carrier body is available in a red or yellow opaque color for easy identification of department-specific uses. Half-black carriers are also available.




Non-TL Carriers

Half of the polycarbonate carrier body is opaque black in color for use in other manufacturer's systems.



BacStop Antimicrobial

BacStop contains silver ions, a safe active ingredient, embedded into the carrier plastic. BacStop provides added protection by eliminating many bacteria which may come into contact with the carrier.



RFID Ready

Radio Frequency Identification is now available for tracking the carrier contents, origination/destination stations, and much more.

Swisslog's carrier family includes 6-inch Universal Carriers, 6-inch Eco-Seal carriers, and 4-inch Universal carriers for Swisslog's TransLogic and Quantum systems, as well as other manufacturer's systems. Swisslog's carriers are currently available in the following feature combinations:

TransLogic Carriers

6-inch Universal Carriers				6-inch Eco-Seal Carriers			
Standard	RFID	BacStop	Color	Standard	RFID	BacStop	Color
X				X			
	X				X		
	X	X			X	X	
	X	X	X		X	X	X
4-Inch Universal Carriers							
Standard	RFID	BacStop	Color				
X							
		X					
		X	X				

Quantum Carriers

6-inch Universal Carriers				6-inch Eco-Seal Carriers			
Standard	RFID	BacStop	Color	Standard	RFID	BacStop	Color
X				X			
	X				X		
	X	X			X	X	
	X		X		X	X	X
4-Inch Universal Carriers							
Standard	RFID	BacStop	Color				
X							
		X					
		X	X				

*Quantum Carriers are designed with opaque frosted ends

Other Manufacturer System Carriers

6-inch Universal Carriers				6-inch Eco-Seal Carriers			
Standard	RFID	BacStop	Color	Standard	RFID	BacStop	Color
X				X			
		X				X	
	X	X					
4-Inch Universal Carriers							
Standard	RFID	BacStop	Color				
X							


*Other Manufacturer System Carriers are designed with a half black carrier body

To order carriers, carrier parts, or other carrier packaging supplies, please contact Customer Support at 800-396-9666. North American customers can now order on-line! To place an on-line order, visit www.swisslog.com/hcs-order-parts.htm.

TransLogic Carriers

Specifications

Net Payload Capacity



Dimension A Dimension B Dimension C Dimension D

		Net Payload Capacity	Dimension A	Dimension B	Dimension C	Dimension D
6-inch	Eco-Seal CS404	7 lbs	15.5" (39.37 cm)	9.1" (23.114 cm)	4.8" (12.192 cm)	2.3" (5.842 cm)
	Universal CS402	7 lbs	15.6" (39.62 cm)	8.6" (21.84 cm)	4.7" (11.94 cm)	2.9" (7.37 cm)
4-inch	Universal CS403	2.75 lbs	15.3" (38.86 cm)	10.7" (27.18 cm)	3.4" (8.64 cm)	2.2" (5.59 cm)

CS Bulletins (CS#)

Swisslog's Customer Support Bulletins provide detailed information and specifications for each carrier and applicable accessories.

- CS402 6-inch Universal Carrier
- CS403 4-inch Universal Carrier
- CS404 6-inch Eco-Seal Carrier


- CS406 6-inch Zip'N Fold
- CS407 4-inch Zip'N Fold
- CS408 6-inch Packaging Procedures
- CS409 4-inch Packaging Procedures

Due to ongoing improvement programs, Swisslog reserves the right of production or design change without notice or obligation.

For More Information Contact:

www.swisslog.com; healthcare@swisslog.com

Swisslog
Healthcare Solutions
USA: 10825 East 47th Ave
Denver, CO 80239-2913



Sales Inquiries: 800-764-0300; 303-373-7883
Customer Service: 800-396-9666; Fax: 303-373-7871
International: Canada Office
Phone: 877-294-2831; 905-629-2400
Fax: 905-629-2799

swisslog

© 2006 Swisslog
CM # 1217