



## Advantage™ M20 Embosser



***The universal desktop embosser and encoder designed for the secure and reliable instant personalization and issuance of credit and debit cards***

The Advantage M20 is the newest in the Advantage embosser family of products. Secure, reliable and affordable, the Advantage M20 was designed specifically for the instant personalization and issuance of debit and/or credit cards.

The Advantage M20 possesses a stainless steel 120-character daisy wheel for embossing, and both front and rear indenting. A full range of international characters is available which makes this a truly universal embosser.

The Advantage M20 is provided with either a standard Windows driver for seamless integration with existing card personalization and issuing applications, or with a specific software library to allow its many features to be included in custom applications and solutions.

The Advantage M20 is feature-packed including:

- 100-card hopper for automatic card feeding
- Single card front input feeder
- 120 character embossing wheel
- Dual (front & rear) indent available
- High/low coercivity magnetic stripe encoding
- Contact and contactless smart card personalization
- Triple DES encryption
- Access cover secured with electronic lock under software control
- Anchors for bolting down the embosser to its operating station

### **Markets:**

- Financial
- Government
- Retail
- Insurance

### **Applications:**

- Debit cards
- Credit cards
- Insurance cards

... and more!

**... security & reliability  
built right in ...**



# Advantage™ M20

## Technical Specifications

### SmartSys™

USE NBS'S SMARTSYS TABLETOP MACHINE CONTROL SOFTWARE TO GET MORE FEATURES

For even more enhanced capabilities, operate your Advantage M20 embosser with SmartSys Tabletop, the user-friendly, feature-packed card issuance software.

### Xpressi™

EMV BRANCH ISSUANCE SOFTWARE

Couple your Advantage 2000 Series embosser with Xpressi™ software for an EMV branch card issuance solution that is cost-effective and easy to implement. Supporting multiple EMV configurations, chip types and even printer brands with one system, this solution gives an issuer the flexibility to keep their future expansion and operation options open for change.

For further detail on any of the above products, please consult the corresponding NBS brochure.

### GENERAL SPECIFICATIONS

- 100 cards input hopper, automatic feeding
- 120 characters stainless steel daisy wheel embosser, easy installation of new types
- 50 finished cards output hopper, hopper full sensor
- 30 cards reject bin, bin full sensor
- Single card front input feeder
- Rear indenting, easy cartridge replacement
- Tipping
- Magnetic stripe encoder, high / low coercivity
- Operator panel : 2x24 LCD display, 12 keys numeric keypad, 5 status LEDs
- Mechanical and electronic software controlled locks
- Triple DES encryption
- DLL for Windows 2000/XP/Vista drivers available

### PERFORMANCE

- Card production: 120 card/hour
- 1 card in 30 seconds (excluding chip personalization)

### EMBOSSING CHARACTERISTICS

- OCR 7B, Standard Gothic
- Rear Indent: OCR B1
- Front Indent: OCR B4, OCR B1

*A full range of other emboss/indent characters and fonts is available*

### CARD SPECIFICATIONS

- CR80 – PVC – 0.76mm, 30 mil
- ISO/IEC 7811, ISO/IEC7816

### COMMUNICATIONS INTERFACE

- RS232, Ethernet, USB 2.0

### MECHANICAL

- Height: 295 mm / 11.6 in
- Width: 455 mm / 17.9 in
- Depth: 670 mm / 26.4 in
- Weight: 39 Kg / 86 lbs

### ELECTRICAL

- Input: 100-240 Volts AC, 50-60 Hz, 200W
- CE, CSA C & US, FCC Class A
- EN 60950

### ENVIRONMENTAL

- Operating: 10 - 40 °C / 50 -104 °F, 20 - 80% RH
- Storage: 0 - 55 °C / 32 - 131 °F, 5 - 95% RH
- Transport: -15 - 55 °C / 5 - 131 °F, 5 - 95% RH (up to 20 hours)

### OPTIONS

- Front indent
- ISO 7816 smart card personalization (EMV compliant)
- ISO 14443 contactless card personalization



Website: [www.nbstech.com](http://www.nbstech.com)  
Email: [info@nbstech.com](mailto:info@nbstech.com)

Corporate Headquarters  
Canada  
703 Evans Avenue  
Toronto, Ontario  
M9C 5E9  
Canada  
tel: +1 416.621.1911  
fax: +1 416.621.8875

Contact our NBS card personalization experts for full details on this and other card personalization products at:

Europe, Middle East, Africa  
B1 Moorfield Point  
Slyfield Industrial Park  
Guildford, Surrey GU1 1RU  
United Kingdom  
tel: +44 (0)1483 563200  
fax: +44 (0)1483 511189

North / South America  
10925 Bren Road E  
Minneapolis, MN 55343  
USA  
tel: +1 416.840.8620  
fax: +1 952.912.9439

Asia Pacific  
PO Box 780  
Hurstville BC  
NSW 1481  
Australia  
tel: +61 (2) 9546 6841  
fax: +61 (2) 9546 6851