

Portable Cam-Type Feeder Extensions

Constructed with Extra Hard Usage 4/0 Type W Cable



Large Construction Sites



Sports/Entertainment Events



Disaster Relief







Portable Cam-Type Feeder Extensions

Constructed with Extra Hard Usage 4/0 Type W Cable



Product Overview

Thermoset Jacket



Color Selection



Custom Printing



Cam-Type Connector General Specifications:

Materials

Sleeve Material: Santoprene (TPE)

Contact Material: Brass

Strain Relief: Copper Shim & Wire

Standards and Certifications

NEMA Rating: Type 3R - Weatherproof

Connector Type

Series 16 Inline

Features

Extra Hard Usage Double Layer Thermoset Jacket

Benefits

- Provides Superior Durability Over Thermoplastic PPE
- Longer Cable Life
- Outperforms Thermoplastic PPE Heat & Flame Resistant -Will Not Melt

Available in 7 Colors Green, Orange, Yellow, Blue, Gray, Red and Black

- Aid in Phase or Company Identification
- Prevent Mismating of Cable Types

Custom "Legend" Printing

- Company Brand Identification Along Entire Length of the Cable
- Theft Prevention

Ordering Information:

Cable Color	Catalog No. Leviton Cam-Type Connectors	*Assembly Ratings
Black	FEL600W-xxA	400 A, 600 VAC
Red	FEL600WC-xxC	400 A, 600 VAC
Blue	FEL600WD-xxD	400 A, 600 VAC
Gray	FEL600WL-xxL	400 A, 600 VAC
Orange	FEL600WO-xxO	400 A, 600 VAC
Green	FEL600WE-xxE	400 A, 600 VAC
Yellow	FEL600WY-xxY	400 A, 600 VAC

 $^{\star}\text{xx}$ denotes cable length (standard lengths are 25', 50', 75' and 100')

*For single conductor as per NEC Table 400-5B



Related Products

Build Your Lex System

Related Products

Bulk Cable



Minimum order of 25 ft per color

PowerHOUSE™
Portable Distribution Box



Cable Protectors



4/0 Bulk Cable

Ordering Information:

Color	Catalog No.	Rating
Black	4/0 W	400 A, 600 VAC
Red	4/0 WC	400 A, 600 VAC
Blue	4/0 WD	400 A, 600 VAC
Green	4/0 WE	400 A, 600 VAC
Yellow	4/0 WY	400 A, 600 VAC
Orange	4/0 WO	400 A, 600 VAC
Gray	4/0 WL	400 A, 600 VAC

Cable Specifications:

Temperature F	Rating: -40C to	+90C
Industry Appro	ovals: UL & MS	HA listed
Annealed Cop	per: per ASTM-	B-172
Flame Resista	nt	
Premium Inne EPDM (ethylene (M-Class) rubbe	propylene diene	monomer
Cable Dimens	ions:	
Nominal Conductor	Nominal Insultation Thickness 0.105"	Nominal O.D.1.00"

Additional Cam-Type Extensions


Rating	Male Connector	Cable	Female Connector	Catalog No.
200 A, 600 VAC	16 Series Inline	2/0 AWG Type W	16 Series Inline	FEL500W-XX
200 A, 600 VAC	16 Series Inline	2/0 AWG Type SC*	16 Series Inline	FEL5000-XX
100 A, 600 VAC	16 Series Inline	#2 AWG Type W	16 Series Inline	FEL300W-XX
100 A, 600 VAC	16 Series Inline	#2 AWG Type SC*	16 Series Inline	FEL3000-XX
100 A, 600 VAC	(5) 16 Series Inline	#2 AWG Type SC* (5) Wire Banded	(5) 16 Series Inline	FB305W-XX

Add suffix to indicate connector color: A=Black B=White C=Red D=Blue E=Green xx specify cable length

*SC indicates single jacket "Entertainment Cable"

Build Your Lex System

Lex will help design your Portable Power System to deliver electrical power when and where you need it. Our products include, Power Distribution Boxes, Feeder Extensions and Cable Protectors (Yellow Jackets). Explore our site www.lexproducts. com and see the wide variety of products we have to offer. For additional information call us at 800-643-4460 or e-mail us at info@lexproducts.com. Lex is a U.S.A. Manufacturer.






Printing Order Form

Use this form to order your custom printing

Available on Extensions and Bulk Cable



Type your text here, one character per square, maximum text length 50 spaces

Text Separation: Print occurs every 2 ft after initial first foot as shown

LEX Products Corp.*	
Email t	to: orders@lexproducts.com - or -
	Fax: 203 363 3742
Customer Na	me:
Address:	
Phone:	E-mail:

^{*}Emailing format available at lexproducts.com

When you require superior portable 4/0 colored cable for performance, you can always depend and expect more by specifying and ordering Lex Products.