



Power Distribution Units & Rackbar Surge Protectors



Power Distribution Units (PDU)

The most comprehensive line of PDUs available to distribute and manage every power need.

PDU Features

- Over 100 Basic, Metered and Switched models
- 8 to 38-outlet configurations
- 1U Rack and 0U vertical mount versatility
- 15, 20 and 30-amp capacity with circuit breaker
- Lifetime Warranty



Basic PDU Series (1U & 0U)

Power Distribution Units (PDUs) are engineered to distribute reliable network power to multiple devices. A PDU does not generate conditioned power, but delivers it from a UPS (uninterruptible power supply), a generator or utility AC power from a wall outlet to servers, network/telecom equipment and other devices. Selecting the best PDU for your needs depends on the output voltage required, the number of outlets needed for connected devices, plug and outlet types and mounting options.

CyberPower PDUs are designed with as many as 38 outlets, positioned on the front and/or back of the units. Various PDUs, in 1U or 0U form factors, include the necessary hardware to provide options for mounting vertically or horizontally in densely-configured rack enclosures and can offer the versatility of mounting on a wall or under a shelf. In smaller networks, conditioned power can be distributed through a single PDU from a single UPS, while a complex data center might require the connection of multiple PDUs to a single, large-capacity UPS system.

Features:

- Reliable and unfiltered AC power distribution from a UPS system, generator or utility source to multiple connected devices.
- Switch-free design prevents accidental shutdowns.
- Network-grade plugs and outlets in every configuration accommodate any type connection or device.
- Long input power cord reaches distant power sources and provides flexible placement of the unit.
- Durable metal housing maximizes safety and supports installation in demanding environments.



PDU Type Selector

CyberPower offers three distinct categories of PDUs: Basic, Metered and Switched. Use this table to find the category that suits your requirements, then refer to the information that follows to select a model with the appropriate specifications you require.

Feature	Benefit	Basic PDUs	Metered PDUs	Switched PDUs
Outlets	Distribute reliable power from a UPS, generator, or AC utility source to connected devices.	✓	✓	✓
Cord	Allows your equipment to be located at a distance from your input power source.	✓	✓	✓
Load Meter	Monitor your power load in real-time to avoid overloads and efficiently balance load levels.		✓	✓
Network Interface	Remotely monitor PDU status and prevent overloads that cause expensive downtime.			✓
Remote Outlet Control	Allows for remote management and monitoring of PDU vitals, via the CyberPower Management Console. Reboot locked devices remotely and switch on or off devices to extend runtime during power outages.			✓

Plug	Outlet
5-15P	5-15R
5-20P	5-15/20R
L5-20P	L5-20R
L5-30P	L5-30R
L6-20P	L6-20R
L6-30P	L6-30R
C14	C13
C20	C19

Basic 1U | Power Distribution Units

The largest group of PDUs from CyberPower, the Basic Series includes models in 1U and 0U options, with versatile outlet arrangements on the front and/or back. All models include cord-retention trays to keep cords organized and safely in place.

Basic PDU Features

- Network-grade plug and outlets
- Durable and flexible power cord
- Sturdy, metal rack housing
- Multiple outlets




- A** Mounting Bracket
- B** Circuit Breaker
- C** Rear Outlets
- D** External Site Ground
- E** AC Power Cord
- F** Cord Retention Tray Screw Holes
- G** Rear Outlets (IEC 320 C13)
- H** Rear Outlets (IEC 320 C19)
- I** AC Inlet (IEC 320 C20)


Front View




Back View



Twist Type Plug



IEC Type Plug




Model	Volts	Amps	Plug Type	Cord Length	Outlets (total)	Outlet Type	Dimensions (H"xW"xD")	Rack Size	MSRP
Basic 1U PDUs									
PDU15B8R	120V	15A	5-15P	15ft.	8	NEMA 5-15R	1.75 x 17.5 x 1.5	1U	\$69.95
PDU15B10R	120V	15A	5-15P	15ft.	10	NEMA 5-15R	1.75 x 17.5 x 1.5	1U	\$79.95
PDU15B12R	120V	15A	5-15P	15ft.	12	NEMA 5-15R	1.75 x 17.5 x 1.5	1U	\$95.95
PDU20B8R	120V	20A	5-20P	15ft.	8	NEMA 5-20R	1.75 x 17.5 x 1.5	1U	\$95.95
PDU20B10R	120V	20A	5-20P	15ft.	10	NEMA 5-20R	1.75 x 17.5 x 1.5	1U	\$119.95
PDU20B12R	120V	20A	5-20P	15ft.	12	NEMA 5-20R	1.75 x 17.5 x 1.5	1U	\$159.95
PDU20BT8R	120V	20A	L5-20P	15ft.	8	NEMA 5-20R	1.75 x 17.5 x 1.5	1U	\$99.95
PDU20BT10R	120V	20A	L5-20P	15ft.	10	NEMA 5-20R	1.75 x 17.5 x 1.5	1U	\$129.95
PDU20BT12R	120V	20A	L5-20P	15ft.	12	NEMA 5-20R	1.75 x 17.5 x 1.5	1U	\$165.95
PDU20BHV8R	200V/230V	20A(derated to 16A)	L6-20P	10ft.	8	IEC-320 C19/C13	1.75 x 17.5 x 1.5	1U	\$124.95
PDU20BHV10R	200V/230V	20A(derated to 16A)	L6-20P	10ft.	10	IEC-320 C19/C13	1.75 x 17.5 x 1.5	1U	\$129.95
PDU20BHV12R	200V/230V	20A(derated to 16A)	L6-20P	10ft.	12	IEC-320 C13	1.75 x 17.5 x 1.5	1U	\$135.95
PDU30BHV8R	200V/230V	30A(derated to 24A)	L6-30P	10ft.	8	IEC-320 C19/C13	1.75 x 17.5 x 1.5	1U	\$189.95
PDU30BHV10R	200V/230V	30A(derated to 24A)	L6-30P	10ft.	10	IEC-320 C19/C13	1.75 x 17.5 x 1.5	1U	\$209.95
PDU30BHV12R	200V/230V	30A(derated to 24A)	L6-30P	10ft.	12	IEC-320 C13	1.75 x 17.5 x 1.5	1U	\$259.95
PDU20BHVIEC8R	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	8	IEC-320 C13	1.75 x 17.5 x 1.5	1U	\$129.95
PDU20BHVIEC10R	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	10	IEC-320 C13	1.75 x 17.5 x 1.5	1U	\$133.95
PDU20BHVIEC12R	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	12	IEC-320 C13	1.75 x 17.5 x 1.5	1U	\$136.95
PDU20BHVIEC12Ra	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	12	IEC-320 C19/C13	1.75 x 17.5 x 1.5	1U	\$189.95


Basic 1U | Power Distribution Units



Front View



Back View




Basic PDU Features

- Reliable and unfiltered AC power distribution from a UPS system, generator or utility source to multiple connected devices.
- Switch-free design prevents accidental shutdowns.
- Network-grade plugs and outlets in every configuration accommodate any type connection or device.
- Long input power cord reaches distant power sources and provides flexible placement of the unit.
- Durable metal housing maximizes safety and supports installation in demanding environments.
- Versatile horizontal or vertical mounting in a standard 19-inch rack, on a wall or ceiling, under a counter or desktop, or on the floor.

Model	Volts	Amps	Plug Type	Cord Length	Outlets (total)	Outlet Type	Dimensions (H"xW"xD")	Rack Size	MSRP
Basic 1U PDUs									
PDU15B2F8R	120V	15A	5-15P	15ft.	10	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$85.95
PDU15B2F10R	120V	15A	5-15P	15ft.	12	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$97.95
PDU15B2F12R	120V	15A	5-15P	15ft.	14	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$104.95
PDU15B4F8R	120V	15A	5-15P	15ft.	12	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$99.95
PDU15B4F10R	120V	15A	5-15P	15ft.	14	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$106.95
PDU15B4F12R	120V	15A	5-15P	15ft.	16	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$115.95
PDU15B6F8R	120V	15A	5-15P	15ft.	14	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$109.95
PDU15B6F10R	120V	15A	5-15P	15ft.	16	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$119.95
PDU15B6F12R	120V	15A	5-15P	15ft.	18	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$129.95
PDU20B2F8R	120V	20A	5-20P	15ft.	10	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$123.95
PDU20B2F10R	120V	20A	5-20P	15ft.	12	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$159.95
PDU20B2F12R	120V	20A	5-20P	15ft.	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$169.95
PDU20B4F8R	120V	20A	5-20P	15ft.	12	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$159.95
PDU20B4F10R	120V	20A	5-20P	15ft.	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$169.95
PDU20B4F12R	120V	20A	5-20P	15ft.	16	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$185.95
PDU20B6F8R	120V	20A	5-20P	15ft.	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$169.95
PDU20B6F10R	120V	20A	5-20P	15ft.	16	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$185.95
PDU20B6F12R	120V	20A	5-20P	15ft.	18	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$199.95
PDU20BT2F8R	120V	20A	L5-20P	15ft.	10	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$129.95
PDU20BT2F10R	120V	20A	L5-20P	15ft.	12	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$165.95
PDU20BT2F12R	120V	20A	L5-20P	15ft.	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$174.95
PDU20BT4F8R	120V	20A	L5-20P	15ft.	12	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$165.95
PDU20BT4F10R	120V	20A	L5-20P	15ft.	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$174.95
PDU20BT4F12R	120V	20A	L5-20P	15ft.	16	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$189.95
PDU20BT6F8R	120V	20A	L5-20P	15ft.	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$174.95
PDU20BT6F10R	120V	20A	L5-20P	15ft.	16	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$191.95
PDU20BT6F12R	120V	20A	L5-20P	15ft.	18	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$205.99
PDU30BT8F8R	120V	30A(derated to 24A)	L5-30P	12ft.	16	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$219.95
PDU30BT10F10R	120V	30A(derated to 24A)	L5-30P	12ft.	20	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$269.95

Basic 0U | Power Distribution Units

A Basic PDU serves as a conduit of power from a single source to multiple devices. To ensure power availability, these units do not include features such as surge suppression or line filtering that could interrupt the flow of power to critical connected equipment.



Basic PDU Features

- Reliable and unfiltered AC power distribution from a UPS system, generator or utility source to multiple connected devices.
- Switch-free design prevents accidental shutdowns.
- Network-grade plugs and outlets in every configuration accommodate any type connection or device.
- Long input power cord reaches distant power sources and provides flexible placement of the unit.
- Durable metal housing maximizes safety and supports installation in demanding environments.
- Versatile horizontal or vertical mounting in a standard 19-inch rack, on a wall or ceiling, under a counter or desktop, or on the floor.

Standard Type

- A** AC Power Cord
- B** Circuit Breaker
- C** External Site Ground
- D** Cord Retention Tray
- Screw Holes
- E** Front Outlets

Model	Volts	Amps	Plug Type	Cord Length	Outlets (total)	Outlet Type	Dimensions (H"xW"xD")	Rack Size	MSRP
Basic 0U PDUs									
PDU15BV14F	120V	15A	5-15P	10ft.	14	NEMA 5-15R	24 x 1.75 x 1.5	0U	\$149.95
PDU15BV16F	120V	15A	5-15P	10ft.	16	NEMA 5-15R	36 x 1.75 x 1.5	0U	\$178.95
PDU15BV20F	120V	15A	5-15P	10ft.	20	NEMA 5-15R	48 x 1.75 x 1.5	0U	\$198.95
PDU15BV28F	120V	15A	5-15P	10ft.	28	NEMA 5-15R	60 x 1.75 x 1.5	0U	\$229.95
PDU15BV32F	120V	15A	5-15P	10ft.	32	NEMA 5-15R	70 x 1.75 x 1.5	0U	\$259.95
PDU20BV14F	120V	20A	5-20P	10ft.	14	NEMA 5-20R	24 x 1.75 x 1.5	0U	\$149.95
PDU20BV16F	120V	20A	5-20P	10ft.	16	NEMA 5-20R	36 x 1.75 x 1.5	0U	\$219.95
PDU20BV20F	120V	20A	5-20P	10ft.	20	NEMA 5-20R	48 x 1.75 x 1.5	0U	\$229.95
PDU20BV28F	120V	20A	5-20P	10ft.	28	NEMA 5-20R	60 x 1.75 x 1.5	0U	\$239.95
PDU20BV32F	120V	20A	5-20P	10ft.	32	NEMA 5-20R	70 x 1.75 x 1.5	0U	\$295.95
PDU20BVT14F	120V	20A	L5-20P	10ft.	14	NEMA 5-20R	24 x 1.75 x 1.5	0U	\$155.95
PDU20BVT16F	120V	20A	L5-20P	10ft.	16	NEMA 5-20R	36 x 1.75 x 1.5	0U	\$224.95
PDU20BVT20F	120V	20A	L5-20P	10ft.	20	NEMA 5-20R	48 x 1.75 x 1.5	0U	\$234.95
PDU20BVT28F	120V	20A	L5-20P	10ft.	28	NEMA 5-20R	60 x 1.75 x 1.5	0U	\$244.95
PDU20BVT32F	120V	20A	L5-20P	10ft.	32	NEMA 5-20R	70 x 1.75 x 1.5	0U	\$299.95
PDU30BVT14F	120V	30A(derated to 24A)	L5-30P	10ft.	14	NEMA 5-20R	24 x 1.75 x 2.25	0U	\$289.95
PDU30BVT16F	120V	30A(derated to 24A)	L5-30P	10ft.	16	NEMA 5-20R	36 x 1.75 x 2.25	0U	\$294.95
PDU30BVT20F	120V	30A(derated to 24A)	L5-30P	10ft.	20	NEMA 5-20R	48 x 1.75 x 2.25	0U	\$299.95
PDU30BVT28F	120V	30A(derated to 24A)	L5-30P	10ft.	28	NEMA 5-20R	60 x 1.75 x 2.25	0U	\$304.95
PDU30BVT32F	120V	30A(derated to 24A)	L5-30P	10ft.	32	NEMA 5-20R	70 x 1.75 x 2.25	0U	\$326.95

Basic 0U | Power Distribution Units


Basic 0U 200/230V models offer up to 38 outlets, increasing power availability without taking up any rack space.

Basic PDU Features

- Reliable & unfiltered AC power distribution from a UPS system, generator or utility source to multiple connected devices.
- Switch-free design prevents accidental shutdowns.
- Network-grade plugs and outlets accommodate a large number of devices.
- Long input power cord reaches distant power sources and provides flexible placement of the unit.
- Durable metal housing maximizes safety and supports installation in demanding environments.
- Space-saving mounting on the front or back of a rack's vertical rails.



PDU20BVHVT24F



Model	Volts	Amps	Plug Type	Cord Length	Outlets (total)	Outlet Type	Dimensions (H"xW"xD")	Rack Size	MSRP
Basic 0U PDUs									
PDU20BVHVT16F	200V/230V	20A(derated to 16A)	L6-20P	10ft.	16	IEC-320 C13	24 x 1.75 x 1.5	0U	\$219.95
PDU20BVHVT20F	200V/230V	20A(derated to 16A)	L6-20P	10ft.	20	IEC-320 C19/C13	36 x 1.75 x 1.5	0U	\$234.95
PDU20BVHVT24F	200V/230V	20A(derated to 16A)	L6-20P	10ft.	24	IEC-320 C19/C13	48 x 1.75 x 1.5	0U	\$239.95
PDU20BVHVT32F	200V/230V	20A(derated to 16A)	L6-20P	10ft.	32	IEC-320 C19/C13	60 x 1.75 x 1.5	0U	\$269.95
PDU20BVHVT38F	200V/230V	20A(derated to 16A)	L6-20P	10ft.	38	IEC-320 C19/C13	70 x 1.75 x 1.5	0U	\$275.95
PDU30BVHVT16F	200V/230V	30A(derated to 24A)	L6-30P	10ft.	16	IEC-320 C13	24 x 1.75 x 1.5	0U	\$279.95
PDU30BVHVT20F	200V/230V	30A(derated to 24A)	L6-30P	10ft.	20	IEC-320 C19/C13	36 x 1.75 x 1.5	0U	\$284.95
PDU30BVHVT32F	200V/230V	30A(derated to 24A)	L6-30P	10ft.	32	IEC-320 C19/C13	60 x 1.75 x 1.5	0U	\$289.95
PDU30BVHVT38F	200V/230V	30A(derated to 24A)	L6-30P	10ft.	38	IEC-320 C19/C13	60 x 1.75 x 1.5	0U	\$379.95
PDU10BVHVIC16F	200V/230V	10A	IEC-320 C14	10ft.	16	IEC-320 C13	24 x 1.75 x 1.5	0U	\$154.95
PDU10BVHVIC20F	200V/230V	10A	IEC-320 C14	10ft.	16	IEC-320 C19/C13	36 x 1.75 x 1.5	0U	\$179.95
PDU20BVHVIC16F	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	16	IEC-320 C13	24 x 1.75 x 1.5	0U	\$194.95
PDU20BVHVIC20F	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	20	IEC-320 C19/C13	36 x 1.75 x 1.5	0U	\$235.95
PDU20BVHVIC24F	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	24	IEC-320 C19/C13	48 x 1.75 x 1.5	0U	\$245.95
PDU20BVHVIC32F	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	32	IEC-320 C19/C13	60 x 1.75 x 1.5	0U	\$299.95
PDU20BVHVIC38F	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	38	IEC-320 C19/C13	70 x 1.75 x 1.5	0U	\$329.95

Metered 1U | Power Distribution Units



Metered PDU Series (1U & 0U)


Metered PDUs include all the features of the Basic Series and a front digital LCD meter for real-time load monitoring. When networks expand with the addition of new hardware, the power source can become overloaded, resulting in costly network downtime. Managers can avoid downtime by monitoring the current draw of connected equipment (the load) in amps, on the digital meter as equipment is added and then take action to avoid overloads before they occur.



Front View



Back View



- A** Mounting Bracket
- B** Circuit Breaker
- C** Meter Readout
- D** Front Outlets
- E** Back Outlets
- F** External Site Ground
- G** AC Power Cord
- H** Cord Retention Tray Screw Holes

Model	Volts	Amps	Plug Type	Cord Length	Outlets (total)	Outlet Type	Dimensions (H"xW"xD")	Rack Size	MSRP
Metered 1U PDUs									
PDU15M2F8R	120V	15A	5-15P	15ft.	10	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$142.95
PDU15M2F10R	120V	15A	5-15P	15ft.	12	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$149.95
PDU15M2F12R	120V	15A	5-15P	15ft.	14	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$159.95
PDU20M2F8R	120V	20A	5-20P	15ft.	10	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$174.95
PDU20M2F10R	120V	20A	5-20P	15ft.	12	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$189.95
PDU20M2F12R	120V	20A	5-20P	15ft.	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$209.95
PDU20MT2F8R	120V	20A	L5-20P	15ft.	10	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$179.95
PDU20MT2F10R	120V	20A	L5-20P	15ft.	12	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$199.95
PDU20MT2F12R	120V	20A	L5-20P	15ft.	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$215.95

Metered 0U | Power Distribution Units


Metered 0U models offer up to 38 outlets, increasing power availability without taking up any rack space.

Metered PDU Features

- Digital real-time load display of the total power consumption of connected devices.
- Reliable and unfiltered AC power distribution from a UPS system, generator or utility source to multiple connected devices.
- Switch-free design prevents accidental shutdowns.
- Network-grade plugs and outlets in every configuration accommodate any type of connection or device.
- Long input power cord reaches distant power sources and provides flexible placement of the unit.
- Durable metal housing maximizes safety and supports installation in demanding environments.
- Space-saving mounting on the front or back of a rack's vertical rails.



PDU30MVT24F



PDU30MVHVT30F

Model	Volts	Amps	Plug Type	Cord Length	Outlets (total)	Outlet Type	Dimensions (H"xW"xD")	Rack Size	MSRP
Metered 0U PDUs									
PDU15MV20F	120V	15A	5-15P	10ft.	20	NEMA 5-15R	48 x 1.75 x 2.25	0U	\$155.95
PDU15MV26F	120V	15A	5-15P	10ft.	26	NEMA 5-15R	60 x 1.75 x 2.25	0U	\$194.95
PDU15MV32F	120V	15A	5-15P	10ft.	32	NEMA 5-15R	70 x 1.75 x 2.25	0U	\$219.95
PDU20MV20F	120V	20A	5-20P	10ft.	20	NEMA 5-20R	48 x 1.75 x 2.25	0U	\$198.95
PDU20MV26F	120V	20A	5-20P	10ft.	26	NEMA 5-20R	60 x 1.75 x 2.25	0U	\$319.95
PDU20MV32F	120V	20A	5-20P	10ft.	32	NEMA 5-20R	70 x 1.75 x 2.25	0U	\$349.95
PDU20MVT20F	120V	20A	L5-20P	10ft.	20	NEMA 5-20R	48 x 1.75 x 2.25	0U	\$209.95
PDU20MVT26F	120V	20A	L5-20P	10ft.	26	NEMA 5-20R	60 x 1.75 x 2.25	0U	\$329.95
PDU20MVT32F	120V	20A	L5-20P	10ft.	32	NEMA 5-20R	70 x 1.75 x 2.25	0U	\$359.95
PDU30MVT24F	120V	30A(derated to 24A)	L5-30P	10ft.	24	NEMA 5-20R	60 x 1.75 x 2.25	0U	\$429.95
PDU30MVT32F	120V	30A(derated to 24A)	L5-30P	10ft.	32	NEMA 5-20R	70 x 1.75 x 2.25	0U	\$449.95
PDU20MVHVT20F	200V/230V	20A(derated to 16A)	L6-20P	10ft.	20	IEC-320 C19/C13	48 x 1.75 x 2.25	0U	\$269.95
PDU20MVHVT30F	200V/230V	20A(derated to 16A)	L6-20P	10ft.	30	IEC-320 C19/C13	60 x 1.75 x 2.25	0U	\$289.95
PDU20MVHVT38F	200V/230V	20A(derated to 16A)	L6-20P	10ft.	38	IEC-320 C19/C13	70 x 1.75 x 2.25	0U	\$309.95
PDU30MVHVT20F	200V/230V	30A(derated to 24A)	L6-30P	10ft.	20	IEC-320 C19/C13	48 x 1.75 x 2.25	0U	\$349.95
PDU30MVHVT30F	200V/230V	30A(derated to 24A)	L6-30P	10ft.	32	IEC-320 C19/C13	60 x 1.75 x 2.25	0U	\$429.95
PDU30MVHVT38F	200V/230V	30A(derated to 24A)	L6-30P	10ft.	38	IEC-320 C19/C13	70 x 1.75 x 2.25	0U	\$474.95
PDU20MVHVIC24F	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	24	IEC-320 C19/C13	48 x 1.75 x 2.25	0U	\$369.95
PDU20MVHVIC30F	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	30	IEC-320 C19/C13	60 x 1.75 x 2.25	0U	\$379.95
PDU20MVHVIC38F	200V/230V	20A(derated to 16A)	IEC-320 C20	10ft.	38	IEC-320 C19/C13	70 x 1.75 x 2.25	0U	\$389.95

Switched | Power Distribution Units



Switched PDU Series

A Switched PDU has all the features of a Metered unit with the addition of an RJ45 Ethernet port for local network connection. This allows for remote management of the PDU, monitoring PDU vitals, as well as controlling outlets and networked clients.


Service interruptions can occur when network devices lock up. Rebooting a locked device by turning it off and back on again is easy when the manager is on-site, but becomes impractical when a network is dispersed over a wide geographical area.

Using the CyberPower Management Console, outlets can be switched on and off to reboot connected equipment remotely so that networks can be conveniently managed off-site, minimizing disruption.

Switched PDU Features


- Digital real-time load display of the total power consumption of connected devices.
- Reliable and unfiltered AC power distribution from a UPS system, generator or utility source to multiple connected devices.
- Network-grade plugs and outlets accommodate a large number of devices.
- Long input power cord reaches distant power sources and provides flexible placement of the unit.
- Durable metal housing maximizes safety and supports installation in demanding environments.
- Versatile horizontal or vertical mounting in a standard 19-inch rack, on a wall or ceiling, under a counter or desktop, or on the floor.

Front View



- A** On/Off Switch
- B** Manual Button
- C** Manual Button Indicator
- D** Outlet Buttons
- E** Outlet Indicator
- F** Voltage & Current & Power Indicators
- G** Metered Readout
- H** Selection Button
- I** Mounting Brackets

Back View



- A** Rest Button
- B** LAN Port -RJ45 10Base
- C** Link Indicator
- D** MSG Indicator
- E** ACT Indicator
- F** Serial Port
- G** External Site Ground
- H** AC Outlets
- I** Wiring Fault Indicator
- J** Input Circuit Breaker

Model	Volts	Amps	Plug Type	Cord Length	Outlets (total)	Outlet Type	Dimensions (H"xW"xD")	Rack Size	MSRP
Switched PDUs									
PDU15SW8RNET	120V	15A	5-15P	10ft.	8	NEMA 5-15R	1.75 x 17.5 x 4	1U	\$595.95
PDU20SW8RNET	120V	20A	5-20P	10ft.	8	NEMA 5-20R	1.75 x 17.5 x 4	1U	\$759.95

Rackbar Surge Protection

The most flexible and reliable solutions for powering network hardware and telecommunications equipment.



Rackbar Features

- "Always On" Switch-free design prevents accidental shutdowns.
- Protected & Grounded LEDs
- Durable metal housing maximizes safety & supports installation in demanding environments.
- 15' Power Cord reaches distant power sources and provides flexible placement of the unit.
- Versatile horizontal mounting (standard 19-inch rack) or vertical mounting, on a wall, under a counter or desktop, or on the floor.
- Network-grade plugs and outlets in every configuration accommodate multiple connection types or devices.
- Front & Rear Outlet Options include: NEMA 5-15R & NEMA 5-20R Outlets
- Number of Outlets: 10, 12, 14, 16, and 18 outlets
- Plug Types include: NEMA 5-15R, NEMA 5-20P and NEMA L5-20P (Twist Lock Plug)

Rackbar

The CyberPower Rackbar provides customers with network-grade rack mounted surge suppression solutions in both 15A and 20A configurations.

As with all CyberPower products, quality and reliability are the design cornerstones for the CyberPower Rackbar line. Each Rackbar is designed with an industrial-grade metal housing to perform flawlessly in datacenters and other electrically demanding environments. Two sets of mounting brackets provide flexible options for installation including 1U (19") rack mount, 0U vertical rack mount, wall and under shelf/desktop mounting. A cord retention tray ships with all CyberPower PDUs to ensure a worry-free and organized installation.

Multiple configurations ensure a CyberPower Rackbar surge suppressor will be available for almost any application. CyberPower offers a wide selection of SKUs ranging from 15A to 20A, front and rear outlets, and twist lock style plugs.

Flexible and reliable solutions for powering network telecommunications equipment, security products, PCs, servers and other stand alone or rack mounted equipment.

An industry leading lifetime warranty ensures CyberPower Rackbars are free of defects in design, assembly, material or workmanship. Additionally, all Rackbars come with a Lifetime Connected Equipment Warranty.

15A Rackbar — RKBS15S2F8R



20A Rackbar — RKBS20S2F8R



Rackbar Specifications

Model	Volts	Amps	Plug Type	Cord Length	Outlets (total)	Outlet Type	Dimensions (H"xW"xD")	Rack Size	MSRP
15A Rackbars									
RKBS15S2F8R	120V	15A	NEMA 5-15P	15ft	10	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$89.95
RKBS15S2F10R	120V	15A	NEMA 5-15P	15ft	12	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$169.95
RKBS15S2F12R	120V	15A	NEMA 5-15P	15ft	14	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$179.95
RKBS15S4F8R	120V	15A	NEMA 5-15P	15ft	12	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$172.95
RKBS15S4F10R	120V	15A	NEMA 5-15P	15ft	14	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$181.95
RKBS15S4F12R	120V	15A	NEMA 5-15P	15ft	16	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$185.95
RKBS15S6F8R	120V	15A	NEMA 5-15P	15ft	14	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$183.95
RKBS15S6F10R	120V	15A	NEMA 5-15P	15ft	16	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$188.95
RKBS15S6F12R	120V	15A	NEMA 5-15P	15ft	18	NEMA 5-15R	1.75 x 17.5 x 2.25	1U	\$198.95

Model	Volts	Amps	Plug Type	Cord Length	Outlets (total)	Outlet Type	Dimensions (H"xW"xD")	Rack Size	MSRP
20A Rackbars									
RKBS20S2F8R	120V	20A	NEMA 5-20P	15ft	10	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$188.75
RKBS20S2F10R	120V	20A	NEMA 5-20P	15ft	12	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$204.95
RKBS20S2F12R	120V	20A	NEMA 5-20P	15ft	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$229.95
RKBS20S4F8R	120V	20A	NEMA 5-20P	15ft	12	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$207.95
RKBS20S4F10R	120V	20A	NEMA 5-20P	15ft	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$231.95
RKBS20S4F12R	120V	20A	NEMA 5-20P	15ft	16	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$242.95
RKBS20S6F8R	120V	20A	NEMA 5-20P	15ft	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$233.95
RKBS20S6F10R	120V	20A	NEMA 5-20P	15ft	16	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$247.95
RKBS20S6F12R	120V	20A	NEMA 5-20P	15ft	18	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$268.95
RKBS20ST2F8R	120V	20A	NEMA L5-20P	15ft	10	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$196.95
RKBS20ST2F10R	120V	20A	NEMA L5-20P	15ft	12	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$219.95
RKBS20ST2F12R	120V	20A	NEMA L5-20P	15ft	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$239.95
RKBS20ST4F8R	120V	20A	NEMA L5-20P	15ft	12	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$223.95
RKBS20ST4F10R	120V	20A	NEMA L5-20P	15ft	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$242.95
RKBS20ST4F12R	120V	20A	NEMA L5-20P	15ft	16	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$252.95
RKBS20ST6F8R	120V	20A	NEMA L5-20P	15ft	14	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$244.95
RKBS20ST6F10R	120V	20A	NEMA L5-20P	15ft	16	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$255.95
RKBS20ST6F12R	120V	20A	NEMA L5-20P	15ft	18	NEMA 5-20R	1.75 x 17.5 x 2.25	1U	\$279.95



Power Distribution Units & Rackbar Surge Protection

Quality

CyberPower PDU and Rackbar products are designed with careful consideration for durability, accessibility, ease-of-use and installation, and serviceability.

Reliability

Every CyberPower PDU and Rackbar must pass extensive factory testing to ensure that each product meets or exceeds CyberPower's stringent quality levels. These products are ETL and RoHS certified and are constructed to withstand the toughest conditions in data centers or other demanding environments. All PDUs and Rackbars are designed and manufactured by CyberPower to ensure consistency and quality.

Warranty and Service

Our products are backed by our best-in-class warranty and support. CyberPower provides a lifetime product warranty on all PDUs and Rackbar products to ensure every unit is free of defects in design, assembly, material or craftsmanship. We are available to assist you with implementation, service, warranty, and product support for every CyberPower product.

About CyberPower Systems

CyberPower Systems, Inc. designs and manufactures state-of-the-art power protection and power distribution equipment for corporate, business, home, government and educational markets. CyberPower leads the industry by surpassing customer expectations in the development, design, construction, durability and functionality of power protection equipment for computers, peripherals and connected devices. CyberPower Systems operates in the North American, Latin American, Asian Pacific, and European markets. For additional information, including sales office locations and authorized reseller partners, visit cpsww.com.

UNITED STATES
4241 12th Ave East, Suite 400
Shakopee, MN 55379
Toll free: 1-877-297-6937
CPSww.com

© 2011 CyberPower Systems (USA), Inc. All rights reserved. All other trademarks are the property of their respective owners. CyberPower reserves the right to modify product information or specifications without previous notice.
The information presented is accurate at the time of publication. 02-2011