


RENTAL SALES SERVICE



**National Pump
& Compressor**


National Pump & Compressor



PUMPS



*Honda
Pumps and Generators*



*Versa Matic
Diaphragm Pumps*

We pride ourselves on customizing solutions that fit our customers' specific requirements. We understand that equipment needs are never one-size-fits-all and that they usually vary greatly among industries and even individual projects. That's why we work closely with our customers to determine the best equipment for the job. Our 24-hr service ensures minimal downtime and equipment. And we'll also tailor a rental or sales structure that fits your budget.

WHATEVER YOU NEED.

Vac-Assist Pumps

High Volume	Size	Max Flow	Max PSI / TDH	Solids
<ul style="list-style-type: none"> Large solids handling capability Run-dry sealing system 24-hour internal fuel tank Automatic start/stop Enviro-safe priming system Trailer or skid-mounted High efficiency (low fuel consumption) Available in stainless steel construction 	4x4	1500	52 / 120'	3"
	6x6	3200	60 / 140'	3"
	Super 6x6	3400	72 / 166'	3"
	8x8	4400	60 / 140'	3"
	Super 8x8	4800	72 / 166'	3"
	Super 12x12	6400	54 / 125'	3"
	High Head 12x12	6400	78 / 180'	3"
	14x14	11,000	60 / 140'	4"
High Pressure	18x18	16,000	60 / 140'	4.5"
	5x3	700	100 / 231'	.5"
	6x3	1000	175 / 400'	.75"
	6x4	1400	180 / 415'	.75"
	8x6	4000	108 / 250'	.98"
	10x8	5000	140 / 325'	3.5"
Super 10x8	5500	150 / 350'	3.5"	

Hydraulic Submersible Pumps

High Volume	Size	Max Flow	MaxTDH	Solids
<ul style="list-style-type: none"> Designed for pumping heavy sludge, trash and water No priming required - no suction lift Run-dry capability Suitable for heavy sludge Slurry/digester models available Stainless steel available 	3"	350	57'	2"
	4"	700	78'	3"
	6"	1600	90'	3.5"
	8"	2500	90'	4"
	12"	7000	78'	4"
High Head	4"	700	220'	2"
	6"	1500	120'	3.5"
Axial Flow	24"	18,000	22'	2"
	30"	25,000	22'	2"
	42"	56,000	22'	2"

SludgeMaster Poppit Valve Pumps

High Volume	Size	Max Flow	Max PSI	Solids
<ul style="list-style-type: none"> Clog-resistant valve design Steel construction Adaptable pressure and flow Self-priming Run-dry capability 	4" x 4"	250 GPM	150	3 1/2"

*Pioneer
Self priming and Vac Assist Pumps*



Air-Operated Double Diaphragm Pumps

High Volume	Size	Max Flow	Max PSI	Materials
<ul style="list-style-type: none"> Non-stalling/non-icing/lube free Self priming to 28' Pumps thick fluids Run-dry capability Intrinsically safe 	1"	35	100	Alum/Stnlss/Poly
	2"	120	100	Alum/Stnlss/Poly
	3"	220	100	Alum/Stnlss/Poly
High Pressure	2"	60	200	Stainless
Diesel Powered	4"	300	25	Cast Iron

Wellpoint/Sock Drain Pumps

High Volume	Size	Max Flow	Max PSI	CFM
<ul style="list-style-type: none"> High flow Premium efficiency- (low fuel consumption) Run-dry sealing system Continuous priming- (enviro-safe priming system) 	4"	1,500 GPM	47	100
	6"	3,200 GPM	52	100
	8"	4,400 GPM	58	100
	Rotary Wellpoint Pumps	6"	1,000 GPM	70
<ul style="list-style-type: none"> Skid mounted Large air handling capability Continuous priming 	8"	1,280 GPM	70	147
	12"	2,560 GPM	85	334

Stainless Steel Pumps

High Volume	Size	Max Flow	Max PSI/TDH
<ul style="list-style-type: none"> Suitable for caustic & acid applications Enviro-safe priming system Run-dry capability High efficiency (low fuel consumption) Continuous self priming Hardened CD4MCU construction 	4" x 4"	1,500 GPM	52 / 120'
	6" x 6"	3,200 GPM	60 / 140'
	8" x 8"	4,400 GPM	60 / 140'
	10" x 8"	5,500 GPM	150 / 350'
	Hydraulic Submersible	4"	700 GPM
<ul style="list-style-type: none"> High flow performance Run-dry capability Factory filled with bio-degradable hydraulic oil. Suitable for heavy sludge Designed for caustic, salt water, and acid applications. 	6"	1,600 GPM	40 / 90'
	8"	2,500 GPM	40 / 90'
	12"	7,000 GPM	34 / 78'

*D + D
Hydraulic Submersible Pumps*



WHATEVER YOU NEED. For Industrial, Construction, Marine, Oilfield, Mining and Municipal applications, we have the equipment to get the job done.



WHENEVER YOU NEED IT.

COMPRESSORS

INDUSTRIAL ROTARY SCREW COMPRESSORS

Capacities to 1500 acfm

Best warranty in the industry

Air or Water Cooled

Energy Efficient Variable Capacity and
Variable Speed



Quincy QSLi



F.S. Elliott

CENTRIFUGAL

- High base-load and part-load efficiency
- Optimized operational efficiency throughout the entire year
- Minimum number of moving parts
- Robust and reliable industrial design
- Superior package design
- Simple, low-cost installation
- Elimination of air line oil contamination
- Ease of maintenance



Quincy QR-25

RECIPROCATING AND CLIMATE CONTROL AIR COMPRESSOR

- 1 to 25 hp
- Single and two stage designs
- Splash or pressure lubricated designs available
- Simplex or duplex packages
- Oil carryover of 2ppm or less, factory certified



Kobelco KNW

OIL FREE ROTARY SCREW COMPRESSORS

- Capacities up to 2400 CFM
- Air or water cooled
- High efficiency 2 stage design
- Allen Bradley programmable logic controller
- Touchscreen display with graphics



Quincy QSVB

INDUSTRIAL VACUUM

- 7.5 to 200 horsepower
- 155 to 3000 acfm
- 29.9" Hgv attainable base vacuum



Powerex

MEDICAL AIR AND VACUUM

- Meets NFPA99
- Oilless scroll compressors
- Multiple package arrangements
- Low noise level
- Low energy cost
- High reliability

Equipment works better when it's backed by service and expertise.

RENTALS

At National Pump and Compressor, we understand that you need well maintained reliable equipment that will get the job done. Our air compressors, dryers and other related equipment are the best in the industry. We provide 24 hour rentals and factory trained service technicians to keep your plant running smoothly. **WHENEVER YOU NEED IT.**

Electric Rental Air Compressors

	Model	CFM	PSI	HP	Voltage
<ul style="list-style-type: none"> • Low-cost operation • Minimized noise level • Cleaner, dryer air • No diesel refueling • Automatic start/stop feature • Emissions free 	QGB-25	100	125	25	230/460
	QGB-30	121	125	30	230/460
	QSF-50	210	125	50	230/460
	QSF-75	325	125	75	460
	QSF-100	438	125	100	460
	QSF-150	655	125	150	460
	QSI-750	757	110	150	460
	QSI-1000	1010	110	200	460
	QSI-1500	1515	110	300	460

REFRIGERATED AIR DRYERS

- 10-19,200 SCFM
- Air or water cooled
- Energy efficient design
- Low pressure drop



Zeks



AirTek

DESICCANT AIR DRYERS

- -40° F and -100° F dewpoint
- ASME coded vessels
- Modular and standard designs
- Heated and blower purge
- Energy saving controls



Dominick Hunter



Drying and filtration of compressed air is critical in today's industrial plants. National Pump and Compressor offers a wide variety of rental desiccant air dryers, after-coolers, and oil removal filtration. We offer 24 hour rentals and factory trained service technicians to ensure the finest air quality. **WHATEVER IT TAKES.**

DRYER RENTALS

WHATEVER IT TAKES.

Rental Desiccant Dryers/After-Coolers/Filtration

Dryers

- Skid mounted/lifting lugs/forklift channels
- Pre-piped in/out connections
- 115/1/60 voltage
- Automatic condensate drains
- High pressure models
- Control panel with built in diagnostics


Aftercoolers

- Air driven fan
- 15 degree approach

Mist Eliminator Filters

- Low pressure drop
- 99.98% efficient
- Obtain "oil-free air"

Model	Capacity SCFM	Max PSIG	Dimensions (LxWxH)	Weight
TWR-500	500	150	76" x 80" x 78"	4700lbs
TWR-1000	1000	150	104" x 90.5 x 94.5	5300 lbs
TWR-1350HP	1350	350	104" x 90.5" x 94.5"	5300 lbs
TWR-1600	1600	150	96" x 80" x 86.5"	5800 lbs
ACR-1000	1000	150	68" x 46" x 70"	1016 lbs
ACR-1600	1600	150	73" x 48" x 72"	1180 lbs
ME-500	500	150	24"x36"x60"	700 lbs
ME-1100	1100	150	36"x36"x76"	800 lbs
ME-1500	1500	150	36"x36"x80"	900 lbs





National Pump & Compressor

National Pump and Compressor is a leading provider of pumps, compressors, dryers and related equipment for the industrial, petrochemical, refinery, construction, marine, oilfield, municipal, environmental and mining industries. Headquartered in Beaumont, Texas, National Pump & Compressor has offices throughout the United States to serve customers nationwide. We offer 24 hour rental, sales and service to meet our customers needs.

For more information, or for equipment or services, contact us at 888-840-5886.

National Pump & Compressor

Corporate Office

3365 W. Cardinal Dr.
Beaumont, TX 77705
409-840-5886
888-840-5886

www.npcrents.com

Sales & Service Offices

TEXAS

Houston
281-479-1700
Freeport
979-230-9181
Texas City
409-948-2476
Dallas
214-688-1677
Tyler
903-526-5665
Arlington
817-468-8000
Corpus Christi
361-299-2800

Ft. Worth
817-284-8494

Deer Park
281-479-1700

LOUISIANA

Baton Rouge
225-744-4767

New Orleans
504-466-6111

Shreveport
318-671-9521

ARKANSAS

Conway
501-336-8884

ILLINOIS

Melrose Park
708-345-0225

Peoria
309-694-2370

Machesney Park
815-654-7600

Rock Island
309-787-8895

Joliet
815-483-2007

PENNSYLVANIA

Pittsburgh
724-746-6556

FLORIDA

Jacksonville
904-346-5353

Lakeland
863-709-0000

COLORADO

Grand Junction
970-241-7675

OHIO

Toledo
419-868-4980