

PRINCIPAL CHARACTERISTICS

30'-6" Length Overall Length at DWL 27'-6" 8'-3" Beam, Maximum Draft, Maximum 5'-6" Displacement, Light 5,640 lbs Ballast 2,400 lbs Sail Area 460 ft² Fuel Oil 13 gallons Fresh Water 12 gallons Holding Tank 9 gallons

CONSTRUCTION

E-glass/vinylester hull with polymer foam core Solid E-glass laminate on centerline

Molded interior liners

Molded keel and hull structure

External lead keel mounted to molded sump

E-glass/vinylester deck with polymer foam core

Core removed in areas of deck hardware and thru-hull fittings

PROPULSION

- (1) Yanmar 2YM15xSD20, 14hp diesel & saildrive
- (1) Yanmar fiberglass engine mount pan
- (1) Yanmar keyless B-type instrument panel with ignition switch, start/stop buttons, and alarms
- (1) Teleflex ST single lever throttle with neutral safety switch (CH2400P)

ELECTRICAL

- (2) Optima D34M 12V AGM house & starting batteries
- (1) Yanmar 35A/12V alternator
- (1) Blue Sea Systems 360 12V distribution panel:

1- Interior Lights 2- Navigation Lights

3- Masthead/Anchor 4-VHF 5- Bilge Pump 6- Blower 7- 12V Outlet 8- (Stereo)

(1) Blue Sea Systems manual battery switch All electrical wiring to be ABYC compliant

ELECTRONICS, COMMUNICATION & NAVIGATION

- (1) Ritchie Explorer bracket-mount compass with removable cover (B-51)*
- (1) Aquasignal bicolor LED bow light (32100)
- (1) Aqusignal LED stern light (32502)
- (1) Aquasignal LED mast/anchor light (32410)

AUXILIARY SYSTEMS

- (1) Nicro Solar MiniVent 1000 (N20020)*
- (1) Laminate galley/head counter top
- (1) Scandvik stainless steel sink (10206)
- (1) Scandvik compact chrome faucet (16200)
- (1) Whale Gusher MKIII foot pump (GP0550)
- (1) Garbage bin under counter
- (1) Igloo Marine Ice Chest, 25 quart (6776)
- (1) 13-gal Todd polyethylene water tank with deck fill plate and vent, 1/4" wall thick. (85-1626WH)
- (1) 12-gal Moeller polyethylene fuel tank with vent, deck fill plate, and sending unit (032512)
- (1) Moeller electronic fuel gauge (035727-10)
- (1) Jabsco Twist'n'Lock Compact Manual Head with ceramic bowl and wood seat (29090-3000)
- (1) 6-gal Todd polyethylene holding tank with gravity overboard discharge (85-1531WH)
- (1) Whale Super Sub 650 gph automatic 12VDC bilge pump with integral switch (SS5212)
- (1) Whale Urchin manual bulkhead-mount bilge pump located near helm in cockpit (BP9013)
- (7) Thru-hull seacocks:

Cooling water inlet SW flush BW discharge GW discharge

2 x Cockpit drains Bilge pump discharge

STEERING & RUDDER

E-glass rudder with aluminum rudder post

- (1) Jefa twin self-aligning roller bearings in FRP tube (6D063)
- (1) Rudder Craft laminated wood tiller (Style A)

SAFETY EQUIPMENT

All safety equipment meets USCG regulations.

(1) Orion Coastal Locator Plus 4 signal kit, with signal flag and whistle (534)



- (4) Kent Type II adult life jackets (427000)
- (1) Cal June Type IV ring buoy & bracket (G-19)
- (2) Kidde B-I 2 ⁵/₈ lb fire extinguisher (46622701)
- (1) West Marine 2.0 medical kit (2062-0004)

OUTFIT & FURNISHING

Double-hinged frosted Lexan panels set into bulkhead ring frame

(4) Settee and forward berth boxed-edge cushions, 3" reticulated foam with Sunbrella Marine Upholstery in solid color

Wood fiddles on counters and settee faces

Wood caps on bulkhead ring frames

Wood handrails on overhead & exterior, with common fasteners

Wood companionway steps with non-skid finish, mounted to engine box

(2) Wood sole panel inserts

Sliding mirrored cabinet doors above sink

Sliding frosted polycarbonate medicine cabinet doors outboard of head

- (2) White v-groove hull ceiling panels
- (2) Bomar 14"x16" inspection hatches on aft bhd for wet-locker access (G81618)
- (2) Upholstered removable settee backrests, for use as lee boards
- (8) StarBoard settee backrest brackets
- (4) Taylorbrite Euro-style LED reading lights with integral switches (R3DM001N)

DECK HARDWARE

- (2) Harken self-tailing coachroof winch (20STA)
- (2) Spinlock double rope clutches (XAS0615/2)
- (2) Harken two-sheave deck organizers (270)
- (1) Harken 2:1 self-tacking curved track with car
- (5) Harken cam-cleats in cockpit cubby holes: 2 x jib sheet, 2 x backstay, jib furling line (150)
- (2) Harken 8" lock-in winch handles with holders Wood flagstaff, ensign, and deck socket

WINDOWS, PORTS, & HATCHES

- (6) Flush tempered glass frameless portlights
- (1) TaylorMade Ultra III foredeck hatch with tempered glass lens, ~20"x20" (2020UL3)

- (2) Cockpit seat flush fiberglass hatches
- (1) Lazarette flush fiberglass hatch
- (1) Tempered glass double-sliding c'way hatch
- (3) Wood companionway hatch boards

ANCHORING, MOORING & OUTFIT

Wood toe rail mounted over hull-to-deck joint

- (6) 10" Herreshoff style stainless steel cleats with stainless steel chafe plate (198418)
- (1) 7 lb Fortress aluminum anchor (FX-11)
- (1) 100' x 1/2" diameter nylon anchor rode, with 6' x 5/16" chain
- (1) Perko Deck Plate with eye for anchor chain retrieval, over chain locker (0528DP8CHR)
- (1) Bow line 25' nylon, 1/2" diameter
- (2) Spring lines 35' nylon, 1/2" diameter
- (1) Stern line 25' nylon, 1/2" diameter
- (3) TaylorMade 8" x 20" vinyl fenders (1026)
- (1) West Marine floating boat hook (85001A)

PAINT, COATINGS & FAIRING

Deck: Evercoat Premium Gel Kote, white with tan or grey non-skid

Topsides: Evercoat Premium Gel Kote in white

Boot top: Awlgrip in red, black, or navy blue

Bottom paint: Interlux Micron CSC, red, green or shark white

Bilge: Interlux Bilge Kote in white

SPARS & RIGGING

Sparcraft aluminum mast (S330) & boom (F220), deck-stepped with compression post below

- (2) Sparcraft aluminum swept-back spreaders
- (1) Anodized aluminum mast step
- (3) Stainless steel chainplates (2 x V1/D1, forestay), custom by Builder

Navtec 1x19 stainless steel wire rigging

Below-deck 4:1 backstay adjusting system with deck ferrules and lead blocks

- (1) Main halyard sheaves at masthead
- (2) Genoa halyard sheave at forestay
- (1) Spinnaker halyard sheave above forestay
- (2) Halyard cheek blocks mounted to mast
- (1) Harken 4:1/16:1 Carbo AirBlock mainsheet



- (1) Harken CB mainsheet traveler system
- (1) Double-ended self-tacking jib below-deck sheet system with lead and turning blocks
- (1) Harken SB underdeck furler (478)
- (1) Hall QuickVang
- (1) Harken 4:1 Carbo AirBlock vang system
- (1) Outhaul block-and-tackle adjustment in boom
- (1) Single-line reef system

Burgee halyard and block, with S&S burgee Running rigging package

SAILS

Full-batten mainsail w/ single slab reef Furling cruising jib, self-tacking, 90% LP

* - Standard included options - may be removed upon Owner request.

OPTIONS

Hull, Deck, & Appendages

Awlgrip topsides paint in any color

Teak main deck

Teak cockpit sole

Teak cockpit seats

Electronics, Communication & Navigation

Tacktick wireless wind, speed & depth (T108) Simrad tiller-mounted autopilot (TP10)

- (1) ICOM marine VHF radio (IC-M304)
- (1) Clarion stereo with four marine outdoor speakers (M109 & CM 1625)

Auxiliary Systems

- (1) Origo single-burner alcohol stove, on slide-out drawer in stbd aft bulkhead locker (9581401-99)
- (1) Isotherm Slim 15 water heater, 4 gal (601521S)

Outfit

Lifelines; stainless stanchions, pulpit, and pushpit Lifelines; tapered at ends with stainless stanchions Wood eyebrow on deckhouse Wood cockpit coaming cap Wood cladding on house & coaming sides

Canvas companionway dodger and hardware Canvas boom tent and hardware

- (2) Cockpit seat cushions, 3" reticulated foam with Sunbrella Marine Upholstery in solid color
- (1) Aft deck cushion, 3" reticulated foam with Sunbrella Marine Upholstery in solid color
- (6) Rostand aluminum opening portlights (0010) Transom removable swim ladder and hardware Spinlock tiller extension (EA/1200S)

Spars & Rigging

Carbon fiber mast

Sail cover with vessel name

Mainsail QuickCover

Asymmetrical spinnaker, lines, and hardware

Overlapping headsail, lines, and hardware

- (2) Harken self-tailing primary winches (35.2STA)
- (2) Spartan Marine white powder-coated primary winch plinth (W799)
- (1) Harken 4:1 Carbo AirBlock cunningham Racing sail inventory

Miscellaneous

Wood pop-up cockpit table, custom by Builder Lifesling2 overboard rescue system (WMLS2)