Hazardous Area Light - Quadpod Mount - 2 X 400 Watt Metal Lights - Class 1 Div 2

Part #: HAL-2X400MH



Made in the USA

The Magnalight HAL-2X400MH hazardous area light tower carries two metal halide lamps capable of illuminating an area 50,000 square feet in size and is rated Class 1 Division 2 Groups C and D as well as wet area and marine environment suitable.

The HAL-2X400MH hazardous area light tower provides operators in hazardous locations with a versatile lighting solution for operations where easily managed large scale illumination of the workspace is required. Two 400 watt metal halide lamps provide light coverage for 50,000 square feet of work area while a Class 1 Division 2 Groups C and D U.L. approval assures reliable protection against inadvertent ignitions. This light tower can be extended from 5 to 12 feet in height and the aluminum quadpod includes wheels for easy placement of the tower.

This light tower is constructed of aluminum and provides for both height adjustment and leg placement assuring a steady and stable platform. Included with this unit are two 400 watt metal halide lamps and 50 feet of abrasive and oil resistant SOOW cord terminating in an ECP 1523 5-15P Class 1 Division 1 explosion proof straight blade plug. The explosion proof light fixtures can be removed by releasing the hand knob and sliding the light and mounting bracket off of the quadpod center support while the legs can be collapsed, aiding in deployment, storage and transport. This tower is rated for use in wet areas and marine environments and operates on 120 VAC.



A dark warehouse, lit only by a distant 75W incandescent bulb. Click Photo to Enlarge

Specifications / Additional Information HAL-2X400MH Lamp Type: 2X Metal Halide Dimensions: Telescoping- 5' to 12' Total Watts: 800 Watts Per Lamp: 400 Voltage: 120-277/60, 480, 220/50 Lighting Configuration: Flood Pattern Mounting: Telescoping Light Tower Wheeled Quadpod Base Weight: 110lbs U.L. Listing: Wet Area / Marine Environment Approved Total Coverage: 50,000 Sq. Feet Wiring: 100 Feet SOOW Abrasive Oil Resistant Cord.

Beam Lux: 17000@ 1 Meter 2500@ 3 Meters



Same warehouse illuminated by the HAL-2X400MH

Click Photo to Enlarge

U.L Ratings

U.L Rated for Wet Area Use Class 1 Division 2 Groups C and D U.L Approved Marine Environments Not Suitable for Confined Spaces

Special Orders- Requirements

Contact us for special requirements Phone: 1-214-616-6180 Toll Free: 1-800-369-6671 Fax: 1-903-498-3364 E-mail: sales@magnalight.com Part #: HAL-2X400MH (1688)



Larson Electronics LLCWWW.MAGNALIGHT.COM9419 E US HWY 175, Kemp, TX 75143Phone: 903.498.3363Fax: 903.498.3364Email: sales@magnalight.com

