



SURECRETE



PRECAST CONCRETE CATALOG

SURECRETE

Everything You Need With One Manufacturer.

With the growth in the concrete casting community over the past 5 years, SureCrete has seen the need to **consolidate the multiple resources** needed to complete a project. We are proud to announce a **one-stop shop** that offers the latest in **concrete mix designs, forming systems, edge profiles, sink molds, coloring & texturing, aggregates and sealers**. Whether you pour in place, precast, or are a GFRC user we look forward to simplifying your needs thru the Xtreme Series Precast Concrete Center.



WE HAVE EVERYTHING YOU NEED TO GET THE JOB DONE RIGHT!

Step 1

CHOOSE YOUR MIX
Page 3



Step 2

CHOOSE YOUR DESIGN
Color, Forming & Edges



Step 3

CHOOSE YOUR DETAIL
Sink Molds & Accessories



Step 4

CHOOSE YOUR FINISH
Sealers



TOLL-FREE: 1-800-544-8488 INTERNATIONAL: 1-352-567-7973
WWW.SURECRETEDESIGN.COM • WWW.THECONCRETEWHISPERER.COM
WWW.SURECRETETV.COM

VARIOUS EDGE DETAILS,
SINK MOLDS AND PICTURES
ARE SUPPLIED BY



MIXES & ADDITIVES

XTREME COUNTERTOP



A do it all casting medium for countertops, fireplace surrounds, wall & floor tiles and furniture pieces.

- 1 Kit = (1) 50 lb Bag + (1) Gallon XCTOP Modifier
- Fiber reinforced, negates need for steel
- Cures in as little as 4 hours
- Toolable in as little as 6 hours
- Bendable during initial setup
- Yields 9.8 sq ft @ 1/2"
- 10,567 Compressive PSI
- 1,463 Flexural PSI
- Up to 10 lbs of aggregate can be added

XTREME TERRAZZO COUNTERTOP MIX



This mix design lends itself to being loaded with intense densities of aggregate for maximum exposure and can be polished 6 hours after the pour.

- 1 Kit = (1) 50 lb Bag +
- (2) Gallon XCTOP Modifier
- Add up to 80 lbs of aggregate
- Cures in as little as 4 hours
- Toolable in as little as 6 hours
- Bendable during initial setup
- 10,567 Compressive PSI
- 1,463 Flexural PSI

GO GREEN... add up to 80 pounds of recycled content!

XTREME GFRC - FACE MIX



Xtreme GFRC is a 2 component hybrid system. The "Face Mix" design delivers a pre-blended bag mix that eliminates the need for housing raw materials, screening the sand and blending them onsite. In addition, there are zero polymers or acrylics in its design which eliminates the need for a climate controlled facility.

- Kit Includes: (1) 50 lb bag
- (1) Gallon of modifier
- Yield: 50 sq ft @ 1/8" (per kit)

XTREME SERIES BACKER MIX



- Kit Includes: (1) 50 lb bag
- (1) Gallon of modifier
- Coverage is approx 9.8 sq ft at 1/2"
- Use with Xtreme Terrazzo, Xtreme Countertop, Xtreme GFRC

PACKING ADDITIVE



- (1) Quart Container
- Add 4oz to each kit of Xtreme Countertop

XTREME VEINING



- 30 Available Colors
- (1) Quart Container

COLOR PACKS



- Add 2 Color Packs per kit to match color chart
- 30 Available Colors

STRENGTH PACK



- 5 lb. Bag
- Add 1/4 lb to any Xtreme Series Kit

SLURRY COAT



- 5 lb. Container
- White Base

COLOR & TEXTURING SYSTEMS

integral color | staining | travertine stone
xtreme veining | terrazzo | marbling

Achieve any look you desire
consistently with our products.
If you dream it, it can be made!



MARBLING

Requiring the use of 2 or more colors, take a dry color pack and mix into the Xtreme Series material. Once you have your multiple colors (or batches) made, pour them together to create natural marbling that is not easily achieved with traditional concrete.

XTREME VEINING

A dry broadcast medium that delivers a simplified technique for replicating natural looking veins to your concrete pieces. Available in 30 standard colors in quart-sized containers, can be combined with baking soda to create remarkable natural stone creations in any color imaginable.



STAINING

Stained concrete countertops can be achieved by the use of SureStain (a reactive acid) or Eco-Stain (a waterbased penetrating micronized pigment). See color charts for available colors.



TERRAZZO

Integrating custom blends of aggregates to the concrete mixture and polishing to desired finish, you can create your own Terrazzo Countertop. Note that the concrete mixture chosen will dictate the amount of aggregate that can be infused.



TRAVERTINE STONE

This technique uses baking soda to create the look of natural stone in precast concrete. When used "dry", it distorts the surface of the concrete similar to that of limestone or soap stone. Add moisture to the baking soda, creating a paste like consistency, and this will introduce voids and pits replicating the exact look of travertine. Combine the dry and wet methods for stunning effects. Can be used with SureCrete Slurry Mix to backfill.



INTEGRAL COLOR


Utilizing a dry color pack, in any of the 30 standard colors, you can create a color fast, unified countertop. Two (2) color packs per kit of Xtreme Countertop. Custom color packs are available, minimum quantities may apply.



SURECRETE FORMING SYSTEM

form rails | knockouts | form tape
PSA tape | base material | facing material

Forming in half the time, eliminate the need for caulking.



FORM RAILS

3/4" - 120 feet per box

1" - 120 feet per box

1 1/2" - 64 feet per box

2" - 64 feet per box

2 1/2" - 64 feet per box



KNOCKOUTS

- Bathroom - 1.5"
- Kitchen Sink - 4.5"
- Shower Pan - 4.125"



● CAST IN PLACE FORM TAPE

54 feet

● PRESSURE SENSITIVE ADHESIVE (PSA TAPE)

108 feet per roll.

○ CLEAR FACING MATERIAL

Available in 3/4", 1", 1 1/2", 2", 2 1/2" widths and each roll contains 64 feet.

CLEAR BASE MATERIAL



Available in the following sizes:


- 100' x 4' Roll
- 250' x 4' Roll
- 1000' x 4' Roll

EDGE DETAILS

All edge details are made of high quality polyurethane and made for hundreds of pours. Offered in 10 foot lengths, resulting in less tooling time. Use in conjunction with PVC Round Over Stacks.


RE-USEABLE URETHANE EDGE PROFILES

CHAMFERED




Choice 1 1/2" or 2"

CLASSIC RAIL



Classic Rail - 1 1/2"

COVED EDGE



Choice 1 1/2 or 2"

HEARTH STONE




Hearth Stone - 2"

NEW ENGLAND RAIL



New England Rail - 1 1/2"

OGEE




Ogee - 1 1/2"

RANDOM SPLIT FACE



Random Split Face - 2 1/2"

ROCK FACE



Rock Face Choice 1 1/2" or 2"

AGEAN BULLNOSE



Agean Bullnose 1 1/2" Foam

Sample kits available in 1 foot lengths.

POURED-IN PLACE FORMING SYSTEMS



LEDGE FORM
RE-USEABLE
EDGE STAMP
FORMS



SQUARE
BEVELED
BOTTOM



BULLNOSE



COMPOUND
RADIUS



FRENCH
CURVE



STANDARD
DOUBLE
RADIUS

- Pour In Place
- Rails 1 1/2" Foam,
- 40' to a Box

SINK MOLDS & ACCESSORIES

Re-useable Thermal Plastic Sink Molds



Double Vanity Sink

- Fiberglass Mold
- A Mold
- Integral Sink
- 48" x 14" x 7"
- Packing/Poured/GFRC

Sit On Top Trough

- Fiberglass Mold
- A Mold
- Sit on top, undermount, or integral
- 49.5" x 14" x 6"
- Packing/Poured/GFRC



Circular

- Fiberglass Mold
- A Mold
- 14" x 7"
- Packing/Poured/GFRC
- Undermount or integral



Single Basin Sink w/Optional Cutting Board

- Photo is a 2 piece set
- Sink 17.5" x 21" x 9.25"
- Cutting Board 47" x 17.5" x 10.25"
- Fiberglass mold
- Packing/Poured/GFRC



QUAD WAVE

- Integral sink
- A and B molds required
- Thermal formed plastic • Reusable mold
- Dimensions: 16" x 24" x 5.5"



SURFACE MOUNT SQUARE

- Thermal Formed Plastic
- Reusable mold
- Dimensions: 19" x 19" x 4"




18" PLATE

- A and B Molds Required
- Thermal formed plastic
- Perfect for left over material.
- Dimensions: 18" x 2.25"



Recessed Oval Vanity Sink

- Fiberglass Mold
- A Mold
- 23.25" x 15.125" x 9"
- Integral sink
- Packing/Poured/GFRC



STANDARD BOWL

- Surface mount sink or bowl
- Dimensions: 15.5" round x 4.25" D
- Thermal Plastic Mold (A&B)



STANDARD VANITY

- Drop in Sink Design
- A and B molds required
- Thermal formed plastic
- Dimensions: 17" x 14" x 6"

Ramped Wave Sink

- Fiberglass Mold
- A Mold
- 54" x 22" x 9"
- Integral Sink
- Packing/Poured/GFRC






Round Vessel

- Fiberglass Mold
- A and B Mold
- 17.5" x 6"
- Sit on top or undermount
- Packing/Poured/GFRC




ROUND VESSEL FLAT

- Used as a Sink or Bowl
- Thermal formed plastic
- Dimensions: 15.5" x 3.75"



ART DECO VESSEL

- Drop in Sink
- A and B mold required
- Thermal Formed Plastic
- Reusable mold
- Dimensions: 19.25" x 19.75" x 6"




ROUND VESSEL BOWL

- Used as Bowl or Sink
- Thermal formed plastic
- Dimensions: 15.5" x 4.375"



OVAL VESSEL BOWL

- Used as a Bowl or Sink
- A and B mold required
- Thermal formed plastic
- Dimensions: 12.5" x 19.5" x 4"



STANDARD VESSEL

- Used as Bowl or Sink
- Thermal formed plastic
- A & B Molds required
- Dimensions: 15.5" x 4.25"



OVAL VESSEL FLAT

- Sit on top sink
- Thermal Formed Mold
- Dimensions: 12.5" x 19.5" x 4"



Rectangular Prep Station Sink

- Fiberglass Mold
- A mold
- 16.5" x 15.25" x 8"
- Packing/Poured/GFRC
- Undermount or integral



SURFACE MOUNT RECTANGLE

- Sit on top Design
- Thermal formed plastic
- Reusable mold
- Dimensions: 19.5" x 27.75" x 3.5"



SURFACE MOUNT INLAY

- Integral Sink
- Thermal formed plastic
- Reusable mold
- Dimensions: 14.5" x 24" x 0.75"



Montville Slope Sink

- Fiberglass Mold
- A Mold
- 22" x 12" x 5 3/4"
- Packing/Poured/GFRC



Single Basin Dual Vanity

- Fiberglass Mold
- A Mold
- 44.5" x 14"
- Integral sink
- Packing/Poured/GFRC

Farm Sink

- Fiberglass Mold
- A Mold
- 21" x 17" x 5.75"
- Undermount or integral
- Poured



CYCLONE

- Integral Sink Design
- A and B mold required
- Reusable mold
- Thermal formed plastic
- Dimensions: 16.5" x 21.5" x 5"



ART DECO RECTANGLE

- Drop in Sink design
- Thermal Formed Plastic
- Reusable mold
- Dimensions: 16.25" x 9.5" x 5"



Square Half Round
Vanity Sink

- Fiberglass Mold
- A Mold
- 22" x 12" x 9"
- Packing, Poured, GFRC

Barrell Slope Vanity Sink

- Fiberglass Mold
- A Mold
- 22" x 12" x 9"
- Packing/Poured/GFRC
- Integral sink



SEALERS

The final step in the process...

SEALERS	FILM FORMING			Color Enhance	FINISH			APPLICATION		Coverage per Gallon	UV Stable	VOCs	Green
	Thick	Med.	Thin		Gloss	Satin	Matte	Roller	Spray				
Sure Seal 20%			X	YES	X			X	X	140 sq. ft.	YES	600gm	
Dura-Kote Polyurethane		X		YES	X			X	X	300 sq. ft.	YES	400	
Dura-Kote WB Urethane		X		YES	X	X		X	X	300 sq. ft.	YES	100	Star
Dura-Kote WB Epoxy		X		YES	X			X		275 sq. ft.	NO	100	Star
Epoxy 100	X			YES	X			X		224 sq. ft.	NO	ZERO	Star
ARS-400			X	YES	X		X		X	400 sq. ft.	YES	ZERO	Star
LD1800			X	YES			X		X	400 sq. ft.	YES	ZERO	Star
Sure Finish			X	YES	X			X		1500 sq.ft.	YES	N/A	

POLISHING PADS & HAND STRIPS



5" POLISHING PADS

Used for Wet or Dry polishing
Available Diamond Grits:

- 50
- 100
- 200
- 400
- 800
- 1500



4" POLISHING HAND STRIPS

Available Diamond Grits:

- 60
- 120
- 200
- 400
- 600
- 800



LD 1800

- Lithium Silicate Densifier
- 300-400 sq ft per gallon



SURE FINISH

- Surface Wax
- Approx 1,500 ft per gallon

COLOR CHART



All colors shown are intended to show the approximate color of finish, choices and range.
Colors are achieved with 2 Color Packs per kit of Xtreme Countertop and a penetrating/ color enhancing sealer.
Do not use this chart as a final selection, for colors are affected by site conditions and installation procedure.
SureCrete Design Products recommends making final selections from job specific samples made in the field.



Tables



Architectural



Sinks

Explore the Possibilities...

The world of concrete may be bigger than you think.



Countertops



Showers & Tubs



Fireplaces



Furniture



1-800-544-8488

WWW.SURECRETEDESIGN.COM