



ALTERNATIVE FUELS: CNG / LPG
HOSE ASSEMBLIES & COMPONENTS

DISCOVER THE



Founded in 1963 as Exotic Rubber & Plastics Corp., Exotic Automation & Supply now serves as a key industrial partner to the world's leading manufacturers.

We have grown to become Parker Hannifin's premier motion and control partner in the midwest. Contact us today to discover The Exotic Advantage.

MOTION & CONTROL

Supplier of hydraulic, pneumatic, electrical and mechanical equipment, systems & components.

SPECIALTY PRODUCTS GROUP

Designer and fabricator of custom molded urethane, rubber and machine plastic components as well as standard and custom die cut gaskets.

C.A.R.E PROGRAM

Exotic saves you money as part of our Cost of Acquisition Reduction by Exotic. By understanding our customers' business we can consistently deliver hard and soft savings through engineered solutions and operating efficiencies.



ENGINEERING SERVICES

Designer and fabricator of custom hydraulic power units, pneumatic manifold assemblies, and complete drive system solutions.

MOBILE REPAIR SERVICE

Our **Hose Doctor** mobile repair trucks are available 24 hours a day, 7 days a week to service your emergency down time needs.

COMMODITY MANAGEMENT SERVICES


With just-in-time deliveries, bin fill programs, and complete inventory management services, you can turn to Exotic for all of your inventory and production needs.



CUSTOM HOSE ASSEMBLIES FROM EXOTIC



ALTERNATIVE FUELS SYSTEMS: ON-BOARD



ON-BOARD COMPONENTS



High Pressure Compressed Natural Gas (CNG) Hoses

Parker Parflex CNG Hoses are the preferred choice for converters. Conductivity is achieved through the utilization of a proprietary synthetic inner core that dissipates static build up. The hoses feature a proprietary polyurethane jacket to allow for maximum flexibility, durability, abrasion resistance, and protection from outdoor elements including ultraviolet light. The result is optimum gas permeation resistance and reliable performance.

Temperature Range: -40°F to +180°F **Working Pressure:** Up to 5,000 PSI

Conforms to:
• NFPA 52

- ANSI/IAS NGV 4.2-1999
- CSA12.52 M99



Low Pressure Compressed Natural Gas (CNG) and Liquefied Petroleum Gas (LPG) Hoses

Parker's SS23CG hoses are the perfect choice for manufacturers of CNG and LPG Low Pressure requirements. SS23CG features a proprietary synthetic inner core, steel braid reinforcement, and rugged outer cover. The result is optimum gas permeation resistance and reliable performance.

Temperature Range: -40°F to +250°F **Working Pressure:** Up to 425 PSI

Conforms to:

- ECE R110/R67
- UL21, 588, 569
- CGA Type III, ECE110 CLASS 1 / UL STANDARD 21 LPG



Receptacles - NGV1 Profile, Filtered and Non-Filtered

Parker's FM Series receptacles are available in both standard and non-filled filtered configurations and are NGV1/ANSI Certified. Designed for rigid mounting on vehicles.



Check Valves

Parker C Series check valves enable unidirectional control of compressed liquids and gases. To accommodate the diverse range of CNG and LPG designs Exotic offers check valves constructed of nitrile, fluorocarbon, ethylene propylene, and neoprene with six configurations available.



Ball Valves

Key to efficient operation is the precise control and monitoring of system fluids and gases. Parker's Two-Way B Series ball valves are available with manual, pneumatic, and electrical actuation. This allows for quick ¼ turn on-off control of fluids utilized in process or instrumentation applications.







Coalescers & Filters

Filtration is an integral part of CNG and LPG on-board vehicles. Exotic has Parker coalescing filtration available to remove moisture from your system. Exotic has high pressure filters to remove contamination from CNG / LPG dispensing systems.

High & Low Pressure Lock-Off Solenoid Valves

Exotic provides high and low pressure lock-off solenoid valves from Parker for CNG / LPG on-board applications. Designed for single and multi-tank configurations to provide bubble-tight leakage down to 0 PSI for optimum sealing performance.

Seal-Lok Fittings

Seal-lok fittings and adapters from Parker are available in both steel and stainless steel construction with various sealing compounds. Parker Seal-lok fittings are approved to the ECE R110 regulation and ISO 15500 standard.

DISPENSING COMPONENTS









Dispensing Nozzles

Dispensing nozzles from Parker Hannifin provide even flow when filling CNG into vehicles. Parker's Push-To-Connect FM Series nozzles are designed specifically for transferring compressed natural gas from compressors and dispensers to vehicles and equipment.

Dispensing Filtration

Exotic provides coalescing, particulate and adsorption filtration and elements for CNG / LPG dispensing applications. Parker finite filters have flow rates from 10 SCFM to 18,000 SCFM.

Dispensing Hose Assemblies

Exotic provides high pressure 5,000 PSI dispensing hose assemblies in a single line or duel vented line options with break away couplings.

Exotic Specialty Products Group – Custom Molded Products

Exotic Automation & Supply's Specialty Products Group provides a full portfolio of rubber and plastic components for CNG and LPG applications:

- Isolators
- Grommets
- Receptacle Holders

- Bumpers
- Gaskets
- Receptacle Covers





FARMINGTON HILLS -CORPORATE HEADQUARTERS

34700 Grand River Avenue Farmington Hills, MI 48335

(248) 477-2122 (248) 477-0427 Fax

sales@erpc.com



--Parker Store

FARMINGTON HILLS PARKER STORE

34700 Grand River Avenue Farmington Hills, MI 48335 (248) 477-2122 (248) 477-0427 Fax

FLINT PARKER STORE

4186 Pier North Blvd. Suite A Flint, MI 48504 **(810) 720-4370** (810) 720-4380 Fax

FREELAND PARKER STORE

10359 Hercules Drive Freeland, MI 48623 (989) 695-5300 (989) 695-2478 Fax

JACKSON PARKER STORE

2340 East High Street Jackson, MI 49203 (517) 787-1540 (517) 787-3922 Fax

LANSING PARKER STORE

4500 Empire Way, Suite 1 Lansing, MI 48917 (517) 322-0113 (517) 322-9366 Fax

ROCHESTER HILLS PARKER STORE

1938 Star Batt Drive Rochester Hills, MI 48309 (248) 299-2400 (248) 299-2406 Fax

TAYLOR PARKER STORE

20575 Northline Road Taylor, MI 48180 (734) 282-7775 (734) 282-7450 Fax

CLEVELAND SERVICE CENTER

(216) 252-7355 (248) 426-3784 Fax



Rev1 09/12