

Fisher & Paykel

COOK



COOK TO CREATE

We see cooking not as a chore, but a creative act. As more of our lives become virtual and people look for ways to make and create things, we design high-performance tools you can rely on and be creative with, that turn everyday meals into creations. Fisher & Paykel products cater for different patterns of use—whether it's mid week convenience or weekend gourmet, heat and eat or a family feast. We understand everyday life and support the lives lived around our products. Cooking is part of our DNA—one part designer, one part chef. We have a passion for food and we are just as interested in making high-performance ovens that perfect your favorite foods as making the process of cooking more enjoyable. Our insights come from real-world use and then the results are tested in our lab daily, with the aim of inventing technologies that deliver the perfect cooking result.



RANGES

On the outside, style is a matter of taste. So we put a little chef on the inside that can't wait to impress. Fisher & Paykel Ranges are visually impressive and give you the flexibility to prepare several courses simultaneously. With large ovens and a choice of gas, ceramic, or induction cooktops these ranges are finessed with clean lines in glass and stainless steel that will complement any modern kitchen.

30" Range — Induction

Combining the best of both worlds, the Fisher & Paykel 30" Induction Range gives you the benefits of an easy to clean, four zone induction cooktop with the flexibility of a large oven. Elegantly designed to complement the Fisher & Paykel built-in product series with clean lines of black glass and stainless steel.

1 Perfect Results

Professional performance is delivered by eight oven functions—perfect for any culinary requirements. The cooktop's PowerBoost function delivers instant, intense heat when you need it and there is also a gentle heat setting for slow, continuous simmering.

2 Sized to Suit

Our 30" Ranges are spacious, with 3.6 cu.ft of total capacity. A five position shelving system allows ample space for larger meals.

3 Designed to Match

Induction cooking is popular with those who love visual simplicity. This Range is designed to complement the Fisher & Paykel Kitchen product family with clean lines of black glass and stainless steel.

4 Easy Cleaning

Cleaning is made simple with the flat surface of the induction cooktop; the self-cleaning oven function and easily removable oven door. The combined warming and storage drawer minimizes clutter for oven accessories.

5 Precise Control

Benefits of induction include fast heat-up times, immediate response and precision cooking; cooler temperatures on the glass; and greater energy efficiency than that of either gas or electric.

6 Safe and Sound

A triple glazed door makes the oven safe to touch; the door and oven cooling system keep heat away from cabinetry; and non-tip shelves reduce the risk of dropping heavy cookware.



Ranges



01



02



03



04



05

⑩
OR36SDBGX2
36" Gas Range
H35 7/16" - 37 13/32" x W35 1/8"
x D23 1/32"

⑪
OR30SDPWIX1
30" Induction Range
H35 21/32" - 36 1/32" x W29 7/8"
x D24 1/32"

⑫
OR30SDPWGX1
30" Dual Fuel Range
H35 21/32" - 36 1/32" x W29 7/8"
x D24 1/32"

⑬
OR30SDPWSX1
30" Electric Range
H35 21/32" - 36 1/32" x W29 7/8"
x D24 1/32"

⑭
OR30SDBMX1
30" Gas Range
H35 21/32" - 36 1/32" x W29 7/8"
x D24 1/32"

Ranges Cont.



06



07

⑮
OR24SDPWGX2
24" Dual Fuel Range
H35 17/32" - 36 7/32" x W23 7/8"
x D24 13/16"

⑯
OR24SDBGX2
24" Gas Range
H35 7/16" - 36 7/32" x W23 7/8"
x D24 13/16"

Ventilation Hoods




01



02

⑰
HC36DTXB1
36" Wall Ventilation Hood
H25 - 40 3/4" x W35 7/16" x D19 1/16"


⑱
DD-36SS
36" Downdraft
H8 1/4" x W36" x D1 1/2"




Type of appliance	36" Gas Range
Model no.	OR36SDBGX2
Finish	Stainless steel Black reflective glass
Dimensions	H35 ⁷ / ₁₆ –37 ¹ / ₂ " x W35 ¹ / ₈ " x D23 ³ / ₃₂ "
Total capacity	4 cu.ft
Shelf positions	3
Burners	5
Oven functions	4
Bake	●
Convection Bake	●
Broil	●
Defrost	●
Burner ratings (using natural gas)	
Semi-rapid burner	6,000 BTU
Triple ring wok burner	12,000 BTU
Dual burner	2,800–16,000 BTU
Performance	
Broil	15,000 BTU
Bake	21,000 BTU
Electronic ignition	●
LPG/Natural gas compatible	●
Cast iron trivets	●
Cleaning	
Acid resistant graphite enamel	●
Removable oven door	●
Removable inner door glass	●
Safety	
Glazed door	Triple glazed
Door and cavity cooling system	●
Non-tip shelves	●
Anti-tilt bracket	●
Flame failure	●
Cooling fan warning light	●
Controls	
Electronic clock	●
Automatic cooking/minute timer	●
Power requirements	
Supply voltage	120V
Supply frequency	60Hz
AMP draw	0.575A
Accessories	
Broiling pan + rack	●
Step down oven shelf	2
Wok stand	●
LPG conversion kit	●
Warranty	1 year




Type of appliance	30" Induction Range
Model no.	OR30SDPWIX1
Finish	Stainless steel Black reflective glass
Dimensions	H35 ² / ₃₂ –36 ¹ / ₃₂ " x W29 ⁷ / ₈ " x D24 ⁷ / ₃₂ "
Total capacity	3.6 cu.ft
Shelf positions	5
Cooktop	4 Induction zones
Oven functions	7 + Self-clean
Bake	●
Convection Bake	●
Fan Bake	●
Broil	●
Convection Broil	●
Defrost	●
Warm	●
Self-clean	●
Zone ratings	
2300W	●
1400W	●
1850W	2
PowerBoost	Up to 3700W (zone dependent)
Performance	
Induction cooking technology	●
Active venting	●
Warming drawer	●
Lights	2 (Rear)
Cleaning	
Flat easily clean glass surface	●
Acid resistant graphite enamel	●
Self-clean	●
Safety	
Glazed door	Cool-touch triple glazed door
Door and cavity cooling system	●
Non-tip shelves	●
Anti-tilt bracket	●
Controls	
Electronic clock	●
Automatic cooking/minute timer	●
Indicator light	●
Power requirements	
Supply voltage	240–208/120V
Supply frequency	60Hz
AMP draw	45.6A (240V) 48.4A (208V)
Accessories	
Step down oven shelf	●
Flat shelf	●
Anti-tilt kit	●
Warranty	2 years



Type of appliance	30" Dual Fuel Range
Model no.	OR30SDPWGX1
Finish	Stainless steel Black reflective glass
Dimensions	H35 ² / ₃₂ –36 ¹ / ₃₂ " x W29 ⁷ / ₈ " x D24 ⁷ / ₃₂ "
Total capacity	3.6 cu.ft
Shelf positions	5
Cooktop	4 Gas burners
Oven functions	7 + Self-clean
Bake	●
Convection Bake	●
Fan Bake	●
Broil	●
Convection Broil	●
Defrost	●
Warm	●
Self-clean	●
Burner ratings (using natural gas)	
Semi-rapid burner	8,000 BTU (2)
Mini dual burner	17,000 BTU
Dual wok burner	17,000 BTU
Performance	
Broil	10,000 BTU
Bake	10,500 BTU
Active venting	●
Electronic ignition	●
LPG/Natural gas compatible	●
Cast iron trivets	●
Warming drawer	●
Lights	2 (Rear)
Cleaning	
Acid resistant graphite enamel	●
Removable oven door	●
Self-clean	●
Safety	
Glazed door	Cool-touch triple glazed door
Door and cavity cooling system	●
Non-tip shelves	●
Anti-tilt bracket	●
Flame failure	●
Controls	
Electronic clock	●
Automatic cooking/minute timer	●
Indicator light	●
Power requirements	
Supply voltage	240–208/120V
Supply frequency	60Hz
AMP draw	14.8A (240V) 12.8A (208V)
Accessories	
Broiler pan	●
Step down oven shelf	●
Flat shelf	●
Anti-tilt kit	●
Wok stand	●
Warranty	2 years



Type of appliance	30" Electric Range
Model no.	OR30SDPWSX1
Finish	Stainless steel Black reflective glass
Dimensions	H35 ² / ₃₂ –36 ¹ / ₃₂ " x W29 ⁷ / ₈ " x D24 ⁷ / ₃₂ "
Total capacity	3.6 cu.ft
Shelf positions	5
Cooktop	4 Ceramic zones
Oven functions	7 + Self-clean
Bake	●
Convection Bake	●
Fan Bake	●
Broil	●
Convection Broil	●
Defrost	●
Warm	●
Self-clean	●
Zone ratings	
1200W	2
2100W	2
Performance	
Active venting	●
Storage drawer	●
Lights	2 (Rear)
Cleaning	
Flat easily clean glass surface	●
Acid resistant graphite enamel	●
Self-clean	●
Safety	
Glazed door	Cool-touch triple glazed door
Door and cavity cooling system	●
Non-tip shelves	●
Anti-tilt bracket	●
Controls	
Electronic clock	●
Automatic cooking/minute timer	●
Indicator light	●
Power requirements	
Supply voltage	240–208/120V
Supply frequency	60Hz
AMP draw	42.3A (240V) 44.6A (208V)
Accessories	
Broiler pan	●
Step down oven shelf	●
Flat shelf	●
Anti-tilt kit	●
Warranty	2 years



Type of appliance	30" Gas Range
Model no.	OR30SDBMX1
Finish	Stainless steel Black reflective glass
Dimensions	H35 ⁷ / ₃₂ "-36 ¹ / ₃₂ " x W29 ¹ / ₈ " x D24 ³ / ₃₂ "
Total capacity	3.6 cu.ft
Shelf positions	5
Cooktop	4 Gas burners
Oven functions	3 + light
Bake	●
Fan Bake	●
Broil	●
Burner ratings	
Semi-rapid	8,000 BTU (2)
Dual burner	17,000 BTU (2)
Performance	
LPG/Natural gas compatible	●
Storage drawer	●
Lights	2 (Rear)
Cleaning	
Acid resistant graphite enamel	●
Safety	
Glazed door	Cool-touch triple glazed door
Door and cavity cooling system	●
Flame failure	●
Non-tip shelves	●
Anti-tilt bracket	●
Controls	
Electronic clock	●
Indicator light	●
Power requirements	
Supply voltage	240-208/120V
Supply frequency	60Hz
AMP draw	0.92A
Accessories	
Broiler pan	●
Step down oven shelf	●
Flat shelf	●
Anti-tilt kit	●
Wok stand	●
Warranty	2 years



Type of appliance	24" Dual Fuel Range
Model no.	OR24SDPWGX2
Finish	Stainless steel Black reflective glass
Dimensions	H35 ¹ / ₃₂ "-36 ⁷ / ₃₂ " x W23 ⁷ / ₈ " x D24 ¹ / ₁₆ "
Total capacity	2 cu.ft
Shelf positions	4
Burners	4
Oven functions	6 + Self-clean
Bake	●
Fan Forced	●
Broil	●
Fan Broil	●
Ventilated Double Broil	●
Defrost	●
Self-clean	●
Burner ratings	
Auxiliary burner	3,500 BTU
Semi-rapid burner	6,000 BTU
Triple ring wok burner	12,000 BTU
Performance	
Broil	3,000W
Bake	2,800W
Convection Bake	2,200W
Warming drawer	500W
Cleaning	
Acid resistant graphite enamel	●
Removable oven door	●
Self-clean	●
Safety	
Glazed door	Cool-touch 5 pane glass
Door and cavity cooling system	●
Non-tip shelves	●
Anti-tilt bracket	●
Flame failure	●
Controls	
Electronic clock	●
Automatic cooking/minute timer	●
Power requirements	
Supply voltage	120-240V
Supply frequency	60Hz
AMP draw	15.2A
Accessories	
Broiling pan + rack	●
Oven shelf	2
Wok stand	●
Warming drawer shelf	●
Warranty	1 year



Type of appliance	24" Gas Range
Model no.	OR24SDMBGX2
Finish	Stainless steel Black reflective glass
Dimensions	H35 ⁷ / ₁₆ "-36 ⁷ / ₃₂ " x W23 ⁷ / ₈ " x D24 ³ / ₃₂ "
Total capacity	2.5 cu.ft
Shelf positions	3
Burners	4
Oven functions	4
Bake	●
Convection Bake	●
Broil	●
Defrost	●
Burner ratings (using natural gas)	
Auxiliary burner	3,500 BTU
Semi-rapid burner	6,000 BTU
Triple ring wok burner	12,000 BTU
Performance	
Broil	8,500 BTU
Bake	13,000 BTU
Electronic ignition	●
LPG/Natural gas compatible	●
Cast iron trivets	●
Cleaning	
Acid resistant graphite enamel	●
Removable oven door	●
Removable inner door glass	●
Safety	
Glazed door	Triple glazed
Door and cavity cooling system	●
Non-tip shelves	●
Anti-tilt bracket	●
Flame failure	●
Cooling fan warning light	●
Controls	
Electronic clock	●
Automatic cooking/minute timer	●
Power requirements	
Supply voltage	120V
Supply frequency	60Hz
AMP draw	0.1A
Accessories	
Broiling pan + rack	●
Oven shelf	2
Wok stand	●
LPG conversion kit	●
Warranty	1 year

FPBR0467 SEPTEMBER 2013.
Copyright © Fisher & Paykel 2013.
All Rights Reserved.

The product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. You should therefore check with your dealer or Fisher & Paykel's Customer Care Center to ensure this brochure correctly describes the products currently available.

Important Notice of Disclaimer: Our brochure contains information on a wide subject of products which we manufacture and/or sell internationally. Some particular products, models or sizes which are detailed in this brochure may not be available for sale and purchase in your area or country, if available the product may have different options to those depicted in the brochure. Before agreeing to purchase a particular product by reference to this brochure please check its availability and accuracy of its description.

This brochure is printed on paper made from sustainable forests using elementary chlorine-free pulp and vegetable based ink. This brochure represents a green choice by Fisher & Paykel to participate in the growing movement towards social responsibility.

Fisher & Paykel Appliances, Inc
5900 Skylab Road
Huntington Beach
California 92647
USA

Fisher & Paykel Appliances Canada, Inc
4800 Eastgate Parkway
Unit 2, Mississauga
Ontario L4W 3W6
Canada