Scheduling and Control

Touch Panel Family WeM evitoelte New - Now In a Gorgeously Beautifully Simple , Intitus Beautiful,

connect with the user via indirect touches like a gloved hand, stylus, or prosthetic. Secure mounting options — Disconnege thet with secure lectern/table mount options

Secure mounting options — Disconnege thet with secure lectern/table mount alsass

SmoothTouch™ Glass Overlay Technology — Combines resistive touch and glass

into a single overlay that is more rugged and has a greater tolerance to electrical

noise than capacitive touch glass overlays. SmoothTouch is also ideal for its ability to

noise than capacitive touch glass overlays. SmoothTouch is also ideal for its ability to

viewing straight-on, at an angle or from down the hall.

make room scheduling and quick determination of room availability easy whether wall-mounted Modero S Series touch panels include front- and side-facing LEDs to Easily Schedule Rooms with Front & Side-Facing Room Availability LEDs  $-\,$  0ur

A=W 4.3", 7" and 10.1" in both table and wall mounts

• Architectural design consistency with both Modero S and X – available in

With the range of options available, the Modero S will enhance the mounting options like surface/glass and secure lectern/tabletop.

beautiful 24 bit color depth, streaming video, and elegant low profile of the core functionality that makes the Modero X so powerful, including Even though the Modero S is priced significantly less, you still get much

11's also perfect for dedicated wall scheduling outside meeting rooms. applicable for cost sensitive installations such as smaller huddle spaces.

S Series perfectly complements the design of the Modero X but is more space designs – even those with budget constraints? The new Modero

functionality of the award-winning Modero X Series into all your meeting

sophistication of any architecture.

Want to bring the same sleek styling, control and scheduling 日 日 日 日 日 日 日 日 50.1 90 I XIV .O. . SOLIOS Modero

# MIDESCREEN TABLETOPS

MODERO TOUCH PANELS

NEM



MODERO S SERIES 701 | 7" WIDESCREEN



MODERO S SERIES 1001 | 10.1" WIDESCREEN

# Rugged Form Basic Beauty,

mounting they have a place at every table. streaming video. With all this and new ruggedized plastic housing and secure VolP, brilliant 24-bit color depth, PoE connectivity, Bluetooth, USB and meeting spaces. The Modero \$ 7" and 10.1" panels provide full room control, Now there's a tabletop Modero for even the most budget conscious basic

### **KEY FEATURES**

- budget, the new Modero S line perfectly complements the original Modero  $\chi$ • Maintain Design Consistency on a Budget – No need to compromise style to meet
- Secure Table Mount Kits Attract customers like higher education with this
- into a single overlay that is more rugged and has a greater tolerance to electrical • SmoothTouch<sup>TM</sup> Glass Overlay Technology - Combines resistive touch and glass reassuring theft deterrent
- connect with the user via indirect touches like a gloved hand, stylus, or prosthetic noise than capacitive touch glass overlays. SmoothTouch is also ideal for its ability to

# **MODERO S SERIES FAMILY**

STREAMING VIDEO, INTERCOM / VOIP TELEPHONE, USB FOR KEYBOARD & MOUSE, BLUETOOTH FOR AUDIO /

**SNOIT90** 

ГРИВЗСРБЕ ORIENTATION:

LOCATION:

EXIRAS:

MODERO S SERIES 1001 5 m m o m o n m

# **QUICK FACTS 10.1" WIDESCREEN MODERO S SERIES**

	SUI				oraboM naarceabil oralue based or		
**%28	BM SI2 MAЯ	FULL MOTION	YES	4" 10 3/8" x 6 3/16" x	1280 x 800	6:91	WIRED
SAVINGS SAVINGS				snoisnəmi <b>O</b> (OWH)	Screen Resolution	Creen Oits A	V beriW szeless

# **GUICK FACTS 7" WIDESCREEN MODERO S SERIES**

**%28	SI2 MB	FULL MOTION	YES	7 3/16" x 3 3/16"	1024 x 600	6:91	WIRED
SAVINGS SAVINGS	Memory + Storage	Video YilideqeJ			Screen Resolution	Screen Ratio	Vired / Szeless

\*\*Energy savings is an estimated value based on integration of RMS and Smart Programming



10.1" & 7" SECURE TABLE KITS



MODERO S SERIES 701



# WIDESCREEN TABLETOPS



# **GUICK FACTS 4.3" WIDESCREEN MODERO S SERIES**

		metric dimension eramming	lle bne znoiznem MS and Smart Pro				
**%08	BM SIZ MAЯ	M-JPEG	YES	3 1/4" x 3 1/4" x	480 x 272	6:91	MIKED
ENERGY SAVINGS	Memory + Storage	Video VilideqsJ	mooretnl 9nod9 +	snoisnamid (QWH)	Screen Resolution	Screen Ratio	Vired / Sealers

# Control to the Kids' Table Bringing Touch Panel

beauty and functionality of a touch panel. price and secure table mounting even the smallest huddle space can afford the USB and streaming video. With all this, new ruggedized plastic housing, budget full room control, VoIP, brilliant 24-bit color depth, PoE connectivity, Bluetooth, The smallest of our Modero S tabletop touch panels, the Modero S 4.3" provides

# **KEY FEATURES**

- Maintain Design Consistency on a Budget No need to compromise style to meet
- Secure Table Mount Kits Attract customers like higher education with this budget, the new Modero S line perfectly complements the original Modero X
- noise than capacitive touch glass overlays. SmoothTouch is also ideal for its ability to into a single overlay that is more rugged and has a greater tolerance to electrical • SmoothTouch™ Glass Overlay Technology - Combines resistive touch and glass reassuring theft deterrent

connect with the user via indirect touches like a gloved hand, stylus, or prosthetic

**MODERO 2 SERIES FAMILY** 

**SNOIT90** 

ORIENTATION:

LOCATION:

M-JPEG STREAMING VIDEO, INTERCOM / VOIP TELEPHONE, TABLETOP ONLY, USB FOR AUDIO / KEYBOARD & MOUSE, BLUETOOTH EXIRAS:



4.3" SECURE TABLE KITS

**WODEKO 2 SEKIES 731** 

LOCATION:

NEM

XZAPY

**KEY FEATURES** any installation budget.

ORIENTATION: **OPTIONS** 

MODERO S SERIES FAMILY



2015

ZI

# connect with the user via indirect touches like a gloved hand, stylus, or prosthetic

- Stylish mounting options for any surface including glass Use new Any Mount 4.3", 7" and 10.1" in both table and wall mounts

Architectural design consistency with both Modero S and X — available in

if they are being viewed straight on or from the side.

value of Beauty

MODERO S SERIES 701 | 7" WIDESCREEN

MODERO TOUCH PANELS

MODERO S SERIES 1001 | 10.1" WIDESCREEN

Scheduling Can Be

	lec	JĮ.	) Joel	<b>1</b> 0 E	<b>.</b> əo	Lan	tole	θL	reat	g g	ряг	pue	rugged	more	si	that	overlay	əlgnia	g	otni
SS	gla	p	ue y	one	oj (	itive	sisə.	18	əuic	ιш0;	ე — .	logy	Techno	ıllay 🏻	ÐΛ(	g sse	19 MTA:	onoLd	toc	эшς
									χ(	g bo	gan,	ifch/	ws Jdgi	ith a l	M	m001	lin any	linstall	01	kits

glance down the hall and determine whether meeting spaces are occupied no matter and side-facing LEDs make viewing room availability visible from any angle. Easily

Front-facing and Side-Facing Room Availability LEDs for 180° Viewing - Front-

reserve it right there at the panel — and get all of this at a price that fits just about outside every meeting room to view the room schedule at a glance and even difficult to answer. Until now. Place a Modero S Series Wall Mount Touch Panel reserve the room yet? These are all very simple questions that can be surprisingly

Is that meeting room available? Who's in there? When will they be done? Can I

into a single overlay that is more rugged and has a greater tolerance to electrical
SmoothTouch <sup>TM</sup> Glass Overlay Technology — Combines resistive touch and glass
kits to install in any room with a light switch/gang box

ot utilide sti sot leeki osle si danoIdtoom2. svelsevo sselv danot evitisedes gedt esio
ito a single overlay that is more rugged and has a greater tolerance to electrical
moothTouch™ Glass Overlay Technology - Combines resistive touch and glass
ics to install in any toom with a light switch/gang box

1280 x 800

MIKED

O - manning to the contract of

\*See AMX.com for other 4.3" Widescreen Modero S Series model dimensions and all metric dimensions

**%08	BM SIS MAЯ	M-1PEG	ЬES	2 3/8" x 2 5/8"	480 x 272	6:91	MIKED
SAVINGS	Memory	Video	Intercom	snoiznami <b>O</b>	Screen	Screen	Wired / Wireless
SAVINGS	+ Storage	VilideqeJ	+ Phone	(AWH)	Resolution	Ratio	

	gnimme	and Smart Progra	SMA to noitsragatni	uo paseq anı	ev bətemi	itsə na si ag	nivas ygrani
	anoianemib ai	rtəm lle bne znoi	eries model dimens	s S oraboM n	Widescree	"Г төнто тот	тоэ.ХМА ээб

**KES** 

CLIV

NEM

MIDESCREEN WALLS

			snamib labom eairaS & o SMЯ to noitsrgatni no b			
SI2 MB	FULL MOTION	YES	7 3/8" x 2 5/16"	1024 x 600	6:91	WIRED

10 3/8" x 2 5/16"

x "91/E 9

QUICK FACTS 10.1" WIDESCREEN MODERO S SERIES

**Energy savings is an estimated value based on integration of RMS and Smart Programming
See AMX.com for other 7" Widescreen Modero S Series model dimensions and all metric dimensions

**Energy savings is an estimated value based on integration of RMS and Smart Programming
"See AMX.com for other \" Widescreen Modero 5 Series model dimensions and all metric dimensions

*Energy savings is an estimated value based on integration of RMS and Smart Programming
See AMX.com tor other \" Widescreen Modero 5 Series model dimensions and all metric dimensions

OIIICK FACTS A 3" WINESCREEN MONERN S SERIES
**Energy savings is an estimated value based on integration of RMS and Smart Programming

stimmsted value based on integration of RMS and Smart Programming	**Energy savings is an e

**GUICK FACTS 7" WIDESCREEN MODERO S SERIES** 


*Energy savings is an estimated value based on between the solution of RMS to region 3*
AUGUSTION DE LINOUE UN DUM AUGUSTION DE LA COLLAGA DE LA C



		<b>РЕКІЕ</b> 2	neku 2 :	ESCKEEN MI	4.3° WIU	CIUA-	מחופע
SAVINGS SAVINGS		Video Capability			Screen Resolution	Screen Ratio	Wired \ SealeriM
	dM C13			^ #0/6 6			


**%U8	212 MB	M-IPFG	YES	3 3/8" x	272 x 084	6.91	MIBED
SAVINGS SAVINGS		Video Çapability			Screen Resolution	Screen Ratio	Wired / Sealers
		0711170			UITT U.F	CIONI	מחוחוי

** /000	SI2 MB	31di W	337	3 3/8" x	020 " 007	0 31	MIDED
SAVINGS SAVINGS		oəbiV yfilideqeƏ			Screen Resolution	Screen Ratio	Wired / Sealess



	411 012			110/0 0			
SAVINGS ENERGY		Video VfilideqeO			Screen Resolution	Screen Ratio	Vired \ Sealers
		рекібо	יחבאט 5	בסראבבא אור	uiw c. <del>p</del>	CIJAT	สกเคม

**%08	S12 MB	M-JPEG	YES	3 3/8" x	480 x 272	6:91	WIRED
SAVINGS SAVINGS		Video VilideqeO			Screen Resolution	Screen Ratio	Vired / Vireless



** /000	S12 MB	0241 11	01/	3 3/8" x	020 007	0 3 1	dadim
SAVINGS ENERGY		Video VfilideqeO			Screen Resolution	Screen Ratio	Vired / Szeless
		CHILLO	C ONTAC	ин иллиост	uitt C.F	CIONI	מחוחוי ו

** /000	SI2 MB	DEG W	VEC	3 3/8" x	626 - 087	0.31	MIDED
SAVINGS SAVINGS		Video VfilideqeO			Screen Resolution	Screen Ratio	Wired \ Sealers
					<b></b>	0.1.01/	

**%08	S12 MB	M-1PEG	YES	3 3/8" x	480 x 272	6:91	WIRED
SAVINGS SAVINGS		Video VfilideqeO			Screen Resolution	Screen Ratio	Wired / Wireless

**%08	S12 MB	M-1PEG	YES	3 3/8" x	480 x 272	6:91	WIRED
SAVINGS SAVINGS		Video VfilideqeO			Screen Resolution	Screen Ratio	Wired \ Wireless

NOITOM

FULL

MODERO S SERIES 431 4.3" WIDESCREEN

MAЯ

212 MB

XLIV

.%78

**%08	BM SIS MAЯ
SAVINGS	

52

MXA-FMK-43

MXA-FMK-07

MXA-FMK-07

MXA-FMK-10

**01-XM7-AXM** 

MXA-FMK-19

**61-XM7-AXM** 

MXA-FMK-20

TO-MMTS-AXM

01-XMT2-AXM

MXA-STMK-19

MXA-STMK-20

Touch Panels can JnuoM IlsW "1.01 Modero S 7" and Panels, and Wall Mount Touch 20.3" Landscape bns "4.91 ,"1.01 Modero X √",



### **BEAUTY IN THE SERVER ROOM**

the panel to sit slightly farther out. on the touch panel and the spring-loaded mechanism allows you want to expose the speakers for better audio? Simply press flush within the walls. Want access to the side buttons? Or, do All Modero X Wall Mount Touch Panels can now sit perfectly



# **H2UJ7 YJJATOT**

the new Any Mount kit. It's as simple as replacing a light Mount Modero S Series Touch Panels in any room with

# TNUOM YNA

education and corporate facilities. S with the ever growing trend towards glass surfaces in smooth surface including glass, blending the beauty of Modero The Modero S Touch Panels can be mounted to any

### MULTI MOUNT

with a Kensington® Lock. You can even use both. the touch panel (but not the table) and then secured table? The secure mounting plate can be attached to that doesn't require the touch panel be mounted to the bolts will make it virtually theft proof. Need a solution and secured with the under-table tamper resistant 7", 10.1", 19.4", 20.3" or 4.3" Tabletop Touch Panels styled plate that when attached to the Modero X or  $\ensuremath{\mathsf{S}}$ New secure table mounting hardware is a beautifully



### 24/7 SECURITY

solutions provide the flexibility to solve any integration challenge. stylish mounting options. These cost-effective, intelligently designed panels stay safely where you put them with our variety of secure and Make sure the most simply beautiful and beautifully simple touch

# Panels in Style Secure Your

MXD-430

1-007-0XM / J-107-0XM

4-007-DXM / 4-107-DXM

007-TXM \ 107-TXM

MXD-1001-L / MXD-1000-L

MXD-1001-b / MXD-1000-b

0001-TXM \ 1001-TXM

J-NA9-1901-DAN-L / MXD-1900L-DAN-L

PANA-1901-PAN-P / MXD-1900L-PAN-P

NA9-10001-TXM / NA9-1001-TXM

J-NA9-JX000S-QXM / J-NA9-100S-QXM

MXD-2001-PAN-P / MXD-2000XL-PAN-P

MAG-1X0002-TXM / MAG-100S-TXM

	MSA-STMK-43			184-T2M
MSA-MMK-43				MSD-431-L
	MSA-STMK-07			107-72M
MSA-MMK-07		MSA-RMK-07	MSA-AMK-07	T-TOZ-GSW
	MSA-STMK-10			1001-72M
MSA-MMK-10		MSA-RMK-10	MSA-AMK-10	T-1001-GSW
TNUOM ITJUM	SECURE TABLE	RACK	TNUOM YNA	WODET

TO-MMR-AXM

MXA-RMK-10

WXA-RMK-19

MXA-RMK-20

# MODERO S SERIES TOUCH PANEL MOUNTING OPTIONS

MODERO X SERIES TOUCH PANEL MOUNTING OPTIONS