



RAID Matters. Rely on Intel RAID.

Complete Portfolio for the Storage Needs of Today and Beyond

Featuring SAS 2 and SAS 3 architected add-in cards, modules, expanders, SSD Cache and High Availability



Why Intel® RAID?

Intel® RAID offers a broad portfolio of RAID solutions designed to address the storage-related challenges of the modern day datacenter as well as the small business. Intel® RAID RS3 Controllers, Intel® Integrated RAID RMS25/S3 Modules, Intel® RAID High Availability and Intel® RAID SSD Cache provide organizations with:

- **Industry leading performance** – delivering up to 6000MB/s throughput and 750K IOPs in RAID mode; and over 1M IOPs in pass-through SAS (JBOD) mode¹
- **Advanced data protection** – powered by reliable LSI* MegaRAID technology
- **Ease of use** – fully validated for thousands of hours to ensure it “just works” and manageable by a web-based GUI and command line tool that works across products
- **World-class training, support and partner programs** - customized training, design-win and post sales support; backed by Intel Advanced Warranty Replacement

The right product for your target market

The following sub-sections include spotlights of Intel’s current RAID portfolio from basic to the highest scalable performance. The last section on “Next Generation Products” portrays five near-term additions to the Intel RAID catalog. These products are expected to launch during 2014. For a complete list of current and expected 2014 Intel RAID products, see the Product Matrix available at intel.com/go/RAID.



Basic: Software RAID

Software RAID offers a subset of the features delivered in hardware RAID and is delivered as part of an operating system. Software RAID relies on system resources, processors, and memory. Software RAID is typically used for economical reasons or for mirroring an operating system. Intel sells 8 different software RAID keys including:

- **Intel® RAID C600 Upgrade Key RKSAS8R5:** Delivers up to 8 x 3Gb/s SAS ports for Intel® Server Boards and Intel® Embedded Server RAID Technology with RAID levels 0/1/5/10.



Entry-Level: I/O Controller-based Hardware RAID

Entry-level RAID offers hardware RAID 0/1/10/1E for budget oriented solutions where performance and mainstream features are not pertinent. Intel’s entry-level RAID modules are also excellent for use with JBODs when combined with accessory AXXRCVT8788. The following solutions are recommended for most customers desiring an entry-level solution:

- **Intel® Integrated RAID Module RMS25JB080:** Delivers 8 x 6Gb/s SAS ports for Intel® Server Boards and Systems with a Storage I/O Module Connector.
- **Intel® RAID Controller RS3UC080:** Delivers 8 x 12Gb/s ports with SAS 3.0 functionality for installation in a PCIe-slot.



SMB (Mid-Tier): I/O Controller-based with Advanced Firmware

Many servers targeted at Small and Medium Business (SMB) require advanced RAID and storage management, but do not require Mainstream (Intelligent Hardware RAID) performance. For these customers, Intel offers a unique blend of our Mainstream RAID software stack on less expensive I/O Processor-based hardware. The following product is recommended:

- **Intel® RAID Controller RS3WC080:** Delivers 8 x 12Gb/s SAS Ports with an I/O processor and MegaRAID-based firmware. Hardware RAID 0,1,10 and Hybrid RAID 5/50. Hybrid refers to RAID which is firmware based (not OS driver based like Software RAID), but uses system resources for parity calculations.




Mainstream: RAID-On-Chip Intelligent Hardware RAID

Mainstream RAID offers advanced application acceleration technology delivered both add-in cards and modules with advanced firmware, drivers, utilities and management software. Mainstream RAID cards have powerful onboard processors with capabilities to perform parity generation (RAID levels 5/6/50/60) and RAID recovery operations, as well as data, memory and bus management. The following solutions are recommended for most customers desiring a mainstream solution:



- **Intel® Integrated RAID Module RMS25CB080:** Delivers 8 x 6Gb/s SAS ports with a high performance RAID-On-Chip processor, 1GB DDR3 memory and LSI MegaRAID technology. For Intel Server Boards with a Storage I/O Module Connector.
- **Intel® Integrated RAID Module RMS25PB080:** Adds a standard PCIe slot connector to the above module.
- **Intel® RAID Controller RS3DC080:** Delivers 8 x 12Gb/s SAS ports with a high performance SAS 3.0 capable processor, 1GB DDR3 memory and LSI MegaRAID technology. For Intel and qualified 3rd party server boards. Uses a standard PCIe slot.



Scalable Performance with SAS Expanders

Scalable Performance offers more than 8 SAS/SATA ports and delivers high performance associated with the throughput and IOPs possible with a high number of drives. To architect a scalable performance solution, it is recommended that a mainstream RAID product be combined with one of the following SAS expanders:


- **Intel® RAID Expander RES2CV360/240:** System board that allows four or eight ports to be expanded to 32 or 24 ports respectively. (The 360 model offers 36 dynamically configured "in" or "out" ports. The 240 model offers 24 total ports).
- **Intel® RAID Expander RES2SV240:** PCIe x1 card (for power) that allows four or eight ports to be expanded to 20 ports or 16 ports respectively.



SSD-like Performance from Hard-Drive-based RAID using SSD Cache

Solid State technology allows for drastically higher throughput and IOPs than traditional spinning drives. However, an entire array of Solid State Drives is often cost prohibitive. To allow for the best of both worlds, Intel offers the following:

- **Intel® RAID SSD Cache Controller RCS25ZB040:** Includes up to 1TB of onboard Flash-based cache which it utilizes to accelerate Writes and also host frequently accessed data or "hot spots" in order to provide SSD array-like performance.
- **SSD Cache 2.0 with FastPath* I/O Key:** Allows for one or more SSD to be used as super-sized cache for the RAID module or unlocks a SSD-optimized code base for SSD RAID arrays (Order code: AXRPFKSSD2).



Common Accessories: Cache Backup, Premium Feature Upgrade and Cables

Intel offers accessories to help ensure the highest data protection and storage availability. These include:

- **Maintenance Free Backup Units** to protect the dynamic cache.
- **Premium Feature Keys** to allow for features such as Disk Encryption Management of SED drives and High Availability failover redundancy.
- **Cable kits** to deliver high bend radius, high signal integrity and a perfect fit.

For a complete list of accessories, please see the Product Matrix available at: intel.com/go/RAID.

Next Generation Products (Expected in 2014)

In addition to the previously listed products, Intel anticipates the following to be available soon.²



- **Intel® Integrated RAID Module RMS3CC080.** Delivers 8 x 12Gb/s SAS 3.0 ports with a high performance RAID-On-Chip processor, 1GB DDR3 memory and LSI MegaRAID technology. For Intel Server Boards with a Storage I/O Module Connector.
- **Intel® Integrated RAID Module RMS3HC080.** Delivers 8 x 12Gb/s SAS 3.0 Ports with a I/O controller for low cost and LSI MegaRAID technology for Advance Management and Hybrid RAID 5/50 (in addition to JBOD and HW RAID 0,1,10 modes). For Intel Server Boards with a Storage I/O Module Connector.
- **Intel® RAID Expander RES3FV288:** PCIe x1 card (for power) that allows four or eight ports on a RAID initiator to be expanded to up to 24 internal and eight external ports. This expander also complies to the SAS 3.0 protocol and therefore enables bandwidth aggregation from 6G target devices (hard drives or SSD) to a 12Gb/s signal.

For more information on Intel RAID products; visit www.intel.com/go/RAID

For more information on how to make Intel RAID products part of your server environment, please contact an Intel® Channel Partner Program participant.

1 - Performance tests and ratings are measured using specific computer systems and/or components and reflect the approximate performance of Intel products as measured by those tests. Any difference in system hardware or software design or configuration may affect actual performance. Buyers should consult other sources of information to evaluate the performance of systems or components they are considering purchasing.

2 - The information within including product launch dates is subject to change without notice. Do not finalize a design with this information.

INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL ASSUMES NO LIABILITY WHATSOEVER AND INTEL DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. UNLESS OTHERWISE AGREED IN WRITING BY INTEL, THE INTEL PRODUCTS ARE NOT DESIGNED NOR INTENDED FOR ANY APPLICATION IN WHICH THE FAILURE OF THE INTEL PRODUCT COULD CREATE A SITUATION WHERE PERSONAL INJURY OR DEATH MAY OCCUR.

Intel may make changes to specifications and product descriptions at any time, without notice. Designers must not rely on the absence or characteristics of any features or instructions marked "reserved" or "undefined". Intel reserves these for future definition and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to them. The information here is subject to change without notice. Do not finalize a design with this information.

The products described in this document may contain design defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.

Contact your local Intel sales office or your distributor to obtain the latest specifications and before placing your product order.

Intel, the Intel logo and Xeon are trademarks of Intel Corporation in the U.S. and/or other countries.

*Other names and brands may be claimed as the property of others.

Copyright © 2014 Intel Corporation. All rights reserved.

Printed in USA

0214/SJ/Exact/PDF

♻️ Please Recycle

322869-002US

