TPC WIRE & CABLE CORP.

NEW PRODUCTS



Super-Trex® Basket-Crane Cable

• 600 Volt •

• Operating Temperature Range -40°C to 70°C

UV Resistant

Super-Trex® Basket-Crane Cable is designed for gravity fed crane systems. Sometimes called "bologna cable," TPC's cable is constructed using a heavy-duty polyurethane jacket that provides excellent protection against abrasion, chemicals and UV light. An aramid fiber braid supplies additional strength and support to extend cable life. This cable is an excellent choice for both indoor and outdoor applications.

FEATURES & BENEFITS

- FLEXIBLE STRANDED COPPER
 CONDUCTORS High strand count provides longer life in flexing and reeling applications.
- **2. LEAD-CHAIN WEIGHTS** Designed to improve functionality and performance, and to provide stability in gravity fed installations.
- **3. ARAMID REINFORCING FIBER** Provides added strength and resistance to tensile and torsional forces, ultimately extending cable life.
- **4. HEAVY-DUTY POLYURETHANE JACKET** Offers excellent protection against abrasion, impact, chemicals and UV light.

APPLICATIONS

Port Cranes

- Wood-Yard Cranes
- All Gravity Fed Crane Systems

ORDERING INFORMATION (Call for pricing & availability)

PART NO.	CONDUCTOR	NUMBER OF	CONDUCTOR	NOMINAL
	SIZE	CONDUCTORS	STRANDS	O.D. (IN.)
899010	2.5 mm ²	42	83	1.60



TPC WIRE & CABLE CORP. HEADQUARTERS 9600 VALLEY VIEW RD, MACEDONIA, OHIO 44056 USA 800-521-7935 • FAX 866-528-2930 • CANADA 800-545-0122 • MEXICO 001-877-283-1696 CHILE 1230-020-0229 • COLOMBIA 0-1-800-915-7519 • PERU 0800-54863 • **WWW.TPCWIRE.COM**



