

LOCKEY USA

THE NEW STANDARD...



PRODUCT CATALOG
2015



What's inside...

E-Digital Series	1
C-Series	2
M-Series	3
2000 Series	4
2900 Series Narrow Stile	5
1000 & 3000 Series	6
Gate Boxes Specialty	7
P-Series Keyless Panic Trims	8
Panic Hardware	9
Panic Shields & Kits	10
Panic Shields & Kits cont.	11
Gate Closers	12
Gate Closers cont.	13

Finish Chart

	Antique Brass (AB) US-5
	Bright Brass (BB) US-3
	Bright Chrome (BC) US-26
	Jet Black (JB)
	Oil Rubbed Bronze (OB) Painted
	Satin Chrome (SC) US-26D
	Satin Nickel (SN) US-15
	White (WH)
	Marine Grade (MG)

Reference Guide

- All Lockey KEYLESS locks come with a Lifetime Mechanical Warranty. LockeyUSA.com/Warranty
 - Warranty does not cover the finish.
 - Lockey KEYLESS locks are weather resistant.
 - Unless otherwise noted, all locks come with a 2 3/8" backset. 2 3/4" available upon request.
 - LockeyUSA is a manufacturer and sells through distribution.
- For more information, visit LockeyUSA.com/Distributors.



Double-Combination (DC)



- Many Lockey products are available with Double-Combination (DC).
- Combination body on both interior and exterior.
- Requires code to unlock from both interior and exterior.
- Product numbers are noted with 'DC'.

As pictured to left: 2835 DC

Marine Grade (MG)



- Many Lockey products are available with a Marine Grade (MG) finish.
- Designed to extend the lifetime of the finish when exposed to the corrosive elements of saltwater environments.
- Closely resembles Satin Chrome finish.

E-Digital Series



E-910R Deadbolt



- ELECTRONIC DEADBOLT LOCK
- ADJUSTABLE DEADBOLT (2 3/8-2 3/4")
- UP TO SIX UNIQUE USER CODES
- ONE-USE (DISPOSABLE) USER CODE
- AUTO-LOCKING FUNCTION
- BATTERY POWERED (4-AA) ALKALINE
- LED ILLUMINATION
- REMOTE COMPATIBLE - UP TO 5-REMOTES (SOLD SEPARATELY)

FINISHES:
AB | BB | SC | SN | ABZ



ORDER #:
E-910R

E-930R Knob



- ELECTRONIC KNOB LOCK
- ADJUSTABLE LATCH (2 3/8-2 3/4")
- UP TO SIX UNIQUE USER CODES
- ONE-USE (DISPOSABLE) USER CODE
- AUTO-LOCKING FUNCTION
- BATTERY POWERED (4-AA) ALKALINE
- LED ILLUMINATION
- REMOTE COMPATIBLE - UP TO 5-REMOTES (SOLD SEPARATELY)

FINISHES:
AB | BB | SC | SN | ABZ



ORDER #:
E-930R

E-985R Lever



- ELECTRONIC LEVER LOCK
- ADJUSTABLE LATCH (2 3/8-2 3/4")
- UP TO SIX UNIQUE USER CODES
- ONE-USE (DISPOSABLE) USER CODE
- AUTO-LOCKING FUNCTION
- BATTERY POWERED (4-AA) ALKALINE
- LED ILLUMINATION
- REMOTE COMPATIBLE - UP TO 5-REMOTES (SOLD SEPARATELY)

FINISHES:
AB | BB | SC | SN | ABZ



ORDER #:
E-985R



E-Digital Accessories



E-DIGITAL REMOTE CONTROL

- REMOTE-FOB FOR E-DIGITAL SERIES
- UP TO 5 REMOTES CAN BE PROGRAMMED WITH EACH LOCK

ORDER#:
E-REMOTE

ANTIQUE BRONZE FINISH (ABZ)

AVAILABLE ON E910R, E930R AND E985R
RESEMBLES OIL RUBBED BRONZE

C-120 Surface/Rim Mount



- SURFACE MOUNT DEADBOLT
- REVERSIBLE LONG/SHORT BAR
- IDEAL FOR LIGHT-DUTY APPLICATIONS
- COMPATIBLE WITH C-25 PULL HANDLE
(C-25 NOT AVAILABLE IN BB OR MG FINISH)
- EASY TO CHANGE CODE
- SUITABLE FOR BOTH INDOOR AND OUTDOOR USE

FINISHES:
AB | BB | SC | SN | JB | OB | WH

ORDER #:
C-120

C-150 Hook Bolt



- SURFACE MOUNT HOOK BOLT
- IDEAL FOR SLIDING GLASS DOORS
- COMPATIBLE WITH C-25 PULL HANDLE
(C-25 NOT AVAILABLE IN BB OR MG FINISH)
- EASY TO CHANGE CODE
- SUITABLE FOR BOTH INDOOR AND OUTDOOR USE

FINISHES:
AB | BB | SC | SN | JB | OB | WH | MG

ORDER #:
C-150

C-170 Cabinet Lock



- SURFACE MOUNT CAM LOCK
- IDEAL FOR CABINET DOORS
- COMPATIBLE WITH C-25 PULL HANDLE
(C-25 NOT AVAILABLE IN BB OR MG FINISH)
- EASY TO CHANGE CODE

FINISHES
AB | BB | SC | SN | OB | WH

ORDER #:
C-170

C-Series Accessories



C-SERIES PULL HANDLE
ORDER #: C-25

FINISHES:
AB | JB | SC | SN | WH | OB



EXTRA COMBINATION TUMBLERS
ORDER #: PIN KIT



TAMPER PROOF SCREWS
ORDER #: TPS



C-SERIES EXTENSION KIT
ORDER #: EXT-2000

M210 Deadbolt



- DEADBOLT SECURITY
- LOW PROFILE
- ADJUSTABLE DEADBOLT
- CHANGEABLE HANDING
- HEAVY-DUTY
- DOUBLE COMBINATION (DC) AVAILABLE

FINISHES:
AB | BB | SC | SN | JB
WH | OB | BC | MG



ORDER #'s:
M210
M210 DC

M210 EZ Deadbolt



- NO DRILLING REQUIRED
- INSTALLS IN MINUTES W/ EZ PLATES
- ADJUSTABLE DEADBOLT
- LOW PROFILE
- CHANGEABLE HANDING
- FITS ALL DOORS 1 3/8"-2" THICK W/ STANDARD 2 1/8" PREP
- DOUBLE COMBINATION (DC) AVAILABLE

FINISHES:
AB | BB | SC | SN | JB
WH | OB | BC | MG

ORDER #'s:
M210 EZ
M210 DC EZ

M220 Surface Mount




- SURFACE-MOUNT DEADBOLT
- REVERSIBLE LONG/SHORT BAR
- NARROW STILE
- CHANGEABLE HANDING

FINISHES:
AB | BB | SC | SN | JB | WH | MG

ORDER #:
M220

M230 Deadlocking Latch



- DEADLOCKING SPRING LATCH
- LOCKS AUTOMATICALLY
- CHANGEABLE HANDING
- ADJUSTABLE LATCH
- DOUBLE COMBINATION (DC) AVAILABLE

FINISHES:
AB | BB | SC | SN | JB
WH | OB | BC | MG



ORDER #'s:
M230
M230 DC

Add-A-Bolt DC Gate Kit



- ADJUSTABLE DRIVE-IN DEADBOLT
- DESIGNED FOR GATES WITH STILES 1 1/2" OR 2" THICK

Add-A-Bolt Gate Kit Includes:

- GB ADD-A-BOLT GATE BOX (POWDER-COATED BLACK)
- M210 DC
- DRIVE-IN DEADBOLT

M210 DC FINISHES:
AB | BB | SC | SN | JB
WH | OB | BC | MG

ORDER #:
ADD-A-BOLT KIT

GB210 DC Gate Kit



- DEADBOLT SECURITY
- ALLOWS FOR PASSAGE WHEN NEEDED

GB210 Gate Kit Includes:

- GB210 GATE BOX (STEEL OR AL)
- SATIN CHROME M210 DC
- SATIN CHROME KNOB (K) OR LEVER (L)

ORDER #'s:
GB210-KIT K (KNOB)
GB210-KIT L (LEVER)
GB210-KIT AL K (KNOB)
GB210-KIT AL L (LEVER)

M-Series Accessories



ADJUSTABLE LATCH
ORDER #: SK-Adj




ADJUSTABLE DEADBOLT
ORDER #: D-Adj



DRIVE-IN DEADBOLT
ORDER #: DID



M-SERIES EXTENSION KIT
ORDER #: EXT-2000



TAMP PROOF SCREWS
ORDER #: TPS



EXTRA COMBINATION TUMBLERS
ORDER #: PIN KIT



M213 SURFACE-MOUNT LATCH
ORDER #: M213

*INSIDE BODY - SC ONLY

FINISHES (OUTSIDE BODY):
AB | BB | SC | SN | JB
WH | OB | BC | MG



M-SERIES GATE BOX
ORDER #'s:
GB200M | GB200MAL

2000 Series



2200 Surface/Rim Mount



- SURFACE-MOUNT DEADBOLT
- IDEAL FOR NARROW-STILE DOORS
- LONG & SHORT BAR INCLUDED
- CHANGEABLE HANDING
- APPLICATIONS 1" - 2" THICK
- EXTENSION KITS FOR DOORS UP TO 5" THICK
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB | WH

ORDER #'s:
2200
2200 KO

2500 Hook Bolt



- IDEAL FOR SLIDING DOORS AND GATES
- CHANGEABLE HANDING
- APPLICATIONS 1" - 2" THICK
- EXTENSION KITS AVAILABLE UP TO 5" THICK
- 3/8" THROW
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB | WH

ORDER #'s:
2500
2500 KO

2210 Deadbolt



- CHANGEABLE HANDING
- DEADBOLT SECURITY
- DOUBLE COMBINATION AVAILABLE (DC)
- ADJUSTABLE DEADBOLT (2 3/8" - 2 3/4")
- COVERS STANDARD 2 1/8" PREP
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB
WH | OB | BC | MG

ORDER #'s:
2210 2210 KO
2210 DC 2210 DC KO

2230 Deadlocking Latch



- SELF-LOCKING
- ADJUSTABLE LATCH
- DOUBLE COMBINATION AVAILABLE (DC)
- CHANGEABLE HANDING
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB
WH | OB | BC | MG

ORDER #'s:
2230 2230 KO
2230 DC 2230 DC KO

2435 Inside Lever



- OVAL-SHAPED INTERIOR LEVER
- HOLD-OPEN FEATURE TO LEAVE DOOR UNLATCHED
- SELF-LOCKING
- ADJUSTABLE LATCH
- CHANGEABLE HANDING
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB

ORDER #'s:
2435
2435 KO

2835 Lever Handle



- LEVER HANDLE ON INSIDE AND OUTSIDE
- PASSAGE FUNCTION
- REVERSIBLE HANDING
- ADJUSTABLE LATCH
- DOUBLE COMBINATION AVAILABLE

FINISHES: AB | BB | SC | SN | JB
WH | BC | OB | MG

ORDER #'s:
2835
2835 DC

2000 Key Override (KO)



- KEY OVERRIDE AVAILABLE ON:
2200 | 2500 | 2210 | 2230 | 2435
- AVAILABLE KEYED ALIKE OR KEYED DIFFERENT
 - SCHLAGE KEYWAY AVAILABLE
 - UNLOCKS WITH EITHER KEY OR CODE
 - NO LIFETIME WARRANTY ON KEY OVERRIDE

FINISHES:
AB | BB | SC | SN | JB
WH | OB | BC | MG

2835 Accessories



ADJUSTABLE LATCH
ORDER #: SL-Adj

3 1/4" x 9" COVER PLATE
ORDER #: T-Cover 2500

T-METAL TRIM PLATE
ORDER #: T-METAL

2835 GATE BOX
ORDER #'s:
GB2500 | GB2500AL

2835 EXTENSION KIT
ORDER #: EXT-2835

2000 Series Accessories



ADJUSTABLE LATCH
ORDER #: SK-Adj



ADJUSTABLE DEADBOLT
ORDER #: D-Adj



DRIVE-IN DEADBOLT
ORDER #: DID




2000 SERIES EXTENSION KIT
ORDER #: EXT-2000
OVERSIZED KNOB
AB | BB | SC | SN | JB
ORDER #: OSK

TAMPER PROOF SCREWS
ORDER #: TPS



PUSH/PULL GUARD
ORDER #: PPG



EXTRA COMBINATION TUMBLERS
ORDER #: PIN KIT

3 1/4" x 9" COVER PLATE
ORDER #: T-Cover 2500



T-METAL TRIM PLATE
ORDER #: T-METAL



2000 SERIES GATE BOX
ORDER #'s:
GB2500 | GB2500AL

2900 Series Narrow Stile



2900 Deadbolt



- REPLACES *ADAMS-RITE* LOCK
- MORTISED DEADBOLT LOCK
- 1 1/8" BACKSET
- FIVE-PLY LAMINATED STEEL BOLT WITH CONCEALED HARDENED STEEL PIN FOR MAXIMUM SECURITY.
- DOUBLE COMBINATION (DC) AVAILABLE
- FACEPLATE AVAILABLE IN DURONOTIC FINISH



FINISHES:
AB | BB | SC | SN | JB
OB | WH | BC | MG

ORDER #'s:
2900
2900 DC

2950 Hook Bolt



- REPLACES *ADAMS-RITE* LOCK
- MORTISED HOOK BOLT LOCK
- 1 1/8" BACKSET
- FIVE-PLY LAMINATED STEEL HOOK BOLT WITH CONCEALED HARDENED STEEL PIN FOR MAXIMUM SECURITY.
- DOUBLE COMBINATION (DC) AVAILABLE
- FACEPLATE AVAILABLE IN DURONOTIC FINISH



FINISHES:
AB | BB | SC | SN | JB
OB | WH | BC | MG

ORDER #'s:
2950
2950 DC

2930 Latch



- REPLACES *ADAMS-RITE* LOCK
- NARROW STILE LATCH LOCK
- 1 1/8" BACKSET
- LOCKS AUTOMATICALLY
- JANITOR FUNCTION
- DOUBLE COMBINATION (DC) AVAILABLE
- FACEPLATE AVAILABLE IN DURONOTIC FINISH



FINISHES:
AB | BB | SC | SN | JB
OB | WH | BC | MG

ORDER #'s:
2930
2930 DC

2945 Inside Lever



- REPLACES *ADAMS-RITE* LOCK
- NARROW STILE LATCH LOCK
- 1 1/8" BACKSET
- LOCKS AUTOMATICALLY
- HOLD-OPEN FEATURE
- INSIDE LEVER HANDLE
- FACEPLATE AVAILABLE IN DURONOTIC FINISH



FINISHES:
AB | BB | SC | SN | JB

ORDER #:
2945

2985 Lever Handle



- REPLACES *ADAMS-RITE* LOCK
- LEVER HANDLE LOCK
- NARROW STILE LATCH LOCK
- 1 1/8" BACKSET
- LOCKS AUTOMATICALLY
- PASSAGE FUNCTION
- DOUBLE COMBINATION (DC) AVAILABLE
- FACEPLATE AVAILABLE IN DURONOTIC FINISH



FINISHES:
AB | BB | SC | SN | JB
OB | WH | BC | MG

ORDER #'s:
2985
2985 DC

2900 Series Gate Boxes



GB900 COMPATIBLE WITH:
2930
2945
2985
*STEEL OR ALUMINUM
ORDER #'s:
GB900 GB900 AL



GB950 COMPATIBLE WITH:
2900
2950
*STEEL OR ALUMINUM
ORDER #'s:
GB950 GB950 AL

GB LINX - Stainless Steel | NO Welding



GB2985 LINX
COMPATIBLE WITH:
2930
2945
2985
*SEE PAGE 13



GB2900 LINX
COMPATIBLE WITH:
2900
2950
*SEE PAGE 13

2900 Series Accessories



900 DEADBOLT
ORDER #: 900-BOLT



950 HOOKBOLT
ORDER #: 950-HOOK



930 LATCH
ORDER #: 930-LATCH



2900 SERIES EXTENSION KITS
ORDER #'s:
EXT-2000 (2900-2950)
EXT-2835 (2985)



MOUNTING TABS
ORDER #: AR-2991-0965



EXTRA COMBINATION TUMBLERS
ORDER #: PIN KIT



OVERSIZED KNOB
AB | BB | SC | SN | JB
ORDER #: OSK



TAMPER PROOF SCREWS
ORDER #: TPS

1000 & 3000 Series

LIFETIME
MECHANICAL
WARRANTY

LOCKEY
USA

1150 Heavy-Duty Lever



- LEVER HANDLE ON BOTH INSIDE AND OUTSIDE
- PASSAGE FUNCTION
- HEAVY-DUTY HANDED LEVERS
- DOUBLE COMBINATION AVAILABLE (DC)
- ADJUSTABLE LATCH
- MAGNET-PROOF
- EXTENSION KITS AVAILABLE UP TO 5"

FINISHES:
SC-MG | JB | OB



ORDER #'s:
1150 - (RIGHT OR LEFT)
1150 DC - (RIGHT OR LEFT)

MUST SPECIFY HANDING WHEN ORDERING
RIGHT-HAND SHOWN.

1600 Heavy-Duty Knob



- KNOB ON BOTH INSIDE AND OUTSIDE
- PASSAGE FUNCTION
- HEAVY-DUTY KNOBS
- DOUBLE COMBINATION AVAILABLE (DC)
- ADJUSTABLE LATCH
- MAGNET-PROOF

FINISHES:
SC-MG | JB | OB



ORDER #'s:
1600
1600 DC

1150 Accessories



ADJUSTABLE LATCH
ORDER #: SL-Adj



1150 EXTENSION KIT
ORDER #: EXT KIT-1150

3" x 8 1/2" COVER PLATE
ORDER #: T-COVER 1150



1150 GATE BOX
ORDER #'s:
GB1150 | GB1150AL

1600 Accessories



ADJUSTABLE LATCH
ORDER #: SK-Adj



3" x 8 1/2" COVER PLATE
ORDER #: T-COVER 1150



1600 GATE BOX
ORDER #'s:
GB1150 | GB1150AL

3210 Deadbolt



- DEADBOLT SECURITY
- MARINE GRADE FINISH
- ADJUSTABLE DEADBOLT
- OVERSIZED KNOB
- CHANGEABLE HANDING
- DOUBLE COMBINATION AVAILABLE (DC)
- EXTENSION KITS AVAILABLE UP TO 5"
- ONLY AVAILABLE IN SC-MG FINISH

ORDER #'s:
3210
3210 DC

3230 Latch



- DEADLOCKING SPRING LATCH
- MARINE GRADE FINISH
- ADJUSTABLE LATCH
- OVERSIZED KNOB
- CHANGEABLE HANDING
- DOUBLE COMBINATION AVAILABLE (DC)
- EXTENSION KITS AVAILABLE UP TO 5"
- ONLY AVAILABLE IN SC-MG FINISH

ORDER #'s:
3230
3230 DC

3000 Series Accessories



ADJUSTABLE LATCH
ORDER #: SK-Adj



ADJUSTABLE DEADBOLT
ORDER #: D-Adj



DRIVE-IN DEADBOLT
ORDER #: DID




3000 SERIES EXTENSION KIT
ORDER #: EXT-2000



TAMPER PROOF SCREWS
ORDER #: TPS



PUSH/PULL GUARD
ORDER #: PPG



EXTRA COMBINATION TUMBLERS
ORDER #: PIN KIT

3 1/4" x 9" COVER PLATE
ORDER #: T-COVER 2500



3000 SERIES GATE BOX
ORDER #'s:
GB2500 | GB2500AL

Gate Boxes



GB1150



- STEEL OR ALUMINUM (AL) GATE BOX
- USED TO SECURE GATES WITH 1000 SERIES LOCKS

GB1150 COMPATIBLE WITH:
1150
1600

ORDER #'s:
GB1150
GB1150AL

GB2500



- STEEL OR ALUMINUM (AL) GATE BOX
- USED TO SECURE GATES WITH 2000 AND 3000 SERIES LOCKS

GB2500 COMPATIBLE WITH:
2210 2230 2435
2835 3210 3230

ORDER #'s:
GB2500
GB2500AL

GB200M



- STEEL OR ALUMINUM (AL) GATE BOX
- USED TO SECURE GATES WITH M-SERIES LOCKS

GB200M COMPATIBLE WITH:
M210
M230

ORDER #'s:
GB200M
GB200MAL

GB900 | GB950



- STEEL OR ALUMINUM (AL) GATE BOXES
- USED TO SECURE GATES WITH 2900 SERIES LOCKS
- POWDER-COATED BLACK

ORDER #'s:
GB900 | GB900AL
GB950 | GB950AL

GB900 COMPATIBLE WITH: 2930 2945 2985
GB950 COMPATIBLE WITH: 2900 2950

GB210



- STEEL OR ALUMINUM (AL) GATE BOX
- DESIGNED FOR USE WITH EITHER A KNOB OR LEVER
- 2 1/8" STANDARD PREP

GB210 COMPATIBLE WITH:
M210

ORDER #'s:
GB210
GB210AL

GB-Add-A-Bolt



- DRIVE-IN DEADBOLT
- DESIGNED FOR GATES WITH STILES 1 1/2" OR 2" THICK
- COMPATIBLE WITH M210 OR M210 DC (LOCK SOLD SEPARATELY)
- POWDER COATED BLACK

ORDER #:
GB-ADD-A-BOLT

LINX Boxes - for Chainlink Gates



- STAINLESS STEEL GATE BOXES FOR CHAINLINK GATES (NO WELDING)

GB2900-LINK COMPATIBLE WITH:
2900 2950
GB2985-LINK COMPATIBLE WITH:
2930 2945 2985

ORDER #'s:
GB2900-LINX
GB2985-LINX

Panic Shield Gate Boxes



- GATE BOXES FOR LOCKEY PANIC SHIELDS.

PSGB100 COMPATIBLE WITH:
115-P 160-P
PSGB200 COMPATIBLE WITH:
230-P 285-P 310-P

ORDER #s:
PSGB100
PSGB200

*AVAILABLE IN BLACK OR SILVER

Specialty

Keyless Key Safe Box



- SECURE SOLUTION TO CONTROL ACCESS TO KEYS
- EASY TO CHANGE COMBINATION
- SUITABLE FOR BOTH INDOOR AND OUTDOOR USE
- IDEAL FOR LOCATIONS WHERE IT IS NOT POSSIBLE TO HAND-OVER KEYS
- MECHANICAL RELIABILITY

FINISHES:
SN | JB | WH | MG (MARINE GRADE)

ORDER #:
KEY BOX

MS-40 Combination Slide-Bolt



RECOMMENDED USES:
- GATES
- SHEDS
- CABINETS

- SURFACE-MOUNT COMBINATION SLIDE-BOLT
- TAMPER-PROOF SCREWS INCLUDED
- IDEAL FOR EQUIPPING A VARIETY OF APPLICATIONS WITH KEYLESS ACCESS

ORDER #:
MS-40

Combo-Cork Bottle Lock



THE LOCKEY COMBO-CORK BOTTLE LOCK IS THE PERFECT SOLUTION TO SECURE FINE WINES AND LIQUORS. SIMPLY SET THE COMBINATION, TWIST THE TOP AND REST ASSURED THAT YOUR BOTTLES ARE SECURE.

- FITS MOST WINE AND LIQUOR BOTTLES
- EASY TO CHANGE COMBINATION
- IDEAL FOR CHILD-PROOFING WINE AND LIQUOR BOTTLES



ORDER #:
BOT-LOC

P-Series Keyless Panic Trims



115-P Heavy-Duty Lever



- KEYLESS PANIC TRIM
- HEAVY-DUTY LEVER HANDLE
- 1150 LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- TAKES THE PLACE OF A KEYED CYLINDER
- PANIC BAR MUST ACCEPT A FLAT TAILPIECE AND HAVE A TURN RADIUS OF 90 DEGREES OR LESS.
- FEATURES PASSAGE FUNCTION

FINISHES:
SC-MG | OB | JB

ORDER #'s:
115-P
115-P DETEX

MUST SPECIFY HANDING WHEN ORDERING
RIGHT-HAND SHOWN.

160-P Heavy-Duty Knob



- KEYLESS PANIC TRIM
- HEAVY-DUTY KNOB
- 1600 LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- TAKES THE PLACE OF A KEYED CYLINDER
- PANIC BAR MUST ACCEPT A FLAT TAILPIECE AND HAVE A TURN RADIUS OF 90 DEGREES OR LESS.
- FEATURES PASSAGE FUNCTION
- CHANGEABLE HANDING

FINISHES:
SC-MG | OB | JB

ORDER #'s:
160-P
160-P DETEX

230-P Low-Profile



- KEYLESS PANIC TRIM
- THUMB-TURN
- 2000 SERIES LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- PANIC BAR MUST ACCEPT A FLAT TAILPIECE AND HAVE A TURN RADIUS OF 90 DEGREES OR LESS.
- CHANGEABLE HANDING

FINISHES:
AB | BB | SC | SN | JB
WH | BC | OB | MG

ORDER #'s:
230-P
230-P DETEX

285-P Lever



- KEYLESS PANIC TRIM
- LEVER HANDLE
- 2835 LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- TAKES THE PLACE OF A KEYED CYLINDER
- PANIC BAR MUST ACCEPT A FLAT TAILPIECE AND HAVE A TURN RADIUS OF 90 DEGREES OR LESS.
- FEATURES PASSAGE FUNCTION
- REVERSIBLE HANDING

FINISHES:
AB | BB | SC | SN | JB
WH | BC | OB | MG

ORDER #'s:
285-P
285-P DETEX

310-P Knob



- KEYLESS PANIC TRIM
- MEDIUM-DUTY KNOB
- 3000 SERIES LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- TAKES THE PLACE OF A KEYED CYLINDER
- PANIC BAR MUST ACCEPT A FLAT TAILPIECE AND HAVE A TURN RADIUS OF 90 DEGREES OR LESS.
- CHANGEABLE HANDING

FINISH:
MG (MARINE GRADE)

ORDER #'s:
310-P
310-P DETEX

P-Series Accessories



PSGB-100
STEEL GATE BOX FOR:
- 115-P
- 160-P
BLACK OR SILVER



PSGB-200
STEEL GATE BOX FOR:
- 230-P
- 285-P
- 310-P
BLACK OR SILVER

EXTRA COMBINATION TUMBLERS



ORDER #:
PIN KIT



PUSH/PULL GUARD
FOR 310-P

ORDER #:
PPG

Lockey Panic Bars



- ANSI/BHMA A156.3 SERIES GRADE 1 CERTIFIED
- COMPLIES WITH ANSI A117.A ADA REQUIREMENTS
- UL/CUL LISTED
- NARROW STILE 2 1/2" - DOOR THICKNESS: 1 3/4" (STANDARD)
- DEVICE LENGTH: 33" (36" DOORS) OR 42" (48" DOORS)
- FIELD-SIZABLE - CAN BE CUT TO 27"
- LATCH BOLT: STAINLESS STEEL POWDER METALLURGY WITH 11/16" THROW
- DEADLOCKING LATCH: STAINLESS STEEL POWDER METALLURGY WITH 9/16" THROW
- WEATHER RESISTANT
- MATERIALS: PLATED STEEL OR STAINLESS STEEL WITH ZINC OR STAINLESS STEEL HEAD COVER
- FIRE-RATED (FR) - UL/CUL LISTED 3 HR. FIRE-RATED 10C, UBC 7-2 (1997)
- PLATED STEEL (AL)
- STAINLESS STEEL (SS)

ORDER #'s: 36" DOORS 48" DOORS
 PB1100 AL PB1142
 PB1100 SS
 PB1100 FR



Lockey Panic Trims

Lever Handle Passage Trim



ORDER #:
PB-LHPS

Lever Handle Keyed Trims



ORDER #'s:
KEYED ENTRY: PB-LHED
STOREROOM: PB-LHSR

Lever Handle Clutch Trim



ORDER #:
PB-LHCL

Thumbpiece Keyed Entry Trim



ORDER #:
PB-TPED

Pull-Handle Entry Trim



ORDER #:
PB-DUMED

Night Latch Handleset Trim



ORDER #:
PB-NLED

DETEX Panic Bars



- UL/CUL LISTED
- ANSI AND BHMA GRADE 1 CERTIFIED
- ADA COMPLIANT
- OUTSIDE TRIMS EASILY CHANGED AND COMPATIBLE WITH LOCKEY P-SERIES
- PATENTED MOUNTING PLATE AND STRIKE LOCATOR
- FIELD-SIZABLE
- NON-HANDED
- 100% WEATHERPROOF ALUMINUM EXTRUSION BAR
- FOR WOOD, HOLLOW, METAL, FIBERGLASS AND ALUMINUM DOORS
- AVAILABLE WITH ALARM (V-40xEB) AND WEATHERIZED ALARM (V-40xEBxW)
- FITS 2 1/2" STILE DOORS WITH 99 SURFACE STRIKE (STANDARD)
- FITS 2" NARROW STILE DOORS WITH NS OPTION OR NSK DOOR KIT
- MACHINE AND SELF-DRILLING SCREWS (STANDARD)

DETEX TRIMS:
V-08BN-689 - PASSAGE LEVER
V-09BN-689 - JANITOR LEVER



ORDER #'s: BLACK 48" DOORS
 V-40 711 48
 V-40xEB 711 48
 V-40xEBxW 711 48



Panic Shield Extension Plates



- EXTENDS PANIC SHIELD UP TO 74"
- 16-GUAGE ELECTRO-GALVANIZED STEEL
- AVAILABLE IN PLAIN, BLACK OR SILVER

ORDER #:
PS-EXT - B
PS-EXT - S
PS-EXT - PL

Strike Brackets



- 1/4" STEEL WITH POWDER COATED FINISH
- ADJUSTABLE. FITS UP TO 3" POST
- AVAILABLE IN BLACK OR SILVER

ORDER #'s:
PS-SB - B
PS-SB - S

MAX-GUARD PANIC BAR SHIELDS



- MOUNTS ABOVE PANIC BAR, PREVENTING TAMPERING FROM OUTSIDE THE GATE.
- 16-GUAGE ELECTRO-GALVANIZED STEEL
- PROTRUSION: 4" | WIDTH: 24"
- AVAILABLE IN PLAIN, BLACK OR SILVER

ORDER #'s:
PS-MAX - B
PS-MAX - S
PS-MAX - PL



Lockey Compatible Panic Shields

- TURN GATES INTO PANIC/EMERGENCY EXITS
- PANIC BAR MOUNTING PLATE FOR ANY PANIC BAR
- 16-GUAGE ELECTRO-GALVANIZED WITH POWDER COATED FINISH
- AVAILABLE IN SILVER (S) (STANDARD), BLACK (B) & PLAIN (PL)
- AVAILABLE IN 24" (STANDARD) AND 12"
- ADJUSTABLE FOR 28" - 54" GATES
- *SPECIFY COLOR WHEN ORDERING

No MOUNTING HOLES:
 24" 12"
PS-24 PS-12



DETEX Compatible Panic Shields

- PANIC SHIELD PRE-DRILLED WITH 2" BACKSET FOR LOCKEY PB1100
- AVAILABLE IN SILVER (S) (STANDARD), BLACK (B) & PLAIN (PL)
- AVAILABLE IN 24" (STANDARD) AND 12"

PRE-DRILLED (LOCKEY)
 ORDER #'s: 24" 12"
PS-1124 PS-1112



- PANIC SHIELD PRE-DRILLED WITH 2" BACKSET FOR DETEX V-40 & V-40xEB PANIC BARS
- AVAILABLE IN SILVER (S) (STANDARD), BLACK (B) & PLAIN (PL)
- AVAILABLE IN 24" (STANDARD) AND 12"

PRE-DRILLED (DETEX)
 ORDER #'s: 24" 12"
PS-DX24 PS-DX12

TRIM BOXES



COMPATIBLE LOCKS:
 230-P | 285-P | 310-P
 ORDER #:
PSGB-200-B
PSGB-200-S



COMPATIBLE LOCKS:
 115-P | 160-P
 ORDER #:
PSGB-100-B
PSGB-100-S



COMPATIBLE TRIMS:
 PB-LHPS
 PB-LHED | PB-LHSR
 ORDER #:
PS-GB-LH

KEY BOXES & KEYED CYLINDERS



ORDER #'s:
PSGB5 - B
PSGB5 - S



KEYED CYLINDER
 ORDER #:
PS-CYL-(KA/KD)



IC CORE CYLINDER
 ORDER #:
PS-CYL-IC

Panic Shield Value Kits



STANDARD VALUE KITS INCLUDE:

- ONE (1) 24" PANIC SHIELD PRE-DRILLED FOR LOCKEY OR DETEX PANIC BAR
- OPTIONAL: 12"
- OPTIONAL: NO MOUNTING HOLES (W/O)
- STRIKE BRACKET (PS-SB)
- GRADE 1 36" PANIC BAR
- OPTIONAL: 48" PANIC BAR
- COLOR: SILVER (S)
- OPTIONAL: BLACK (B) OR PLAIN (PL)



Part #	Standard Product Description (Standard - Size: 24" Color: Silver)	Options			
		Shield Size	Color	Panic Bar Size	Mounting Holes
PS-11-VALUE	Pre-drilled PS-11 Panic Shield Strike Bracket Lockey PB1100 (36")	12"	Black Plain	48"	No Holes
PS-DX-VALUE	Pre-drilled PS-DX Panic Shield Strike Bracket DETEX V-40 (36")	12"	Black Plain	48"	No Holes
PS-DX Alarm-Value	Pre-drilled PS-DX Panic Shield Strike Bracket DETEX V-40 x EB Alarm (36")	12"	Black Plain	48"	No Holes

Panic Shield Safety Kits



PS11-SAFETY - SILVER

STANDARD SAFETY KITS INCLUDE:

- ONE (1) 24" PANIC SHIELD PRE-DRILLED FOR LOCKEY OR DETEX PANIC BAR
- OPTIONAL: 12"
- OPTIONAL: NO MOUNTING HOLES (W/O)
- STRIKE BRACKET (PS-SB)
- GRADE 1 36" PANIC BAR
- OPTIONAL: 48" PANIC BAR
- KEYED CYLINDER
- OPTIONAL: KEYED CYLINDER WITH IC CORE (PS-CYL-IC)
- PSGB-5 KEY BOX
- COLOR: SILVER (S)
- OPTIONAL: BLACK (B) OR PLAIN (PL)



WITH PS-DX



WITH PS-DX-ALARM

Part #	Product Description (Standard - Size: 24" Color: Silver)	Options			
		Shield Size	Color	Panic Bar Size	Mounting Holes
PS-11-SAFETY	Pre-drilled PS-11 Panic Shield Strike Bracket Key Box Keyed Cylinder Lockey PB1100 (36")	12"	Black Plain	48"	No Holes
PS-DX-SAFETY	Pre-drilled PS-DX Panic Shield Strike Bracket Key Box Keyed Cylinder DETEX V-40 (36")	12"	Black Plain	48"	No Holes
PS-DX Alarm-SAFETY	Pre-drilled PS-DX Panic Shield Strike Bracket Key Box Keyed Cylinder DETEX V-40 x EB Alarm (36")	12"	Black Plain	48"	No Holes

Panic Shield Security Kits



PS11-SECURITY- SILVER

STANDARD SECURITY KITS INCLUDE:

- ONE (1) 24" PANIC SHIELD PRE-DRILLED FOR LOCKEY OR DETEX PANIC BAR
- OPTIONAL: 12"
- OPTIONAL: NO MOUNTING HOLES (W/O)
- STRIKE BRACKET (PS-SB)
- GRADE 1 36" PANIC BAR
- OPTIONAL: 48" PANIC BAR
- LOCKEY 285-P SATIN CHROME KEYLESS PANIC TRIM
- OPTIONAL: OTHER FINISHES AVAILABLE (SEE PAGE 8)
- PSGB-200 KEYLESS TRIM BOX
- MAX-GUARD PANIC BAR SHIELD
- COLOR: SILVER (S)
- OPTIONAL: BLACK (B) OR PLAIN (PL)



WITH PS-DX



WITH PS-DX-ALARM

Part #	Product Description (Standard - Size: 24" Lock Finish: Satin Chrome Color: Silver)	Options				
		Shield Size	Color	Panic Bar Size	Lock Finish	Mounting Holes
PS-11-SECURITY	Pre-drilled PS-11 Panic Shield Strike Bracket Keyless Box Lockey 285-P Lockey PB1100 (36") Max-Guard	12"	Black Plain	48"	See Pg. 8	No Holes
PS-DX-SECURITY	Pre-drilled PS-DX Panic Shield Strike Bracket Keyless Box Lockey 285-P DETEX V-40 (36") Max-Guard	12"	Black Plain	48"		No Holes
PS-DX Alarm-SECURITY	Pre-drilled PS-DX Panic Shield Strike Bracket Keyless Box Lockey 285-P DETEX V-40 x EB Alarm (36") Max-Guard	12"	Black Plain	48"		No Holes

TB100 TurtleBack **IMPROVED**



- NEW WELDS IMPROVE DURABILITY
- STRONGER BUSHINGS AND SEALS
- CLOSES GATES UP TO 125 LBS.
- FLUSH MOUNT GATE CLOSER
- ADJUSTING SCREW REGULATES SPEED
- INSTALLS ON TOP, MIDDLE OR BOTTOM
- PUSHES GATE CLOSED
- BLACK FINISH

SPECIFICATIONS:
 MAX GATE WEIGHT: 125 LBS.
 MAX GATE WIDTH: 54 IN.
 MAX OPENING ANGLE: 90 DEGREES

ORDER #:
TB100

TB175 Garden Gate Closer



- FLUSH MOUNT GATE CLOSER
- CLOSES GATES UP TO 125 LBS.
- ADJUSTABLE CLOSING AND LATCHING SPEED
- INSTALLS ON TOP, MIDDLE OR BOTTOM OF GATES
- PUSHES GATE CLOSED
- AVAILABLE IN BLACK OR WHITE FINISH



SPECIFICATIONS:
 MAX GATE WEIGHT: 125 LBS.
 MAX GATE WIDTH: 54 IN.
 MAX OPENING ANGLE: 90 DEGREES

ORDER #'s:
TB175 BLACK
TB175 WHITE

TB200 | 400 | 600 Gate Closers



- CLOSES BOTH LARGE AND SMALL GATES UP TO 250 LBS. (MODELS VARY)
- HYDRAULIC/NITROGEN GAS CONTROLLED CLOSING SPEED
- INSTALLS ON TOP, MIDDLE OR BOTTOM OF GATES
- MOUNTS ON OPENING SIDE OF GATE AND PUSHES GATE CLOSED
- EASY TO INSTALL. MOUNTING BRACKETS AND FITTING BAR INCLUDED
- 110 DEGREE MAXIMUM OPENING ANGLE
- AVAILABLE IN BLACK, WHITE, GRAY OR STAINLESS STEEL FINISH (SS)
- NOW AVAILABLE - TB-LINX KITS FOR CHAINLINK COMPATIBILITY (SEE PAGE 13)
- *REPLACEMENT CYLINDERS ARE AVAILABLE. LEARN MORE AT WWW.LOCKEYUSA.COM

SPECIFICATIONS:	GATE WEIGHT	GATE WIDTH	EST. OPENING FORCE
TB200:	50-125 LBS.	36-52 IN.	3-7 LBS.
TB400:	75-175 LBS.	40-64 IN.	6-12 LBS.
TB600:	150-250 LBS.	44-72 IN.	8-18 LBS.

*MEASUREMENTS DO NOT TAKE INTO CONSIDERATION THE HINGE ARRANGEMENTS, QUALITY OF HINGES, EASE OF OPERATION, WIND, AND OTHER VARIABLE FACTORS.



ANGLED GATE STOP
 *TO RESTRICT OPENING ANGLE TO 90°
ORDER #: GS-1480



HEAVY-DUTY GATE STOP
 *TO RESTRICT OPENING ANGLE TO 90°
ORDER #: GS-1463

ORDER #'s:
TB200 TB200SS
TB400 TB400SS
TB600 TB600SS

TB250+ | 450+ | 650+ Adjustable



- ADJUSTABLE HYDRAULIC (NITROGEN GAS) CONTROLLED CLOSING SPEED
- QUICK AND EASY INSTALLATION
- INSTALLS ON TOP, MIDDLE OR BOTTOM OF GATES
- MOUNTS ON OPENING SIDE OF GATE AND PUSHES GATE CLOSED
- MADE OF STEEL AND AVAILABLE IN BLACK, WHITE, GRAY OR ZINC-PLATED
- 110 DEGREE MAXIMUM OPENING ANGLE
- NOW AVAILABLE - TB-LINX KITS FOR CHAINLINK COMPATIBILITY (SEE PAGE 13)
- *REPLACEMENT CYLINDERS ARE AVAILABLE. LEARN MORE AT WWW.LOCKEYUSA.COM

Gate Closer	36" Gate	48" Gate	60" Gate
<i>Added Opening Force</i>			
No Closer	3/4 lb.	1/2 lb.	1/4 lb.
TB-250+	6 lbs.	4 lbs.	3 lbs.
TB-450+	10 lbs.	8 lbs.	6 lbs.
TB-650+	13 lbs.	10 lbs.	8 lbs.
<i>Added Force at 45° Open</i>			
TB-250+	7 lbs.	5 lbs.	4.5 lbs.
TB-450+	13 lbs.	9.5 lbs.	8 lbs.
TB-650+	18.5 lbs.	13.5 lbs.	12 lbs.

Constant Closing Pressure	Approximate Width	Approximate Weight
0 lbs.		
45 lbs.	36-52 Inches	50-125 lbs.
90 lbs.	40-64 Inches	75-175 lbs.
135 lbs.	44-72 Inches	150-250 lbs.

SPECIFICATIONS:	MAX GATE WEIGHT	MAX GATE WIDTH
TB250+:	125 LBS.	52 IN.
TB450+:	175 LBS.	64 IN.
TB650+:	250 LBS.	72 IN.

*MEASUREMENTS DO NOT TAKE INTO CONSIDERATION THE HINGE ARRANGEMENTS, QUALITY OF HINGES, EASE OF OPERATION, WIND, AND OTHER VARIABLE FACTORS.



ANGLED GATE STOP
 *TO RESTRICT OPENING ANGLE TO 90°
ORDER #: GS-1480



HEAVY-DUTY GATE STOP
 *TO RESTRICT OPENING ANGLE TO 90°
ORDER #: GS-1463

ORDER #'s:
TB250+
TB450+
TB650+

Gate Closers



TB950 Magnum Hinge/Closer



TB950 - TOP PIVOT (INCLUDED)



- ADJUSTABLE GATE CLOSER AND HINGE ALL-IN-ONE
- HEAVY-DUTY
- LOW-PROFILE AND CONCEALED
- ADJUSTMENTS FOR CLOSING AND LATCHING SPEED
- 180 DEGREE CAPABLE WITH 180° DRIVE PLATE (NOT INCLUDED)
- COMPATIBLE WITH BOTH RIGHT AND LEFT-HAND GATES
- NOW AVAILABLE - TB950-LINX KIT FOR CHAINLINK COMPATIBILITY

SPECIFICATIONS:

- GATE WIDTH: 32-52 IN.
- GATE WEIGHT: 50-250 LBS.
- OPENING ANGLE: 90 DEGREES
- MIN. OPERATING TEMPERATURE: -40° F



TB950 - 180° DRIVE PLATE
ORDER #: TB950-180 PLATE

ORDER #:
TB950 MAGNUM



TB-LINX



*GATE CLOSER SOLD SEPARATELY

- MOUNTING KIT FOR CHAINLINK GATES
- FENCE SIZE: 2" - 2 7/8"
 - COMPATIBLE WITH:
 - TB200/400/600
 - TB250+/450+/650+ ADJUSTABLE

- TB-LINK INCLUDES:
- ONE (1) POST BRACKET
 - ONE (1) U-BOLT
 - TWO (2) MACHINE SCREWS
 - FOUR (4) LOCK NUTS

ORDER#:
TB-LINX

TB950-LINX



*TB950 MAGNUM SOLD SEPARATELY

- MOUNTING KIT FOR CHAINLINK GATES
- POST SIZE: 2" - 2 7/8"
 - COMPATIBLE WITH:
 - TB950 MAGNUM

- TB950-LINK INCLUDES:
- TWO (2) POST BRACKETS
 - TWO (2) U-BOLTS
 - TWO (2) WELDABLE PLATES
 - FOUR (4) LOCK NUTS

ORDER #:
TB950-LINX

GB2900 LINX



*LOCK SOLD SEPARATELY

- GATE BOX FOR CHAINLINK GATES
- GATE SIZE: 1 5/8"

- COMPATIBLE WITH:
- 2900
 - 2950

- GB2900 LINK INCLUDES:
- STAINLESS STEEL GATE BOX
 - NO WELDING

ORDER #:
GB2900 LINX

GB2985 LINX



*LOCK SOLD SEPARATELY

- GATE BOX FOR CHAINLINK GATES
- GATE SIZE: 1 5/8"

- COMPATIBLE WITH:
- 2985
 - 2930
 - 2945

- GB2985 LINK INCLUDES:
- STAINLESS STEEL GATE BOX
 - NO WELDING

ORDER #:
GB2985 LINX



LOCKEYUSA.COM
989.773.2363

PO BOX 543
MT. PLEASANT, MI 48858

