### PRECINCT SCANNER & TABULATOR

## **DS200°**

## BECAUSE WHO WANTS TO BE STUCK INSIDE COUNTING BALLOTS?

The DS200 is a precinct-based ballot scanner and vote tabulator equipped with the latest in ES&S' patented technology to make your job easier. Fully certified and compliant with the latest federal Voluntary Voting Systems Guidelines, the DS200 enhances the voting experience for voters and officials alike.

Intelligent, integrated, digital, patented, flexible, easy to use, reliable, secure, certified, and accessible – the DS200 is the answer to your precinct-level election needs.



CERTIFIED VVSG 2005 CERTIFIED





# Faster election results and greater voter confidence



## KEY FEATURES

Handles up to 9,900 precincts for early voting needs.

#### SPEED

Completely processes both sides of a ballot in six seconds or less. Handles bent or folded ballots with ease.

#### ACCURACY

DS200 combines the ES&S Positive Target Recognition & Alignment Compensation (PTRAC) and patented Intelligent Mark Recognition™ (IMR) systems to positively track and pinpoint target locations, accommodating for ballots inserted at irregular angles and erroneous marks to create unparalleled accuracy in determining voter intent. This accuracy improves the reliability of elections that require recounts, as well.

#### ACCESSIBILITY

Compatible with the ES&S ExpressVote® and AutoMARK® Americans with Disabilities Act (ADA)compliant ballot-marking device.

#### RELIABILITY

Battery backup in case of a power outage and thermal paper means you never have to worry about power outages or running out of printer ink.

#### COMPATIBILITY

Works in conjunction with ES&S' Electionware® and Election Reporting Manager® software, ADAcompliant ballot marking devices (AutoMARK® or ExpressVote®), the DS850® central scanner and tabulator, and plastic or metal ballot bins to provide a complete end-to-end election solution.

#### **AVAILABLE OPTIONS**

Wireless modem and capacity to send data via Secure File Transfer Protocol (SFTP) server; backup data storage in addition to primary data storage device.