

CirrusTM

Stand Up Work Tables

SMART*desks*[®]

800 770 7042

www.smartdesks.com





Motorized Stand Up Smart Desks



Power | Data Port Option
Grommet-mounted power/data port
Cove 2 power | 2 USB **PD-COV-2U-B-108**



- Simple up-down buttons
- Infinite stop positions
- Adjustment speed: 2"/sec (50mm/sec)

Twin Column with 2 independent, synchronized motors

The twin columns and twin motors are controller synchronized from a zero set point at the lowest position. Controller electronics can be positioned to permit installation of options, such as the flipIT® Workstation, Laptop Safe or LCD arms, keyboard trays and CPU holders.

- Starting Height 26"
- Adjustment Range 19.7"
- Maximum Height 45.7"
- Lift Capacity up to 225 pounds static load
- Available Leg Colors KEA Black or KEA Silver
- Top Contoured edge finished 3D Thermofoil or PVC edge finished Laminate
- Top Dimensions Depth: 26"
- Width: 36" | 42" | 48" | 60" | 66" | 72"

Cirrus Motorized Stand Up SMART Desks: Laminate | PVC Edge

CRL-3626VH-E2M2	Cirrus Rectangular Table - 36", laminate, E2M2
CRL-4226VH-E2M2	Cirrus Rectangular Table - 42", laminate, E2M2
CRL-4826VH-E2M2	Cirrus Rectangular Table - 48", laminate, E2M2
CRL-6026VH-E2M2	Cirrus Rectangular Table - 60", laminate, E2M2
CRL-6626VH-E2M2	Cirrus Rectangular Table - 66", laminate, E2M2
CRL-7226VH-E2M2	Cirrus Rectangular Table - 72", laminate, E2M2

Cirrus Motorized Stand Up SMART Desks: Thermofoil

CRF-3626VH-E2M2	Cirrus Rectangular Table - 36", thermofoil, E2M2
CRF-4226VH-E2M2	Cirrus Rectangular Table - 42", thermofoil, E2M2
CRF-4826VH-E2M2	Cirrus Rectangular Table - 48", thermofoil, E2M2
CRF-6026VH-E2M2	Cirrus Rectangular Table - 60", thermofoil, E2M2
CRF-6626VH-E2M2	Cirrus Rectangular Table - 66", thermofoil, E2M2
CRF-7226VH-E2M2	Cirrus Rectangular Table - 72", thermofoil, E2M2



LiftRoller ONE Stand Up Smart Desks



German precision engineered hydraulic lift supports the static load of the table top and the technology. Grasping the adjustment lever engages the lift, which assists in lifting or lowering the computer workstation like power steering. A 60 pound load feels like 10. Move your top from 28 inches to almost 48— and stop anywhere that makes you comfortable sitting or standing. The single column design is for smaller desktops up to 66 pounds.

Single column LiftRoller | U base

Supports table top sizes 26" depth x 36" | 42" width with base height range 27.25" to 46.75" for sit to stand, stepless adjustable height, telescoping columns.

- Starting Height 27.25"
- Adjustment Range 19.5"
- Maximum Height 46.75"
- Lift Capacity
 - standard: 16 to 44 pounds static load
 - premium: 26 to 66 pounds static load
- Base Type U-base
- Base Dimensions 22" x 36" | 26" x 36"
- Base Material 1.5" x 3" Tubular Steel
- End Cap Flat Plastic Cap
- Available Leg Colors KEA Black or KEA Silver
- MDF | PVC edge finished Laminate
- Top Dimensions
 - Depth: 26"
 - Width: 36" | 42"



- Option
- Grommet-mounted power/data port
- Cove 1 power | 2 USB **PD-COV-1U-B-108**

Cirrus LiftRoller ONE Stand Up SMART Desks: Laminate | PVC Edge

CRL-3626VH-E8LR1 Cirrus Rectangular Table - 36", laminate, E8LR1
 CRL-4226VH-E8LR1 Cirrus Rectangular Table - 42", laminate, E8LR1
 CRL-3626VH-C-E8LR1 Cirrus Rectangular Table, Cove, 36", laminate, E8LR1
 CRL-4226VH-C-E8LR1 Cirrus Rectangular Table, Cove, 42", laminate, E8LR1



LiftRoller TWO Stand Up Smart Desks



Stand up and take your desk with you! German precision engineered hydraulic lift supports the static load of the table top and the technology. Grasping the adjustment lever engages the lift, which assists in lifting or lowering the computer workstation like power steering. A 60 pound load feels like 10.

Move your top from 28 inches to almost 48— and stop anywhere that makes you comfortable sitting or standing. The dual column design is for larger tops and heavier loads— up to 89 pounds with the premium selection.

Two column Hydraulic LiftRoller | U base

Supports table top sizes 24" x 48" (minimum) to 36" x 72" (maximum) with base height range 27.25" to 46.75" for sit to stand, stepless adjustable height, telescoping columns.

Base Specifications

- Infinite stop positions
- Base height range: 19.5" | from 27.25" to 46.75"
- Lift Capacity
 - standard 26 to 66 pounds static load
 - premium 49 to 89 pounds static load

Top Sizes and Materials

- Depth 26"
- Width 60" | 66" | 72"
- Laminate top with PVC edge trim



- Option: Grommet-mounted power/data port
- Cove 2 power | 2 USB **PD-COV-2U-B-108**

Cirrus LiftRoller TWO Stand Up SMART Desks: Laminate | PVC Edge

CRL-6026VH-E8LR2 Cirrus Rectangular Table - 60", laminate, E8LR2
 CRL-6626VH-E8LR2 Cirrus Rectangular Table - 66", laminate, E8LR2
 CRL-7226VH-E8LR2 Cirrus Rectangular Table - 72", laminate, E8LR2
 CRL-6026VH-C-E8LR2.... Cirrus Rectangular Table, Cove, 60", laminate, E8LR2
 CRL-6626VH-C-E8LR2.... Cirrus Rectangular Table, Cove, 66", laminate, E8LR2
 CRL-7226VH-C-E8LR2.... Cirrus Rectangular Table, Cove, 72", laminate, E8LR2



202 Series Ratchet Stand Up Smart Desks



Simply lift up on the top to click the bases to your desired height. Each base can be adjusted separately so it's a one person job that is accomplished in seconds.

Series 202 T-base Ratchet Stand Up Smart Desks

An economical choice for sit to stand capability. If you have lots on your desktop, you will need help to lift and lower the top to keep it level in transition. Fine tune your working height in 12 steps from 27.5" to 37". Lift to highest position to reset the ratchet to its lowest position and lift to the desired height. Handsome design for home, school or office.

Base Specifications

- 13 stop positions
- Base height range: 9.45" | from 26" to 35.45"
- Leg color: Black or Silver
- Option for power | data connection box grommet
- Cove 1 power | 2 USB

Top Sizes and Materials

Depth 24" | 26"

Width 36" | 42" | 60" | 66" | 72"

Laminate top with PVC edge trim



- Option: Power/data port
Cove 1 power | 2 USB
PD-COV-1U-B-108

Cirrus 202 Series Ratchet Stand Up SMART Desks: Laminate | PVC Edge

CRL-6026VH-E8LR2 Cirrus Rectangular Table - 60", laminate, E8LR2
 CRL-6626VH-E8LR2 Cirrus Rectangular Table - 66", laminate, E8LR2
 CRL-7226VH-E8LR2 Cirrus Rectangular Table - 72", laminate, E8LR2
 CRL-6026VH-C-E8LR2.... Cirrus Rectangular Table, Cove, 60", laminate, E8LR2
 CRL-6626VH-C-E8LR2.... Cirrus Rectangular Table, Cove, 66", laminate, E8LR2
 CRL-7226VH-C-E8LR2.... Cirrus Rectangular Table, Cove, 72", laminate, E8LR2



E2 Ratchet Stand Up Smart Desks with Flip Top Option



Modular training tables that do tricks:

Sit | Stand | Store

The Cirrus E2 Ratchet Sit-Stand Desk changes height easily. Two people lift on each end while holding the base in place with a foot. Start at the lowest position and raise in .78" increments from 26.5" to 36" standing height on glides, or 29.5" to 39.45" on **optional locking casters**.

OPTION: Top is hinged to flip vertically for compact storage.
OPT-GENUFLIP-KIT

OPTION: Solid modesty panels are hinged to permit vertical storage without being removed. Modesty panels are equipped with wire management appropriate to their design. The solid modesty panels are matching thermofoil or laminate with pvc edge.
CRF-[table width]10-MP-NS thermofoil
CRL-[table width]10-MP-NS laminate | PVC edge

Standard modesty panels are steel framed, black fabric mesh with hook and loop wire management closures.

- Starting Height 26"
- Adjustment Range 9.45"
- Maximum Height 36"
- Stop Positions 12
- T-Base Leg Specifications:
 - Powder coated steel, square tubular design
 - Ratchet variable height adjustment
- Optional flip top hinge and control mechanism
- Optional locking casters
- Top Materials:
 - MDF | Contoured edge finished 3D Thermofoil
 - MDF | PVC edge finished Laminate
- Top Dimensions:
 - Depth: 26"
 - Width: 36" | 42" | 60" | 66" | 72"



Cirrus E2 Ratchet Stand Up SMART Desks: Laminate | PVC Edge

CRL-3626VH-E2RA.....	Cirrus Rectangular Table - 36", laminate, E2RA
CRL-4226VH-E2RA.....	Cirrus Rectangular Table - 42", laminate, E2RA
CRL-4826VH-E2RA.....	Cirrus Rectangular Table - 48", laminate, E2RA
CRL-6026VH-E2RA.....	Cirrus Rectangular Table - 60", laminate, E2RA
CRL-6626VH-E2RA.....	Cirrus Rectangular Table - 66", laminate, E2RA
CRL-7226VH-E2RA.....	Cirrus Rectangular Table - 72", laminate, E2RA

Cirrus E2 Ratchet Stand Up SMART Desks: Thermofoil | Contour Edge

CRF-3626VH-E2RA.....	Cirrus Rectangular Table - 36", thermofoil, E2RA
CRF-4226VH-E2RA.....	Cirrus Rectangular Table - 42", thermofoil, E2RA
CRF-4826VH-E2RA.....	Cirrus Rectangular Table - 48", thermofoil, E2RA
CRF-6026VH-E2RA.....	Cirrus Rectangular Table - 60", thermofoil, E2RA
CRF-6626VH-E2RA.....	Cirrus Rectangular Table - 66", thermofoil, E2RA
CRF-7226VH-E2RA.....	Cirrus Rectangular Table - 72", thermofoil, E2RA



Floating Balance Stand Up Smart Desks



Floating Balance Hydraulic Lift Standing Workstation

German-made leg design equally distributes the weight on the table top over two legs. As a result, the table top can be raised and lowered by one person using only a single release handle.

The floating balance is calibrated to provide a lifting force that makes raising and lowering the table as easy as power steering.

Table tops may be thermofoil with contoured edge, or laminate with polyurethane moulded edge, which offers added comfort and the rich look of wood.

Base Specifications

- Continuous, stepless adjustment
- Base height range: 19.68" | from 27.47" to 47.15"
- Leg material: steel tubes, steel profile, plastic sealcoat

Top Sizes and Materials

- Depth 26"
- Width 48" | 60" | 72"
- Thermofoil Top
- Laminate Top | Polyurethane Moulded Edge



OPTION:

PD-VF-GROM-S

Villa Grommet with Flush Lid Silver

PD-V-C-U-D-S-BSE36

PD-V-C-U-D-S-BSE108

Villa Coded - Power | USB | Data Silver
Base installs under table. Includes 2 power, 2 USB power, 2 RJ-45 cat 6 F/F, 108 inch cord.

Cirrus Floating Balance: Laminate | PVC Edge

CRL-4826VH-E2CB	Cirrus Rectangular Table - 48", laminate, E2CB
CRL-6026VH-E2CB	Cirrus Rectangular Table - 60", laminate, E2CB
CRL-6030VH-E2CB	Cirrus Rectangular Table - 60", laminate, E2CB
CRL-6626VH-E2CB	Cirrus Rectangular Table - 66", laminate, E2CB
CRL-7226VH-E2CB	Cirrus Rectangular Table - 72", laminate, E2CB
CRL-7230VH-E2CB	Cirrus Rectangular Table - 72", laminate, E2CB

Cirrus Floating Balance: Thermofoil Top | Contour Edge

CRF-4826VH-E2CB	Cirrus Rectangular Table - 48", thermofoil, E2CB
CRF-6026VH-E2CB	Cirrus Rectangular Table - 60", thermofoil, E2CB
CRF-6626VH-E2CB	Cirrus Rectangular Table - 66", thermofoil, E2CB
CRF-7226VH-E2CB	Cirrus Rectangular Table - 72", thermofoil, E2CB



Pedestal Stand Up Smart Desks Hydraulic Lift Roller or Ratchet Height Adjust

Hydraulic LiftRoller Pedestal

A simple release lever mounted to the underside edge of the top engages a hydraulic that provides a powerful assist. The top feels like it floats to the preferred position. Sit or stand in comfort with the LiftRoller supports a large adjustment range and infinite stop positions.

Key Features

- Hydraulic lift with infinite stop positions
- No-bounce stop for a solid table top
- Steel roller guidance system
- Cable release with handle specially designed to resist unintended activation
- Easy control of speed with release mechanism
- Hydraulic force of 44 pounds (200Newtons)
- Roller Height Range: 19.7" from 26" to 45.7"



Ratchet Height Adjust Pedestal

It looks the same, and costs less than the LiftRoller, but there is no physical assist. You do all of the lifting. You (and a friend) step on the base and lift the top to the desired position. To lower the setting, the top must be lifted beyond its highest setting, which resets the ratchet so the top can be lowered (freefall) to its bottom position. Upon lifting, the ratchet will click and hold when you stop lifting.

Key Features

- Base height variable: 26" to 35.45"
- Range 9.45"
- Stepped increments of 0.78"
- X Base

Top Sizes

- Circle Diameters 28" 30" 36" 42"
- Squares 30" 36" 42"
- TriCloud 42"
- BrainStorm (lobes) 44"

Top Materials

- Thermofoil with contoured edges
- Laminate top with PVC edge trim

LiftRoller Pedestal Circle Top: Laminate | PVC Edge

CRL-28RNDVH-E2LRX	28" diameter
CRL-30RNDVH-E2LRX	30" diameter
CRL-36RNDVH-E2LRX	36" diameter
CRL-42RNDVH-E2LRX	42" diameter

Ratchet Pedestal Circle Top:

CRL-28RNDVH-E2RAX	28" diameter
CRL-30RNDVH-E2RAX	30" diameter
CRL-36RNDVH-E2RAX	36" diameter
CRL-42RNDVH-E2RAX	42" diameter

FIXED Height Pedestal Circle Top:

CRL-28RND30-E2FX	28" diameter
CRL-30RND30-E2FX	30" diameter
CRL-36RND30-E2FX	36" diameter
CRL-42RND30-E2FX	42" diameter

LiftRoller Pedestal Circle Top: Thermofoil | Contoured Edge

CRF-28RNDVH-E2LRX	28" diameter
CRF-30RNDVH-E2LRX	30" diameter
CRF-36RNDVH-E2LRX	36" diameter
CRF-42RNDVH-E2LRX	42" diameter

Ratchet Pedestal Circle Top:

CRF-28RNDVH-E2RAX	28" diameter
CRF-30RNDVH-E2RAX	30" diameter
CRF-36RNDVH-E2RAX	36" diameter
CRF-42RNDVH-E2RAX	42" diameter

FIXED Height Pedestal Circle Top:

CRF-28RND30-E2FX	28" diameter
CRF-30RND30-E2FX	30" diameter
CRF-36RND30-E2FX	36" diameter
CRF-42RND30-E2FX	42" diameter



Pedestal Stand Up Smart Desks

Hydraulic Lift Roller or Ratchet Height Adjust

Hydraulic LiftRoller Pedestal

A simple release lever mounted to the underside edge of the top engages a hydraulic that provides a powerful assist. The top feels like it floats to the preferred position. Sit or stand in comfort with the LiftRoller supports a large adjustment range and infinite stop positions.

Key Features

- Hydraulic lift with infinite stop positions
- No-bounce stop for a solid table top
- Steel roller guidance system
- Cable release with handle specially designed to resist unintended activation
- Easy control of speed with release mechanism
- Hydraulic force of 44 pounds (200Newtons)
- Roller Height Range: 19.7" from 26" to 45.7"



Ratchet Height Adjust Pedestal

It looks the same, and costs less than the LiftRoller, but there is no physical assist. You do all of the lifting. You (and a friend) step on the base and lift the top to the desired position. To lower the setting, the top must be lifted beyond its highest setting, which resets the ratchet so the top can be lowered (freefall) to its bottom position. Upon lifting, the ratchet will click and hold when you stop lifting.

Key Features

- Base height variable: 26" to 35.45"
- Range 9.45"
- Stepped increments of 0.78"
- X Base

Top Sizes

- Circle Diameters 28" 30" 36" 42"
- Squares 30" 36" 42"
- TriCloud 42"
- BrainStorm (lobes) 44"

Top Materials

- Thermofoil with contoured edges
- Laminate top with PVC edge trim

LiftRoller Pedestal Square Top: Laminate | PVC Edge

CRL-30SQVH-E2LRX	30" square
CRL-36SQVH-E2LRX	36" square
CRL-42SQVH-E2LRX	42" square

Ratchet Pedestal Square Top:

CRL-30SQVH-E2RAX	30" square
CRL-36SQVH-E2RAX	36" square
CRL-42SQVH-E2RAX	42" square

FIXED Height Pedestal Square Top:

CRL-30SQ30-E2FX	30" square
CRL-30SQ42-E2FX	30" square cafe
CRL-36SQ30-E2FX	36" square
CRL-42SQ30-E2FX	42" square

LiftRoller Pedestal Square Top: Thermofoil | Contoured Edge

CRF-30SQVH-E2LRX	30" square
CRF-36SQVH-E2LRX	36" square
CRF-42SQVH-E2LRX	42" square

Ratchet Pedestal Square Top:

CRF-30SQVH-E2RAX	30" square
CRF-36SQVH-E2RAX	36" square
CRF-42SQVH-E2RAX	42" square

FIXED Height Pedestal Square Top:

CRF-30SQ30-E2FX	30" square
CRF-30SQ42-E2FX	30" square cafe
CRF-36SQ30-E2FX	36" square
CRF-42SQ30-E2FX	42" square



Pedestal Stand Up Smart Desks Hydraulic Lift Roller or Ratchet Height Adjust

Hydraulic LiftRoller Pedestal

A simple release lever mounted to the underside edge of the top engages a hydraulic that provides a powerful assist. The top feels like it floats to the preferred position. Sit or stand in comfort with the LiftRoller supports a large adjustment range and infinite stop positions.

Key Features

- Hydraulic lift with infinite stop positions
- No-bounce stop for a solid table top
- Steel roller guidance system
- Cable release with handle specially designed to resist unintended activation
- Easy control of speed with release mechanism
- Hydraulic force of 44 pounds (200Newtons)
- Roller Height Range: 19.7" from 26" to 45.7"

Ratchet Height Adjust Pedestal

It looks the same, and costs less than the LiftRoller, but there is no physical assist. You do all of the lifting. You (and a friend) step on the base and lift the top to the desired position. To lower the setting, the top must be lifted beyond its highest setting, which resets the ratchet so the top can be lowered (freefall) to its bottom position. Upon lifting, the ratchet will click and hold when you stop lifting.

Key Features

- Base height variable: 26" to 35.45"
- Range 9.45"
- Stepped increments of 0.78"
- X Base

Top Sizes

- Circle Diameters 28" 30" 36" 42"
- Squares 30" 36" 42"
- TriCloud 42"
- BrainStorm (lobes) 44"

Top Materials

- Thermofoil with contoured edges
- Laminate top with PVC edge trim



LiftRoller Pedestal TriCloud Top: Laminate | PVC Edge

CRL-42TRIVH-E2LRX42" triangle

Ratchet Pedestal TriCloud Top:

CRL-42TRIVH-E2RAX42" triangle

FIXED Height Pedestal TriCloud:

CRL-42TRI30-E2FX42" triangle



LiftRoller Pedestal TriCloud Top: Thermofoil | Contoured Edge

CRF-42TRIVH-E2LRX42" triangle

Ratchet Pedestal TriCloud Top:

CRF-42TRIVH-E2RAX42" triangle

FIXED Height Pedestal TriCloud:

CRF-42TRI30-E2FX42" triangle



LiftRoller Pedestal BrainStorm: Laminate | PVC Edge

CRL-44BRNVH-E2LRX44" lobes

Ratchet Pedestal BrainStorm:

CRL-44BRNVH-E2RAX44" lobes

FIXED Height Pedestal BrainStorm:

CRL-44BRN30-E2FX44" lobes



LiftRoller Pedestal BrainStorm: Thermofoil | Contoured Edge

CRF-44BRNVH-E2LRX44" lobes

Ratchet Pedestal BrainStorm:

CRF-44BRNVH-E2RAX44" lobes

FIXED Height Pedestal BrainStorm:

CRF-44BRN30-E2FX44" lobes

CirrusTM

Stand Up Work Tables

SMART*desks*[®]

800 770 7042

www.smartdesks.com

