

Diamond Polishing Pad Wet Series Ultra D

Granite, Engineered Stone, Hard Stone

Granite, Engineered Stone, Hard Stone




- Granite Surface Polishing, Granite Edge Polishing, Granite Floor Polishing
- Engineered Stone and Hard Stone (Agate, Quartz, Petrified wood, Hard Concrete & Others) Polishing
- Flexible resin bond diamond pads with Velcro Backing. Maximum RPM 4500
- Available Size - 4 Inch, 5 Inch, 7 inch
- Available Grit - 50, 100, 200, 400, 800, 1500, 3000, Black Buff, White Buff
- Available as
 - Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DPPW04ULTD503K7P	PPW115X	4" Set of 7 Pads	841674115382
DPPW04ULTD50BB8P	PPW116X	4" Set of 8 Pads	841674115399
DPPW05ULTD503K7P	PPW140X	5" Set of 7 Pads	841674115641
DPPW07ULTD503K7P	PPW166X	7" Set of 7 Pads	841674115900

Diamond Polishing Pad Wet Series Super A

Granite, Hard Stone Polishing

Granite, Hard Stone Polishing



- Granite Edge Polishing, Granite Surface Polishing, Granite Floor Polishing
- Hard Stone (Agate, Quartz, Hard Concrete & Others) Polishing
- Semi-Flexible resin bond diamond pads with Velcro Backing.
- Maximum RPM 4500
- Available Size - 4 Inch
- Available Grit - 50, 100, 200, 400, 800, 1500, 3000, Black Buff, White Buff
- Available as
 - Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DPPW04SPRA503K7P	PPW113K	4" Set of 7 Pads	841674111834
DPPW04SPRA50BB8P	PPW114K	4" Set of 8 Pads	841674111841
DPPW04SPRA50BW8P	PPW115K	4" Set of 8 Pads	841674111858
DPPW04SPRA050G1P	PPW101K	4" Grit 50 Pad	841674111711

Diamond Polishing Pad Wet Series CRT A

Concrete Polishing

Concrete Polishing



- Concrete Countertop Polishing, Concrete Edge Polishing, Concrete Floor Polishing
- Light Color Soft Stones Travertine, Marble Polishing
- Semi-Flexible resin bond diamond pads with Velcro Backing.
- Maximum RPM 4500
- Available Size - 4 Inch, 5 Inch
- Available Grit - 50, 100, 200, 400, 800, 1500, 3000, Black Buff, White Buff
- Available as
 - Set of 5 Pads, Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DPPW04CRTA503K5P	PPW118J	4" Set of 5 Pads	841674111209
DPPW04CRTA503K7P	PPW113J	4" Set of 7 Pads	841674111155
DPPW04CRTA050G1P	PPW101J	4" Grit 50 Pad	841674111162
DPPW04CRTA100G1P	PPW102J	4" Grit 100 Pad	841674111032

Diamond Polishing Pad Wet Series Standard J

Concrete, Marble Polishing

Concrete, Marble Polishing



- Concrete Countertop Polishing, Concrete Edge Polishing, Concrete Floor Polishing
- Travertine Polishing, Marble Polishing
- Semi-Flexible resin bond diamond pads with Velcro Backing.
- Maximum RPM 4500
- Available Size - 4 Inch, 5 Inch
- Available Grit - 30, 50, 100, 150, 200, 400, 500, 800, 1500, 3000, 6000, 8000
- Available as
 - Set of 5 Pads, Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DPPW04STDJ503K7P	PPW170D	4" Set of 7 Pads	841674107950
DPPW04STDJ506K8P	PPW171D	4" Set of 8 Pads	841674107967
DPPW05STDJ503K7P	PPW226D	5" Set of 7 Pads	841674108513
DPPW05STDJ506K8P	PPW227D	5" Set of 8 Pads	841674108520

Diamond Polishing Pad Wet Series Standard A

Concrete, Marble, Other Soft Stone Polishing

Concrete, Marble, Other Soft Stone Polishing



- Concrete Countertop Polishing, Concrete Edge Polishing, Concrete Floor Polishing
- Soft Stone Polishing, Marble Polishing, Travertine Polishing, Granite Countertop Edge Polishing
- Semi-Flexible resin bond diamond pads with Velcro Backing.
- Maximum RPM 4500
- Available Size - 3 Inch, 4 Inch, 5 Inch, 6 Inch
- Available Grit - 30, 50, 100, 150, 200, 400, 500, 800, 1000, 1500, 2000, 3000, 10000, Black Buff, White Buff
- Available as
 - Set of 5 Pads, Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DPPW03STDA503K7P	PPW111A	3" Set of 7 Pads	841674103433
DPPW04STDA503K7P	PPW194A	4" Set of 7 Pads	841674104263
DPPW05STDA503K7P	PPW281A	5" Set of 7 Pads	841674105130
DPPW06STDA503K7P	PPW306A	6" Set of 7 Pads	841674105383

Diamond Polishing Pad Wet Series Standard D

All-purpose, Soft stones and hard stone edge polishing

All-purpose, Soft stones and hard stone edge



- General Purpose Polishing, Concrete Countertop Polishing
- Marble Polishing, Travertine Polishing, Granite Countertop Edge Polishing
- Semi-Flexible resin bond diamond pads with Velcro Backing.
- Maximum RPM 4500
- Available Size - 4 Inch, 5 Inch, 6 Inch, 7 Inch
- Available Grit - 10, 30, 50, 100, 150, 200, 400, 500, 800, 1000, 1500, 2000, 3000, 6000, White Buff
- Available as
 - Set of 5 Pads, Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DPPW04STDD506K8P	PPW188B	4" Set of 8 Pads	841674106373
DPPW05STDD503K7P	PPW214B	5" Set of 7 Pads	841674106632
DPPW06STDD503K7P	PPW240B	6" Set of 7 Pads	841674106892
DPPW07STDD506K8P	PPW267B	7" Set of 8 Pads	841674107165

Diamond Polishing Pad Dry Series Super A



For Granite, Marble, Glass, Travertine Polishing

- Granite Polishing, Granite Countertop Edge Polishing, Concrete Countertop Polishing, Granite Floor Polishing
- Marble Polishing, Travertine Polishing, Granite Countertop Edge Polishing
- Semi-Flexible resin bond diamond pads with Velcro Backing.
- Maximum RPM 3000
- Available Size - 3 Inch, 4 Inch, 5 Inch
- Available Grit - 30, 50, 100, 150, 200, 400, 500, 800, 1500, 3000, White Buff, Black Buff
- Available as
 - Set of 5 Pads, Set of 7

MPN	Model	Description	UPC
DPPD03SPRA503K7P	PPD164K	3" Set of 7 Pads	841674101484
DPPD04SPRA508H5P	PPD117K	4" Set of 5 Pads	841674101019
DPPD04SPRA503K7P	PPD114K	4" Set of 7 Pads	841674100982
DPPD05SPRA503K7P	PPD140K	5" Set of 7 Pads	841674101248

Diamond Polishing Pad Dry Series Ultra C



For Granite, Hard Stone Polishing

- Granite Surface Polishing, Granite Edge Polishing, Granite Floor Polishing
- Engineered Stone and Hard Stone (Agate, Quartz, Petrified wood, Hard Concrete & Others) Polishing
- Flexible resin bond diamond pads with Velcro Backing.
- Maximum RPM 3000
- Available Size - 4 Inch
- Available Grit - 30, 50, 100, 200, 400, 800, 1500, 3000, Black Buff, White Buff
- Available as
 - Set of 5 Pads, Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DPPD04ULTC503K7P	PPD159W	4" Set of 7 Pads	841674102894
DPPD04ULTC50BB8P	PPD160W	4" Set of 8 Pads	841674102900
DPPD04ULTC050G1P	PPD146W	4" Grit 50 Pad	841674102764
DPPD04ULTC100G1P	PPD160W	4" Grit 100 Pad	841674102771

Diamond Polishing Pad Dry Series Ultra B



For Concrete, Concrete Floor Edge Polishing

- Concrete Countertop Polishing, Concrete Edge Polishing, Concrete Floor Polishing
- Light color soft stones Travertine, Marble Polishing
- Semi-Flexible resin bond diamond pads with Velcro Backing.
- Maximum RPM 3000
- Available Size - 4 Inch, 5 Inch, 6 Inch
- Available Grit - 50, 100, 200, 400, 800, 1500, 3000, Black Buff, White Buff
- Available as
 - Set of 5 Pads, Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DPPD04ULTB503K7P	PPD179V	4" Set of 7 Pads	841674103099
DPPD04ULTB50BB8P	PPD180V	4" Set of 8 Pads	841674103105
DPPD04ULTB50BW8P	PPD169V	4" Set of 8 Pads	841674102993
DPPD04ULTB050G1P	PPD170V	4" Grit 50 Pad	841674103006

Diamond Polishing Pad Dry Series Standard A



For Concrete Polishing

- Concrete Countertop Polishing, Concrete Edge Polishing
- Soft Stone Polishing, Marble Polishing, Travertine Polishing, Granite Countertop Edge Polishing
- Semi-Flexible resin bond diamond pads with Velcro Backing.
- Maximum RPM 3000
- Available Size - 4 Inch
- Available Grit - 50, 100, 150, 200, 400, 500, 800, 1500, 3000, 6000
- Available as
 - Set of 5 Pads, Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DPPD04STDA503K7P	PPD114A	4" Set of 7 Pads	841674102207
DPPD04STDA503K7P	PPD114A	4" Set of 7 Pads	841674102207
DPPD04STDA050G1P	PPD102A	4" Grit 50 Pad	841674102085
DPPD04STDA100G1P	PPD103A	4" Grit 100 Pad	841674102092

Diamond Polishing Pad Dry Series Ultra D

DRY 



For Granite Glass and Hard Stone Polishing

- General Purpose Granite Surface Polishing, Granite Edge Polishing, Granite Floor Polishing
- Engineered Stone and Hard Stone (Agate, Quartz, Petrified wood, Hard Concrete & Others) Polishing
- Flexible resin bond diamond pads with Velcro Backing.
- Maximum RPM 3000
- Available Size - 4 Inch
- Available Grit - 30, 50, 100, 200, 400, 800, 1500, 3000, Black Buff, White Buff
- Available as
 - Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DPPD04ULTD503K7P	PPD134X	4" Set of 7 Pads	841674102641
DPPD04ULTD50BW8P	PPD135X	4" Set of 8 Pads	841674102658
DPPD04ULTD050G1P	PPD125X	4" Grit 50 Pad	841674102559
DPPD04ULTD100G1P	PPD126X	4" Grit 100 Pad	841674102566

Diamond Convex Polishing Pad Series Super A

WET/DRY  



All Purpose Stone Concrete Polishing Pad

- Convex Diamond Pads for polishing round oval surfaces and corners. Stone Concave Surface Polishing, Concrete Concave Surface Polishing
- Engineered Stone and Hard Stone (Agate, Quartz, Petrified wood, Hard Concrete & Others) Polishing
- Resin bond diamond pads with Velcro Backing.
- Maximum RPM 4500
- Available Size - 4 Inch
- Available Grit - 50, 100, 200, 400, 800, 1500, 3000, Black Buff, White Buff
- Available as
 - Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DCPW04STDA508H5P	PCW111A	4" Set of 5 Pads	841674115115
DCPW04STDA503K7P	PCW112A	4" Set of 7 Pads	841674115122
DCPW04STDA050G1P	PCW101A	4" Grit 50 Pad	841674115023
DCPW04STDA100G1P	PCW102A	4" Grit 100 Pad	841674115023

Diamond Hand Polishing Pad Series Super A

Glass, Granite Marble Concrete Polishing




- Sharp and Aggressive Electroplated Diamond Hand Pads for polishing Glass Concrete Marble Stones
- Used for Easing sharp edges, stone edge polishing, bevel edge creation polishing round oval surfaces and corners
- Flexible Plush Foam Holder, Plush edges to Squeeze Wet Slurry
- Concave Oval longitudinal slots for comfortable non-slip hand grip
- Available Grit - 50, 100, 150, 200, 400, 500
- Available as
 - Set of 4 Pads
 - Individual Grits

MPN	Model	Description	UPC
DHPW00SPRA503K5P	HPW178K	Set of 5 Hand Pads	841674100074
DHPW00SPRA503K7P	HPW179K	Set of 7 Hand Pads	841674100081
DHPW00SPRA050G1P	HPW101K	Grit 50 Hand Pad	841674100005
DHPW00SPRA100G1P	HPW102K	Grit 100 Hand Pad	841674100012

Diamond Hand Polishing Pad Series Standard A

Marble, Soft stone polishing



- Resin Bond Diamond Hand Pads for polishing Marble Concrete Terrazzo Stones
- Used for Easing sharp edges, stone edge polishing, bevel edge creation polishing round oval surfaces and corners
- Semi Flexible Foam Holder, Edges to Squeeze Wet Slurry
- Available Grit - 50, 100, 150, 200, 400, 500, 800, 1500, 3000, Black Buff
- Available as
 - Set of 5 Pads, Set of 7 Pads, Set of 8 Pads
 - Individual Grits

MPN	Model	Description	UPC
DHPW00STDA508H5P	HPW111A	Set of 5 Hand Pads	841674100210
DHPW00STDA503K5P	HPW112A	Set of 5 Hand Pads	841674100227
DHPW00STDA503K7P	HPW113A	Set of 7 Hand Pads	841674100234
DHPW00STDA50BB8P	HPW114A	Set of 8 Hand Pads	841674100241

Glass, Granite Marble Concrete Polishing

Marble, Soft stone polishing

Rubber Backing Pad Series Standard A

WET/DRY  



- Semi Flexible Rubber Backing Pads for Wet or Dry Polishing Pads
- Velcro Backed for non-slip grip with polishing pads or other Velcro based attachments
- Brass arbor with 5/8" 11 thread and internal water hole, Brass arbor with adequate height and flat grip for easy release
- Maximum RPM 4500
- Available Size – 3 Inch, 4 Inch, 5 Inch, 6 Inch
- Available as
- Individual Backing Pads

MPN	Model	Description	UPC
BRRB03STDA00581P	RBP101A	3" Rubber Backing Pad	841674113173
BRRB04STDA00581P	RBP102A	4" Rubber Backing Pad	841674113180
BRRB05STDA00581P	RBP103A	5" Rubber Backing Pad	841674113197
BRRB06STDA00581P	RBP104A	6" Rubber Backing Pad	841674113203

Flexible Backing Pad

Rubber Backing Pad Series Standard R

WET/DRY  



- Rigid Rubber Backing Pads for Wet or Dry Polishing Pads
- Velcro Backed for non-slip grip with polishing pads or other Velcro based attachments
- Brass arbor with 5/8" 11 thread and internal water hole, Brass arbor with adequate height and flat grip for easy release
- Maximum RPM 4500
- Available Size – 4 Inch, 5 Inch
- Available as
- Individual Backing Pads

Rigid Backing Pad

MPN	Model	Description	UPC
BRRB04STDR00581P	RBP102F	4" Rubber Backing Pad	841674113265
BRRB05STDR00581P	RBP103F	5" Rubber Backing Pad	841674113272

Rubber Backing Pad Series Super A

WET/DRY 



Flexible Backing Pad

Flexible Backing Pad

- Semi Flexible Rubber Backing Pads for Wet or Dry Polishing Pads
- Extra Strong Velcro Backed for non-slip grip with polishing pads or other Velcro based attachments
- Brass arbor with 5/8" 11 thread and internal water hole, Brass arbor with adequate height and flat grip for easy release
- Maximum RPM 4500
- Available Size – 4 Inch, 5 Inch
- Available as
- Individual Backing Pads

MPN	Model	Description	UPC
BRRB04SPRA00581P	RBP101K	4" Rubber Backing Pad	841674113418
BRRB05SPRA00581P	RBP102K	5" Rubber Backing Pad	841674113425

Rubber Convex Backing Pad Series Standard A



Convex Backing Pad

Convex Backing Pad

- Rigid Convex Rubber Backing Pads for Stadea Convex Polishing Pads
- Velcro Backed for non-slip grip with polishing pads or other Velcro based attachments
- Brass arbor with 5/8" 11 thread and internal water hole, Brass arbor with adequate height and flat grip for easy release
- Maximum RPM 4500
- Available Size – 4 Inch
- Available as
- Individual Backing Pads

MPN	Model	Description	UPC
BRCV04STDA00581P	RCP101A	4" Rubber Backing Pad	841674115153

Stone Wet Polisher Series Super A



Stone Concrete Wet Polishing, Coring, Profiling

The Stadea SWP101K, 5 Inch DTM+ Wet Stone Polisher for concrete countertop stone fabrication designed for ease of use, power, control and durability.

Designed For Excellence

Features robust DTM+ motor gear system to ensure the optimal speed and power needed for stone wet or dry polishing, fabrication and wide range of use cases from stone concrete profiling, grinding, coring to general purpose usage.

Head Heavy Polisher Design and out-of-core back-handle design minimizes back hand work fatigue and increase pressure on polishing surface of granite concrete etc.

These features ease polishing process and enhance the polishing performance.

Improved grip-size out-of-core ergonomic back handle design minimizes back hand fatigue during usage. New comfortable back hand grip design differs from classic oversize main body hand-grip across air vents. It eliminates air-vent hand blockage improving

Electrical Safety

- GFCI - Cuts off electricity in case of hazardous electrical shock/ground beyond a threshold
- Double Insulation – For enhanced electrical safety

Ease Of Use

- Under Water Feed – Minimizes polishing interference
- Water Pressure Control & Water Stopper right from the polisher
- In-built water connector to quick connect with standard water hose
- Three-hole water sprayer for even distribution required for polishing, grinding, coring, profiling process, unclogs cut particles
- Water Splash Guard - Splash guard to stop water spill on polisher and user, Vacuum connector minimizes dust during dry polishing
- Arbor Lock Button - For tool free release of backing pads, profile wheels, core bits, grinding wheels from the polisher arbor
- Power Lock Switch - One push lock for effortless continuous run
- Variable Speed Dial – Adjusts speed to an specific application for specific stone, and wet or dry polishing process
- Ergonomic designed handle – For comfortable grip and best polishing performance
- Dual Front Handle – Top D-Handle for stone fabrication, Side handle for general purpose work
- Ambidextrous Side Handle – Side handle for left or right handed use
- Long Power Cord, Long Water Line – For easy access to all part of countertops
- Supports up to 5" Pads – Compatible for smaller 3", 4" and up to 5" tools
- Soft Start – For comfortable feel & 5/8" 11 Arbor

MPN	Model	Description	UPC
SWPW05SPRA00581P	SWP101K	5" Wet Stone Polisher	841674114019

Diamond Core Bit Series Super A

Stone Coring, Concrete Coring

Stone Coring, Concrete Coring



Available in

- 3/4"
- 1"
- 1 1/4"
- 1 3/8"
- 1 1/2"
- 1 5/8"
- 2"
- 2 1/2"
- 3"
- 3 1/4"
- 3 5/8"
- 4"

- Concrete Coring, Granite Coring, Porcelain Coring, Masonry Coring, Marble Tile Rock Stone Coring For Wet or Dry cutting of holes, Diamond impregnated 9 MM High cutting segments
- Use Cases - Countertop Faucet, soap dispenser, Concrete Hole
- 5/8" 11 Arbor for quick connect. Maximum RPM 900
- Available Size – 3/4", 1", 1 1/4", 1 3/8", 1 5/8", 2", 2 1/2", 3", 3 1/4", 3 5/8", 4"
- Available as
- Individual Sizes

MPN	Model	Description	UPC
DCBW20SPRA00581P	CBW101K	3/4" Core Bit	841674112909
DCBW35SPRA00581P	CBW104K	1 3/8" Core Bit	841674112930
DCBW38SPRA00581P	CBW105K	1 1/2" Core Bit	841674112947
DCBW42SPRA00581P	CBW106K	1 5/8" Core Bit	841674112954
DCBW52SPRA00581P	CBW107K	2" Core Bit	841674112961
DCBW65SPRA00581P	CBW108K	2 1/2" Core Bit	841674112978
DCBW78SPRA00581P	CBW109K	3" Core Bit	841674112985
DCBWH2SPRA00581P	CBW112K	4" Core Bit	841674113012



Demi

- 05 MM (B5)
- 10 MM (B10)
- 15 MM (B15)
- 20 MM (B20)
- 25 MM (B25)
- 30 MM (B30)
- 40 MM (B40)



Bevel

- 05 MM (E5)
- 10 MM (E10)
- 15 MM (E15)
- 20 MM (E20)
- 25 MM (E25)
- 30 MM (E30)
- 40 MM (E40)



Ogee

- 20 MM (F20)
- 25 MM (F25)
- 30 MM (F30)
- 40 MM (F40)



Full Bullnose

- 20 MM (V20)
- 25 MM (V25)
- 30 MM (V30)
- 40 MM (V40)

- Granite Edge Shaping, Marble Stone Concrete Edge Profiling and Shaping For Hand Grinders, Wet Polishers Wet or Dry Shaping, Internal Water Hole for Water Flow, Top Guide to Control Wheel Movement Vacuum Brazed Diamond for Durability and Aggressive Cutting
- 5/8" 11 Arbor for quick connect. Maximum RPM 3000
- Available Size – 3/16" (5 MM), 3/8" (10 MM), 9/16" (15 MM), 3/4" (20 MM), 1" (25 MM), 1 1/4" (30 MM), 1 1/2" (40 MM)
- Available Shapes
 - Demi, Full Bullnose, Bevel, Ogee

MPN	Model	Description	UPC
DPWW05SPRA1B581P	PWW101K	3/16" Demi Profile Wheel	841674100418
DPWW10SPRA1B581P	PWW102K	3/8" Demi Profile Wheel	841674100425
DPWW10SPRA1E581P	PWW109K	3/8" Bevel Profile Wheel	841674100494
DPWW20SPRA1V581P	PWW115K	3/4" Full Bullnose Profile Wheel	841674100555
DPWW25SPRA1V581P	PWW116K	1" Full Bullnose Profile Wheel	841674100562
DPWW30SPRA1V581P	PWW117K	1 1/4" Full Bullnose Wheel	841674100579
DPWW40SPRA1V581P	PWW118K	1 1/2 " Full Bullnose Wheel	841674100586
DPWW30SPRA1F581P	PWW121K	1 1/4 Ogee Profile Wheel	841674100616

Diamond Router Bits Series Super A

Stone Concrete Profiling

Stone Concrete Profiling



Demi

- 10 MM (B10)
- 15 MM (B15)
- 20 MM (B20)
- 25 MM (B25)
- 30 MM (B30)
- 40 MM (B40)



Full Bullnose

- 20 MM (V20)
- 25 MM (V25)
- 30 MM (V30)
- 40 MM (V40)

Bevel

- 10 MM (E10)
- 15 MM (E15)
- 20 MM (E20)
- 25 MM (E25)
- 30 MM (E30)
- 40 MM (E40)

- Granite Edge Shaping, Marble Stone Concrete Edge Profiling and Shaping for Routers Sintered Diamond for Durability and Aggressive Cutting
- Wet or Dry Shaping, M8 and M10 Bolts
- Maximum RPM 3000
- Available Size – 3/8" (10 MM), 9/16" (15 MM), 3/4" (20 MM), 1" (25 MM), 1 1/4" (30 MM), 1 1/2" (40 MM)
- Available Shapes
 - Demi, Full Bullnose, Bevel

MPN	Model	Description	UPC
DRBW10SPRA2B801P	RBW101K	3/8" Demi Router Bit	841674113463
DRBW20SPRA2B801P	RBW103K	3/4" Demi Router Bit	841674113487
DRBW30SPRA2B801P	RBW105K	1 1/4" Demi Router Bit	841674113500
DRBW20SPRA2V801P	RBW124K	3/4" Full bullnose Router Bit	841674113692
DRBW25SPRA2V801P	RBW126K	1" Full Bullnose Router Bit	841674113715
DRBW30SPRA2V801P	RBW127K	1 1/4" Full Bullnose Router Bit	841674113722
DRBW40SPRA2V801P	RBW129K	1 1/2" Full Bullnose Router Bit	841674113746
DRBW20SPRA2E801P	RBW114K	3/4" Bevel Router Bit	841674113593

Diamond Drum Wheel Series Super A

Stone Concrete Grinding, Shaping



- Stone Under mount Sink Shaping, Granite Edge Shaping, Marble Stone Concrete Edge Profiling and Shaping For Hand Grinders, Wet Polishers
- Controlled Cutting Grinding and Shaping for Stones and Concrete
- Wet or Dry Shaping, Internal Water Hole for Water Flow,
- Vacuum Brazed Diamond for Durability and Aggressive Cutting 5/8" 11 Arbor for quick connect.
- Maximum RPM 3000
- Available Size – 2 Inch, 3 Inch

Stone Concrete Grinding, Shaping

MPN	Model	Description	UPC
DDWW02SPRA21581P	DWW101K	2" Drum Wheel	841674100333
DDWW03SPRA21581P	DWW102K	3" Drum Wheel	841674100340
DDWW02STDA21581P	DWW101A	2" Drum Wheel	841674100319
DDWW03STDA21581P	DWW102A	3" Drum Wheel	841674100326

Diamond Saw Blades Series Standard A

Stone Concrete Cutting



- Stone Cutting, Granite Cutting, Marble Cutting, Concrete Cutting
- Wet or Dry cutting, Diamond impregnated 10 MM High cutting segments
- 5/8" to 7/8" Arbor or 3/4" to 1" Arbor
- Available Size – 4", 4.5", 5", 6", 7", 8", 9", 10", 12", 14"
- Available as
- Individual Sizes

Stone Concrete Cutting

MPN	Model	Description	UPC
DSBD04STDA10201P	SBD101A	4" Saw Blade	841674116396
DSBD06STDA10201P	SBD104A	6" Saw Blade	841674116426
DSBD12STDA10201P	SBD110A	12" Saw Blade	841674116488
DSBD14STDA10201P	SBD114A	14" Saw Blade	841674116525

Diamond Saw Blades Series Super A

Stone Cutting

Stone Cutting




- Silent Saw Blades - Stone Cutting, Granite Cutting, Marble Cutting
- Laser Welded, Wet or Dry cutting, Diamond impregnated 15 MM High cutting segments
- 2" Arbor Hole
- Available Size – 12", 14"
- Available as
- Individual Sizes

MPN	Model	Description	UPC
DSBD12STDA10201P	SBD110A	12" Silent Blade	841674116488
DSBD14STDA10201P	SBD114A	14" Silent Blade	841674116525

Diamond Tuckpoint Blades Series Super A

Concrete Cutting Grinding

Concrete Cutting Grinding



- Concrete Grinding Cutting, Granite Marble Cutting
- Wet or Dry Grinding Cutting, Diamond impregnated 10 MM High cutting segments
- 5/8" to 7/8" Arbor
- Available Size – 4", 4.5", 5", 6"
- Available as
- Individual Sizes

MPN	Model	Description	UPC
DTPB04SPRA00581P	TPB101K	4" Tuckpoint Blade	841674116600
DTPB05SPRA00581P	TPB102K	5" Tuckpoint Blade	841674116617
DTPB06SPRA00581P	TPB103K	6" Tuckpoint Blade	841674116624

Floor Polishing Pads Series Standard S

Stone, Concrete Floor Polishing

Stone, Concrete Floor Polishing



- Concrete Floor Polishing, Marble Granite Floor Polishing Pads, Concrete Edge Polishing
- 10 MM Thick Floor Polishing Pads with Velcro Backed for Quick Connect
- Resin bond diamond pads with Velcro Backing.
- Maximum RPM 3000
- Available Size – 4 Inch
- Available Grit – 30, 50, 100, 200, 400, 800, 1500, 3000
- Available as
 - Set of 5 Pads, Set of 7 Pads
 - Individual Grits

MPN	Model	Description	UPC
FPPW04STDS508H5P	FPW112G	4" Set of 5 Pads	00841674112855
FPPW04STDS503K7P	FPW113G	4" Set of 7 Pads	00841674112862
FPPW04STDS050G1P	FPW102G	4" Grit 50 Pad	00841674112756
FPPW04STDS100G1P	FPW103G	4" Grit 100 Pad	00841674112763

Floor Polishing Pads Series CRT J

Concrete Floor Polishing

Concrete Floor Polishing



- Concrete Floor Polishing, Concrete Edge Polishing
10 MM Thick Floor Polishing Pads with Velcro Backed for Quick Connect
- Resin bond diamond pads with Velcro Backing.
- Maximum RPM 3000
- Available Size – 3 Inch, 4 Inch
- Available Grit - 50, 100, 200, 400, 800, 1500, 3000
- Available as
 - Set of 5 Pads, Set of 7 Pads
 - Individual Grits

MPN	Model	Description	UPC
FPPW04CRTJ508H5P	FPW113M	4" Set of 5 Pads	841674112695
FPPW04CRTJ503K7P	FPW114M	4" Set of 7 Pads	841674112701
FPPW04CRTJ050G1P	FPW102M	4" Grit 50 Pad	841674112589
FPPW04CRTJ100G1P	FPW103M	4" Grit 100 Pad	841674112596

Diamond Cup Wheel Series Standard A



Concrete Grinding, Stone Grinding

- Concrete Grinding, Marble Granite Stone Grinding and Quick Stock Removal
- For Wet or Dry Grinding of holes
- Turbo Wheel for Aggressive Grinding
- Use Cases - Countertop Faucet, soap dispenser, Concrete Hole
- 5/8" 11 Arbor for quick connect. Maximum RPM 3000
- Available Size – 4", 5"
- Available as
- Individual Sizes

MPN	Model	Description	UPC
DCWD04STDA00581P	CWD101A	4" Diamond Cup Wheel	00841674116020
DCWD05STDA00581P	CWD102A	5" Diamond Cup Wheel	00841674116037

Diamond Cup Wheel Series Super A



Concrete Grinding, Stone Grinding

- Concrete Grinding, Marble Granite Stone Grinding and Quick Stock Removal
- For Wet or Dry Grinding of holes
- Turbo Wheel for Aggressive Grinding
- Use Cases - Countertop Faucet, soap dispenser, Concrete Hole
- 5/8" 11 Arbor for quick connect. Maximum RPM 3000
- Available Size – 4", 5"
- Available as
- Individual Sizes

MPN	Model	Description	UPC
DCWD04SPRA00581P	CWD101K	4" Diamond Cup Wheel	841674116075
DCWD05SPRA00581P	CWD102K	5" Diamond Cup Wheel	841674116082



For Distribution Contact Us : info@stadeatools.com