

Best business partner
NEW UTILITY CARTS

"We will provide best quality products at most competitive price
so that we should repay the customer's patronage."



서울 성동구 성수2가3동 279-50 성수1차 대우프레시아 211호 Tel : 02-464-6838 Fax : 02-467-6837
211 Daewoo presia B/D, 279-50, Seongsu-2Ga, Seongdong-Gu, Seoul, Korea.
Office Tel: 82-2-464-6838 FAX: 82-2-467-6837
<http://www.ysesang.com> E-mail : cart@ysesang.com



Medical Cart

YDS-series



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YDS-106	745X475X850mm		543X425mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YDS-101	745X475X850mm	466 mm	543X425mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YDS-102	745X475X850mm	377 mm	543X425mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YDS-103	745X475X850mm	288 mm	543X425mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YDS-100K	745X475X850mm	89/288 mm	543X425mm

Medical Cart

YDS-series



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YDS-106L	745X475X850mm		543X425mm




Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YS-101B-BH	745X475X825mm	275mm	543X425mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YS-101B-W	745X475X825mm	275mm	543X425mm


Option Accessories



Option
● Divider



Option
● IV Stand



Option
● Hanger



Medical Cart

Medical Cart YS-series



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YS-101A	745×475×825mm	555 mm	543×425mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YS-101B	745×475×825mm	275 mm	543×425mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YS-101E	745×475×825mm	555 mm	543×425mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YS-101F	745×475×825mm	275 mm	543×425mm

Medical Cart YS-series



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YS-100	745×475×525mm	275 mm	543×425mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
YS-100B	745×475×420mm	275 mm	543×425mm



Model	Dimension(LxDxH)
YS-401A	745×475×950mm
Clearance between shelves	Shelf size (LxD)
275 / 555 mm	543×425mm



Model	Dimension(LxDxH)
YS-701A	745×475×1,040mm
Clearance between shelves	Shelf size (LxD)
275 mm	543×425mm



Model	Dimension(LxDxH)
YS-801A	745×475×1,140mm
Clearance between shelves	Shelf size (LxD)
275 mm	543×425mm

Medical Cart

Y-series

'Can be used to put machine on'

장비등을 올려놓고 쓸수있는 카트



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-101A	560X385X825mm	555mm	440X340mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-101B	560X385X825mm	275mm	440X340mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-201A	655X455X825mm	555mm	525X400mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-201B	655X455X825mm	275mm	525X400mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-301A	815X490X825mm	555mm	680X440mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-301B	815X490X825mm	275mm	680X440mm

Drawer Cart

Y-series

Being connected with a hospital or cosmetic system, these drawer-type carts can be easily packed or loaded with several accessories.
병원, 코스메틱업종에서 여러가지 액세서리를 넣을 수 있는 서랍형대의 카트



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-101C	560X385X825mm	475mm	440X340mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-101D	560X385X825mm	195 / 275mm	440X340mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-201C	655X455X825mm	475mm	525X400mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-201D	655X455X825mm	195 / 275mm	525X400mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-301C	815X490X825mm	475mm	680X440mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-301D	815X490X825mm	195 / 275mm	680X440mm

The real product may look different in color from the picture, and the design of a product can be changed without previous notice.

Medical Cart

Can be connected with a cosmetic system. These models serve a hospital purpose as a dressing cart.



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-101E	560X385X825mm	555mm	440X340mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-101F	560X385X825mm	275mm	440X340mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-201E	655X455X825mm	555mm	525X400mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-201F	655X455X825mm	275mm	525X400mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-301E	815X490X825mm	555mm	680X440mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-301F	815X490X825mm	275mm	680X440mm

Drawer Cart

코스메틱 계열과 병원에서 드레싱카트로 사용 가능한 제품



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-101G	560X385X825mm	475mm	440X340mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-101H	560X385X825mm	195 / 275mm	440X340mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-201G	655X455X825mm	475mm	525X400mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-201H	655X455X825mm	195 / 275mm	525X400mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-301G	815X490X825mm	475mm	680X440mm



Model	Dimension(LxDxH)	Clearance between shelves	Shelf size (LxD)
Y-301H	815X490X825mm	195 / 275mm	680X440mm

The real product may look different in color from the picture, and the design of a product can be changed without previous notice.

Treatment Cart

Including a utility hanger, this dressing cart can be used in a hospital. When the model should be used as a separate dressing cart, the user can attach a utility bucket to it, if necessary.

병원에서 쓸 수 있는 다용도 걸이대를 포함한 드레싱 카트로서, 순수 드레싱 카트로 사용 가능하며 다용도용 부착도 가능합니다.



Model	Dimension(Lx DxH)	Clearance between shelves	Shelf size (LxD)	Hanger high
Y-101J	560X385X825mm	195X275mm	440X340mm	500mm

Model	Dimension(Lx DxH)	Clearance between shelves	Shelf size (LxD)
Y-101K	560X385X825mm	195 / 195mm	440X340mm



Model	Dimension(Lx DxH)	Clearance between shelves	Shelf size (LxD)	Hanger high
Y-201J	665X455X825mm	195X275mm	525X400mm	500mm

Model	Dimension(Lx DxH)	Clearance between shelves	Shelf size (LxD)
Y-201K	665X455X825mm	195 / 195mm	525X400mm



Model	Dimension(Lx DxH)	Clearance between shelves	Shelf size (LxD)	Hanger high
Y-301J	815X490X825mm	195X275mm	680X440mm	500mm

Model	Dimension(Lx DxH)	Clearance between shelves	Shelf size (LxD)
Y-301K	815X490X825mm	195 / 195mm	680X440mm

Carrier Cart

높이가 낮은 용도의 카트로서 TV 등을 올려놓을 수 있는 카트

'These carts are available for applications at a low level (e.g., for putting a TV set on)'



Model	Dimension(Lx DxH)
Y-100	560X385X525mm
Clearance between shelves	Shelf size (LxD)
275mm	440X340mm

Model	Dimension(Lx DxH)
Y-200	665X455X525mm
Clearance between shelves	Shelf size (LxD)
275mm	525X400mm

Model	Dimension(Lx DxH)
Y-300	815X490X525mm
Clearance between shelves	Shelf size (LxD)
275mm	680X440mm



Model	Dimension(Lx DxH)
Y-100A	560X385X240mm
Clearance between shelves	Shelf size (LxD)
	440X340mm

Model	Dimension(Lx DxH)
Y-200A	665X455X240mm
Clearance between shelves	Shelf size (LxD)
	525X400mm

Model	Dimension(Lx DxH)
Y-300A	815X490X240mm
Clearance between shelves	Shelf size (LxD)
	680X440mm



Model	Dimension(Lx DxH)
Y-100B	560X385X420mm
Clearance between shelves	Shelf size (LxD)
275mm	440X340mm

Model	Dimension(Lx DxH)
Y-200B	665X455X420mm
Clearance between shelves	Shelf size (LxD)
275mm	525X400mm

Model	Dimension(Lx DxH)
Y-300B	815X490X420mm
Clearance between shelves	Shelf size (LxD)
275mm	680X440mm

The real product may look different in color from the picture, and the design of a product can be changed without previous notice.

Service Room Appliances Cart

Shelving



Model	Dimension(LxDxH)
Y-401E	660×365×960mm
Clearance between shelves	Shelf size (LxD)
380mm	440×340mm

Model	Dimension(LxDxH)
Y-501E	665×465×960mm
Clearance between shelves	Shelf size (LxD)
380mm	525×400mm


Model	Dimension(LxDxH)
Y-601E	815×490×960mm
Clearance between shelves	Shelf size (LxD)
380mm	660×440mm



Model	Dimension(LxDxH)
Y-701A	660×365×1,040mm
Clearance between shelves	Shelf size (LxD)
275mm	440×340mm

Model	Dimension(LxDxH)
Y-701B	665×465×1,040mm
Clearance between shelves	Shelf size (LxD)
275mm	525×400mm

Model	Dimension(LxDxH)
Y-701C	815×490×1,040mm
Clearance between shelves	Shelf size (LxD)
275mm	660×440mm



● PRAT-SB (OPTION)

● BOX (OPTION)



Model	Dimension(LxDxH)
Y-801A	660×365×1,140mm
Clearance between shelves	Shelf size (LxD)
275mm	440×340mm

Model	Dimension(LxDxH)
Y-801B	665×465×1,140mm
Clearance between shelves	Shelf size (LxD)
275mm	525×400mm

Model	Dimension(LxDxH)
Y-801C	815×490×1,140mm
Clearance between shelves	Shelf size (LxD)
275mm	660×440mm

내시경 Endoscope



Model ENDO-300

Dimension
(W X D X H)(mm) 400/460/520 X 550 X 1,250

Specification

1. Wheel: 5" (Rubber)
2. Material: Steel/Aluminum/Plastic
3. Outlet: 220VX6/220VX4/110VX6
4. Keyboard: Arm/Slide(Optional)
5. Others: LCDArm(Optional)
Endoscope hanger(Optional)
Waterbuck hanger
Camera Protector
Grey/Skyblue



Model ENDO-350S

Dimension
(W X D X H)(mm) 400/460/520 X 550 X 1,250

Specification

1. Wheel: 5" (Rubber)
2. Material: Steel/Aluminum/Plastic
3. Outlet: 220VX6/220VX4/110VX6
4. Keyboard: Arm/Slide(Optional)
5. Others: LCDArm(Optional)
Endoscope hanger(Optional)
Waterbuck hanger
Camera Protector
Grey/Skyblue

다용도카트 Multi Cart



Model 350 (2-Shelves with drawer)

Dimension
(W X D X H)(mm) 440 X 463 X 800

Specification

1. Wheel: 4" (Urethane)
2. Material: Steel/Aluminum/Plastic
3. Others: LCDArm(Optional)
Drawer(Optional)
Company Logo(Possible)
Holesizeadjustable



Model 350 (2-Shelves)

Dimension
(W X D X H)(mm) 440 X 463 X 770

Specification

1. Wheel: 5" (Rubber)
2. Material: Steel/Aluminum/Plastic
3. Others: LCDArm
Hanger
Drawer
Basket
Keyboard case
Cable
Holesize
Optional/Adjustable



Model ARTHRO-300

Dimension
(W X D X H)(mm) 480 X 550 X 1,230

Specification

1. Wheel: 5" (Rubber)
2. Material: Steel/Aluminum/Plastic
3. Outlet: 220VX6/220VX4/110VX6
4. Keyboard: Arm/Slide(Optional)
5. Others: LCDArm(Optional)
I.V.Hanger(Optional)



Model LAPA-300

Dimension
(W X D X H)(mm) 480 X 550 X 1,350

Specification

1. Wheel: 5" (Rubber)
2. Material: Steel/Aluminum/Plastic
3. Outlet: 220VX6/220VX4/110VX6
4. Keyboard: Arm/Slide(Optional)
5. Others: LCDArm(Optional)
I.V.Hanger(Optional)
Gas can prop(Optional)

ENT 이비인후과



Model ENT-350

Dimension
(W X D X H)(mm) 480 X 545 X 1,090

Specification

1. Wheel: 5" (Rubber)
2. Material: Steel/Aluminum/Plastic
3. Outlet: 220VX6/220VX4/110VX6
4. Keyboard: Arm/Slide(Optional)
5. Others: LCDArm(Optional)
AcrylHanger(Optional)

PC-Cart



Model PC-350-A

Dimension
(W X D X H)(mm) 520 X 550 X 800

Specification

1. Wheel: 5" (Rubber)
2. Material: Steel/Aluminum/Plastic
3. Outlet: 220VX6/220VX4/110VX6
4. Keyboard: Arm/Slide(Optional)
5. Others: LCDArm(Optional)
Middle shelf(Optional)

PC-Cart



Model PC-350-B

Dimension
(W X D X H)(mm) 520 X 550 X 800

Specification

1. Wheel: 5" (Rubber)
2. Material: Steel/Aluminum/Plastic
3. Outlet: 220VX6/220VX4/110VX6
4. Keyboard: Arm/Slide(Optional)
5. Others: LCDArm(Optional)
Middle shelf(Optional)
Drawer(Optional)

Arthro 관절경



Model Oval(2-Shelves)-SG

Dimension
(W X D X H)(mm) 370 X 290 X 740

Specification
1. Wheel: Ø 85 (Plastic)
2. Material: Steel/ABS
3. Type: Small: 370 X 290
Medium Large: 490 X 285
Large: 440 X 370
Extra Large: 490 X 425
4. Others: Hanger (Optional)
Folding



Model Oval(2-Shelves)-SD

Dimension
(W X D X H)(mm) 370 X 290 X 740

Specification
1. Wheel: Ø 85 (Plastic)
2. Material: Steel/ABS
3. Type: Small: 370 X 290
Medium Large: 490 X 285
Large: 440 X 370
Extra Large: 490 X 425
4. Others: Foldable hanger (Optional)
Folding



Model BOVI-B

Dimension
(W X D X H)(mm) 400 X 500 X 840

Specification
1. Wheel: 4" (Urethane)
2. Material: Steel/Aluminum/Plastic
3. Others: Drawer (Optional)
Company Logo (Possible)



Model FX-7402

Dimension
(W X D X H)(mm) 440 X 370 X 800

Specification
1. Wheel: ABS (Plastic) / Ø 85 (Plastic) (Optional)
2. Material: Steel/ABS
3. Type: Small: 370 X 290
Medium Large: 490 X 285
Large: 490 X 370
Extra Large: 490 X 425



Model FX-7401

Dimension
(W X D X H)(mm) 460 X 397 X 800

Specification
1. Material: Steel/Wooden shelf
2. Others: Folding

Infrared Therapy



IR-2009

SPECIFICATION

- Model : IR-2009
- Electric Power Capacity : AC 220V 50/60Hz
- Consumed Power : 240W
- Time : 5 ~ 60Min
- Size : 500mm X 1700mm
- Weight : 6.8kg

Feature

- Simple design,
- Easy adjustment of the height,
- Convenient and free irradiation with the handle,
- Accurate irradiation with the digitalized control board,
- Convenient movement,