
flue&ducting

Flue and Chimney Supplies



30
YEAR
WARRANTY
WITH DURA FLUE
904

DURA FLUE

15
YEAR
WARRANTY
WITH DURA FLUE
316

The No.1 Chimney Liner

STRONGER, TOUGHER AND EVEN MORE FLEXIBLE THAN EVER!

316 and 904 grade chimney liner with an extended 15 and 30 year warranty

Made from 2 separate sheets of Stainless Steel (Not one Folded)

Anti-corrosion technology for maximum longevity

Will not sway in large voids making it easy to fit

Tested to a constant temperature of T600 degrees and a maximum temperature of T1000 degrees

Pressure tested for use with condensing boilers

Completely universal so can be fitted either way up

Will not unravel inside when lining

Hetas Approved

Manufactured in the UK

Call us now on **0161 480 2994** or register online at
www.flue-ducting.co.uk for a trade account



COLLECT FROM OUR TRADE COUNTER TODAY



flue&ducting

Flue and Chimney Supplies

0161 480 2994
sales@flue-ducting.co.uk
www.flue-ducting.co.uk

Flue & Ducting Ltd
Herrod Avenue, Whitehill Industrial Estate,
Reddish, Stockport SK4 1NU

Contents

→ DURA FLUE & ACCESSORIES	4 - 5
→ COWLS & POTS	6 - 7
→ GALVANISED STEEL REGISTER PLATES	9
→ FLEXIBLE FLUE COMPONENTS	10
→ VITREOUS ENAMEL FLUE	11 - 13
→ ACCESSORIES AND TRADE ITEMS	14 - 17
→ DIRECT AIR VENTILATION KITS	18

About Us

Flue & Ducting Ltd are manufacturers of premium chimney flues, designed to the highest specification. We have a manufacturing and distribution unit in Reddish, Stockport along with a fully stocked trade counter and showroom. Our trade counter is ideally located a few minutes drive from Junction 1 of the M60 ring road. We also offer nationwide next day delivery and for our more local customers we can deliver the same day.

Trade Counter Opening Hours

Monday - Friday - 8am to 5pm



Contact



Flue & Ducting Ltd
Herrod Avenue,
Whitehill Industrial Estate,
Reddish, Stockport SK4 1NU

To order please call: 0161 480 2994
Email: sales@flue-ducting.co.uk
or collect from our trade counter

Delivery

Next day delivery as standard.
Same day delivery is available on request.



→ DURA-FLUE 316

316 GRADE STAINLESS STEEL MULTI FUEL CHIMNEY LINER with a 15 year guarantee.
Available in metre lengths from 1 to 40 metres, and in diameters 125, 150, 175 and 200mm.
DURA-FLUE is a Class 1 Stainless Steel 316 Flexible Chimney Liner. DURA-FLUE is suitable for use with standard oil, gas, solid and multi fuel appliances. DURA-FLUE is tested to a constant temperature of T600 and a maximum temperature of T1000 – EN1856-2 T600 N1 W V2 L50010 G.

Code	Description	Item No.
DF125316	DURA-FLUE 125MM 316 Grade stainless steel chimney liner	100001
DF150316	DURA-FLUE 150MM 316 Grade stainless steel chimney liner	100002
DF175316	DURA-FLUE 175MM 316 Grade stainless steel chimney liner	100003
DF200316	DURA-FLUE 200MM 316 Grade stainless steel chimney liner	100004

DURA FLUE

The No.1 Chimney Liner

STRONGER TOUGHER AND EVEN MORE FLEXIBLE THAN EVER!



→ DURA-FLUE 904

904 GRADE STAINLESS STEEL MULTI FUEL CHIMNEY LINER with a 30 year guarantee.
Available in metre lengths from 1 to 40 metres, and in diameters 125, 150, 175 and 200mm.
DURA-FLUE is a Class 1 Stainless Steel 904/316 Flexible Chimney Liner.
DURA-FLUE is suitable for use with standard oil, gas, solid and multi fuel appliances.
DURA-FLUE is tested to a constant temperature of T600 and a maximum temperature of T1000 – EN1856-2 T600 N1 W V2 L50010 G. DURA-FLUE 904 is made from 2 completely separate strips of steel. We use a 316 grade corrugated outer and a smooth 904 grade inner strip. This creates a unique premium chimney liner.

Code	Description	Item No.
DF125904316	DURA-FLUE 125MM 904/316 Grade stainless steel chimney liner	100020
DF150904316	DURA-FLUE 150MM 904/316 Grade stainless steel chimney liner	100021
DF175904316	DURA-FLUE 175MM 904/316 Grade stainless steel chimney liner	100022
DF200904316	DURA-FLUE 200MM 904/316 Grade stainless steel chimney liner	100023


DURA FLUE

The No.1 Chimney Liner

STRONGER TOUGHER AND EVEN MORE FLEXIBLE THAN EVER!




→ DELUXE MA FLUE ADAPTOR



Code	Description	Item No.	A	B
MADEL125	MA Flexible Flue Liner to Appliance Adaptor 5"	100060	125	110
MADEL150	MA Flexible Flue Liner to Appliance Adaptor 6"	100061	150	110
MADEL175	MA Flexible Flue Liner to Appliance Adaptor 7"	100062	175	110
MADEL200	MA Flexible Flue Liner to Appliance Adaptor 8"	100063	200	110


→ DELUXE MR FLUE INCREASING ADAPTOR



Code	Description	Item No.	A	B
MRDEL125	MR Flexible Flue Liner to Appliance Increasing Adaptor 5-6"	100070	125	110
MRDEL150	MR Flexible Flue Liner to Appliance Increasing Adaptor 6-7"	100071	150	110
MRDEL175	MR Flexible Flue Liner to Appliance Increasing Adaptor 7-8"	100072	175	110




→ TOP INSERT SLEEVE




Code	Description	Item No.	B	C	A
PS125	Protection Sleeve, Top Insert	100080	125	135	145
PS150	Protection Sleeve, Top Insert	100081	150	160	170
PS175	Protection Sleeve, Top Insert	100082	175	180	190
PS200	Protection Sleeve, Top Insert	100083	200	200	210

→ TOP FIXING PLATE



Code	Description	Item No.	A	B	C
TP125	Fixing Plate, Top Plate	100090	400	400	130
TP150	Fixing Plate, Top Plate	100091	400	400	155
TP175	Fixing Plate, Top Plate	100092	400	400	180
TP200	Fixing Plate, Top Plate	100093	400	400	210


→ TOP FIXING & SUPPORT BRACKET



Code	Description	Item No.	A	B	C
FC125	Fixing Clamp, Top Clamp	100100	140	130	345
FC150	Fixing Clamp, Top Clamp	100101	180	130	345
FC175	Fixing Clamp, Top Clamp	100102	210	150	380
FC200	Fixing Clamp, Top Clamp	100103	240	150	380

→ JUNIOR BIRD GUARD

Also available in Terracotta




Code	Description	Item No.	A	B
JBGSS	Junior Bird Guard Stainless Steel	100120	320	200
JBGTER	Junior Bird Guard Terracotta	100121	320	200

Please See Price List for Full Range of Accessories


→ POT HANGER RAIN CAP WITH BIRD GUARD, STEEL FINISH

Code	Description	Item No.	A	B	C
PHRCSS125	Pot Hanger Rain Cap	100130	330	300	120
PHRCSS150	Pot Hanger Rain Cap	100131	330	300	145
PHRCSS175	Pot Hanger Rain Cap	100132	330	300	170
PHRCSS200	Pot Hanger Rain Cap	100133	330	300	195



→ POT HANGER RAIN CAP WITH BIRD GUARD, TERRACOTTA FINISH

Code	Description	Item No.	A	B	C
PHRCTER125	Pot Hanger Rain Cap, Terracotta	100134	330	300	120
PHRCTER150	Pot Hanger Rain Cap, Terracotta	100135	330	300	145
PHRCTER175	Pot Hanger Rain Cap, Terracotta	100136	330	300	170
PHRCTER200	Pot Hanger Rain Cap, Terracotta	100137	330	300	195



→ ROLL TOP CLAY CHIMNEY POT

Available in Terracotta & Buff

Code	Description	Item No.
POTT12	Clay Chimney Pot Terracotta 12"	100340
POTT18	Clay Chimney Pot Terracotta 18"	100341
POTT24	Clay Chimney Pot Terracotta 24"	100342
POTT36	Clay Chimney Pot Terracotta 36"	100343
POTB12	Clay Chimney Pot Buff 12"	100344
POTB18	Clay Chimney Pot Buff 18"	100345
POTB24	Clay Chimney Pot Buff 24"	100346
POTB36	Clay Chimney Pot Buff 36"	100347



→ JACKDAW BIRD GUARD

Code	Description	Item No.
JACK	Jackdaw Type Bird Guard	100301



Please See Price List for Full Range of Cowls

→ JACKDAW BIRD GUARD WITH RAIN CAP



Code	Description	Item No.
JACK3IN1	Jackdaw Bird Guard With Rain Cap	100420

→ ANTI DOWN DRAFT STRAP FIX COWL

Available in Terracotta & Buff



Code	Description	Item No.
SFIXTERR	Anti Down Draft Strap Fix Cowl Terracotta	100421
STRAPFIXBUFF	Anti Down Draft Strap Fix Cowl Buff	100422

flue&ducting

Flue and Chimney Supplies

We have an extensive range of Cowls & Pots

Please See Price List for Full Range of Cowls



DURA FLUE



Premium Chimney Liner

Dura Flue is a class 1 stainless steel flexible chimney liner manufactured here in the UK. It was developed in Germany in the 1970's and has been the most popular liner there for years and it's now available here in the UK.

Dura Flue is manufactured from two separate preformed patented strips of stainless steel. Due to this unique process the steel doesn't come under any stresses during manufacturing as it does during more traditional methods of making chimney liner where the steel is formed, then folded and finally crimped to lock it together. This is commonly referred to as triple lock system.

The two separate strips of steel are designed to simply lock into

each other when run through the high specialised patented machinery with ease creating an incredibly strong flexible liner that won't unravel in the same way a triple lock system can. It also means there is no stress put on the steel during this process as there is when steel is folded to create the inner and outer layers of a triple lock system.

As the steel has not come under any stress or forces during manufacturing the chances of corrosion are minimised as there are no weak spots for corrosion to set in. Dura Flue is also tested well above the standards required for a liner in Britain and as such we feel confident enough to offer a 15 year guarantee on our 316 grade liner and a 30 year guarantee on our 904 grade liner. ■


- 316 and 904 grade chimney liner with an extended 15 and 30 year warranty
- Made from 2 separate sheets of Stainless Steel (Not one Folded)
- Anti-corrosion technology for maximum longevity
- Will not sway in large voids making it easy to fit
- Tested to a constant temperature of T600 degrees and a maximum temperature of T1000 degrees
- Pressure tested for use with condensing boilers
- Completely universal so can be fitted either way up
- Will not unravel inside when lining
- Hetas Approved
- Manufactured in the UK



Smooth Inner



Corrugated Outer



Premium chimney duct and comparable on price. The choice is simple DURA-FLUE

→ 800 X 400 MM - 5"OR 6" CENTRE HOLE AND 1 INSPECTION HOLE



Code	Description	Item No.	Width	Depth
Reg800400	Steel Register Plate	100040	400	800

→ 1000 X 400 MM - 5"OR 6" CENTRE HOLE AND 2 INSPECTION HOLES



Code	Description	Item No.	Width	Depth
Reg1000400	Steel Register Plate	0090021	400	1000

→ 1250 X 600 MM - 5"OR 6" CENTRE HOLE AND 2 INSPECTION HOLES



Code	Description	Item No.	Width	Depth
Reg1250600	Steel Register Plate	0090036	600	1250

→ 1250 X 600 MM - PLAIN SHEET



Code	Description	Item No.	Width	Depth
PLReg1250600	Steel Register Plate	0090037	600	1250

Galvanised steel register plates are available from stock in 4 different sizes. We can also make register plates to order in specific sizes when supplied with a drawing

→ DURA FLUE - GAS & OIL FLEXIBLE FLUE LINER


Flexible, stainless steel gas and oil flue liner with a 10 year guarantee, available in metre lengths from 5 to 40 metres and in diameters of 125mm, 150mm, 175mm and 200mm. GO-FLUE is suitable for the use with atmospheric gas and kerosene appliances where the flue gas temperature does not exceed 260°C. Tested to EN1856-2 T200 P1 W V2 L5010 O and EN1856-2 T400 N1 D V2 L50010 G.



Code	Description
FLUEPACKGASMETRE	Gas & Oil Flexible Flue Liner Stainless Steel


→ NOSE CONE

Suitable for all liners



Code	Description	Item No.	A	B
NC125	Nose Cone 125MM	100140	140	90
NC150	Nose Cone 150MM	100141	165	90
NC175	Nose Cone 175MM	100142	190	90
NC200	Nose Cone 200MM	100143	215	90

→ GAS CLAMP KIT




Code	Description	Item No.	A	B	C
GOFC125	Gas & Oil Flexible Flue Liner Clamp Kit 125mm	100555	300	300	130
GOFC150	Gas & Oil Flexible Flue Liner Clamp Kit 150mm	100556	300	300	155
GOFC175	Gas & Oil Flexible Flue Liner Clamp Kit 175mm	100557	300	300	180
GOFC200	Gas & Oil Flexible Flue Liner Clamp Kit 200mm	100558	300	300	180

→ GAS FLUE TO APPLIANCE ADAPTOR



Code	Description	Item No.	A	B
FLUEPACKADAPTOR	MF Flexible Flue Liner to Appliance Adaptor 5"	0090039	100	125
FLUEPACKADAPTOR	MF Flexible Flue Liner to Appliance Adaptor 6"	0090040	100	150
FLUEPACKADAPTOR	MF Flexible Flue Liner to Appliance Adaptor 7"	0090041	100	175

→ GAS TERMINAL




Code	Description	Item No.	A	B
GOGC1125	Gas & Oil Flexible Flue Liner Terminal 125mm	100559	180	130
GOGC1150	Gas & Oil Flexible Flue Liner Terminal 150mm	110056	180	155
GOGC1175	Gas & Oil Flexible Flue Liner Terminal 175mm	100561	180	185
GOGC1200	Gas & Oil Flexible Flue Liner Terminal 200mm	100562	180	185

VITREOUS ENAMEL STOVE PIPE




→ STRAIGHT LENGTHS

Code	Description	Item No.	Ø	A	B	C
VIT250X4	Pipe 250 x 4"	100150	100	99	102	250
VIT500X4	Pipe 500 x 4"	100151	100	99	102	500
VIT1000X4	Pipe 1000 x 4"	100152	100	99	102	1000
VIT250X5	Pipe 250 x 5"	100153	125	123	126	250
VIT500X5	Pipe 500 x 5"	100154	125	123	126	500
VIT1000X5	Pipe 1000 x 5"	100155	125	123	126	1000
VIT250X6	Pipe 250 x 6"	100156	150	149	152	250
VIT500X6	Pipe 500 x 6"	100157	150	149	152	500
VIT1000X6	Pipe 1000 x 6"	100158	150	149	152	1000
VIT250X7	Pipe 250 x 7"	100159	175	177	180	250
VIT500X7	Pipe 500 x 7"	100160	175	177	180	500
VIT1000X7	Pipe 1000 x 7"	100161	175	177	180	1000




→ STRAIGHT LENGTHS WITH CLEANING DOOR

Code	Description	Item No.	Ø	A	B	C
VIT500X5WD	Pipe 500 x 5" c/w Door	100600	125	123	126	500
VIT1000X5WD	Pipe 1000 x 5" c/w Door	100601	125	123	126	1000
VIT500X6WD	Pipe 500 x 6" c/w Door	100602	150	149	152	500
VIT1000X6WD	Pipe 1000 x 6" c/w Door	100603	150	149	152	1000
VIT500X7WD	Pipe 500 x 7" c/w Door	100604	175	177	180	500
VIT1000X7WD	Pipe 1000 x 7" c/w Door	100605	175	177	180	1000




→ 90° BEND

Code	Description	Item No.	Ø	A	B	C	D
VITBEND90X4	Bend 90 x 4" (No Door)	100162	100	99	102	205	220
VITBEND90X5	Bend 90 x 5" (No Door)	100163	125	123	126	250	265
VITBEND90X6	Bend 90 X 6" (No Door)	100164	150	149	152	250	275
VITBEND90X7	Bend 90 x 7" (No Door)	100165	175	177	180	295	320




→ WALL BRACKET

Code	Description	Item No.	Ø	A	B	C
VITWBX	Wall Bracket x 5"	100166	125	290	100	50
VITWBX6	Wall Bracket x 6"	100167	150	310	100	50
VITWBX7	Wall Bracket x 7"	100168	175	335	100	50




→ 90° BEND C/W CLEANING DOOR



Code	Description	Item No.	Ø	A	B	C	D	E
VITBEND90WDX4	Bend 90 x 4" c/w Door	100169	100	99	102	70	205	220
VITBEND90WDX5	Bend 90 x 5" c/w Door	100170	125	123	126	105	250	265
VITBEND90WDX6	Bend 90 x 6" c/w Door	100171	150	149	152	105	250	275
VITBEND90WDX7	Bend 90 x 7" c/w Door	100199	175	177	180	105	295	320

→ 90° T-PIECE C/W CAP




Code	Description	Item No.	Ø	A	B	C	D	E
VIT90TX5	T-Piece 5" x 90 deg (Male)	100172	125	126	120	121	155	285
VIT90TX6	T-Piece 6" x 90 deg (Male)	100173	150	152	146	147	165	285
VIT90TX7	T-Piece 7" x 90 deg (Male)	100174	175	181	172	174	180	328

→ 45° BEND




Code	Description	Item No.	Ø	A	B	C
VITBEND45X4	Bend 45 x 4" (No Door)	100175	100	99	102	120
VITBEND45X5	Bend 45 x 5" (No Door)	100176	125	123	126	130
VITBEND45X6	Bend 45 x 6" (No Door)	100177	150	149	152	135
VITBEND45X7	Bend 45 x 7" (No Door)	100178	175	177	180	145




→ 45° BEND C/W CLEANING DOOR

Code	Description	Item No.	Ø	A	B	C	D
VITBEND45WDX5	Bend 45 x 5" c/w Door	100179	125	123	126	130	105
VITBEND45WDX6	Bend 45 x 6" c/w Door	100180	150	149	152	135	95



→ PIPE C/W DAMPER

Code	Description	Item No.	Ø	A	B	C	D
VITDAMPX4	Damper Pipe 4" x 250mm	100181	100	99	102	250	125
VITDAMPX5	Damper Pipe 5" x 250mm	100182	125	123	126	250	125
VITDAMPX6	Damper Pipe 6" x 250mm	100183	150	149	152	250	125
VITDAMPX7	Damper Pipe 7" x 250mm	100184	175	177	180	250	125




→ TELESCOPIC PIPE

Code	Description	Item No.	Ø	A	B	C	D
VITTELX5	CE Pipe 330mm x 5" TELESCOPIC	100185	125	122	127	330	225
VITTELX6	CE Pipe 330mm x 6" TELESCOPIC	100186	150	147	152	330	225



→ MALE TO MALE ADAPTOR

Code	Description	Item No.	Ø	A	B
VITM2MX5	Male To Male Connector 5" x 120mm	100187	125	123	120
VITM2MX6	Male To Male Connector 6" x 120mm	100188	150	149	120
VITM2MX7	Male To Male Connector 7" x 120mm	100189	175	177	120



To order please call: 0161 480 2994
Email: sales@flue-ducting.co.uk
 or collect from our trade counter



DURA FLUE



The No.1 Chimney Liner

STRONGER, TOUGHER AND EVEN MORE FLEXIBLE THAN EVER!

- 316 and 904 grade chimney liner with an extended 15 and 30 year warranty
- Made from 2 separate sheets of Stainless Steel (Not one Folded)
- Anti-corrosion technology for maximum longevity
- Will not sway in large voids making it easy to fit
- Tested to a constant temperature of T600 degrees and a maximum temperature of T1000 degrees
- Pressure tested for use with condensing boilers
- Completely universal so can be fitted either way up
- Will not unravel inside when lining
- Hetas Approved
- Manufactured in the UK

Call us now on **0161 480 2994** or register online at www.flue-ducting.co.uk for a trade account

flue&ducting
Flue and Chimney Supplies

COLLECT FROM OUR TRADE COUNTER TODAY

DURA - FLUE IS TESTED TO EN 1856-2 T600 N1 W V2 L50010 G

→ GALLERY FIRESIDE PRODUCT SORCERER FLUE & CHIMNEY CLEANER

Gallery Fireside Products Sorcerer Flue & Chimney Cleaner Sachet, boxed in 12s.



Code	Description	Item No.
SORC12	GALLERY FIRESIDE PRODUCTS SORCERER FLUE & CHIMNEY CLEANER SACHET, BOXED IN 12S	100410

→ HEAT MATE

Heat Mate Sealant is a high modulus permanently flexible 100% silicone which is temperature resistant up to 300°C.



Code	Description	Item No.
SILICONE	HEAT MATE SEALANT, 300ML CARTRIDGE	100411

→ FLUE THERMOMETER

Flue Thermometers are Installed on the fluepipe just above the stove. This simple device helps you to maintain the correct temperature of the stove, for refuelling and also avoiding over-firing.



Code	Description	Item No.
FLUTHER	FLUE THERMOMETER	100412



→ REEDED FIREBOARD

Reeded Fireboard, portrait. Size 1000mm x 610mm x 25mm. Manufactured from compressed vermiculite and ideal for lining stove chambers.



Code	Description	Item No.
RFB1000	Reeded Fireboard 1000MM X 610MM X 25MM	100413

→ CARBON MONOXIDE DETECTOR

The Sleepsafe carbon monoxide detector alarm has a 6 year guarantee and meets the latest requirements in Document of the J Building Regulations fitted with a loud 85db alarm and 3 light led visual readouts, it is certified to EN50291:2001



Code	Description	Item No.
CMD	Sleepsafe Carbon Monoxide Detector Alarm	2570001

→ KOS FIRE CEMENT

KOS FIRE CEMENT is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications on fire bricks, fire grates, flue pipes, flue bricks, boilers and other applications subject to extreme heat. Offers excellent adhesion to fire bricks, blockwork, stone and clayware, asbestos free.



Code	Description	Item No.
KOS1	KOS Fire Cement 1KG TUB	100414

→ VERMICULITE 100L BAG

Exfoliated vermiculite is a high temperature insulant and is an ideal material for insulating chimneys. It is inorganic, will not support combustion, exhibits excellent thermal insulating properties over a wide range of temperatures and is not affected by most acids.



Code	Description	Item No.
VER100	Vermiculite 100L Bag	100418

→ CAST IRON SOOT BOX 9X6

Soot boxes available in sizes 9" x 9" and 9" x 6"

These soot boxes have a double seal, the outer cast iron door once removed reveals the inner door, which allows access into the chimney for sweeping and maintenance.



Code	Description	Item No.
CASTSB9X9	Cast Iron Soot Box Door 9" X 9"	100415
CASTSB9X6	Cast Iron Soot Box Door 9" X 6"	100416

→ GALLERY FIRESIDE PRODUCT

450ML MATT BLACK STOVE PAINT

Gallery Fireside Products 450ml Matt Black Stove Paint Aerosol Spray.

Code	Description	Item No.
PAINT450B	Gallery Black Stove Paint 450ml	100400



→ GALLERY FIRESIDE PRODUCT

250ML MATT BLACK STOVE PAINT

Gallery Fireside Products 250ml Matt Black Stove Paint Aerosol Spray.

Code	Description	Item No.
PAINT250B	Gallery Black Stove Paint 250ml	100401



→ GALLERY FIRESIDE PRODUCT

120ML MATT BLACK STOVE PAINT

Gallery Fireside Products 120ml Matt Black Stove Paint. Paint Tin.

Code	Description	Item No.
GFPPAINT250	Gallery Fireside Products 120ml Matt Black Stove Paint Tin	0670003



→ GALLERY FIRESIDE PRODUCT

320ML GLASS CLEANER

Gallery Fireside Products 320ml Glass Cleaner Aerosol Spray.

Code	Description	Item No.
GLACLE320	Gallery Glass Cleaner 320ml	100402



→ GALLERY FIRESIDE PRODUCT

75G BLACK GRATE POLISH

Gallery Fireside Products 75g Black Grate Polish Tube.

Code	Description	Item No.
GREPOL75	Gallery Grate Polish 75g	100403



→ GALLERY FIRESIDE PRODUCT

150G MULTI METAL POLISH

Gallery Fireside Products 150g Gallery Metal Polish.

Code	Description	Item No.
METPOL150	Gallery Metal Polish 150g	100404



→ GALLERY FIRESIDE PRODUCT

50ML ROPE FIX GLUE

Gallery Fireside Products 50ml Rope Fix Glue Bottle.

Code	Description	Item No.
ROPGLU50	Gallery Rope Glue 50ml	100405



→ GALLERY FIRESIDE PRODUCT

750G FLUE FREE

Gallery Fireside Products 750g Flue Free Tub.

Code	Description	Item No.
FLUFREE750G	Gallery Flue Free Powder 750g	100406



→ GALLERY FIRESIDE PRODUCT

100ML SLATE OIL

Gallery Fireside Products 100ml Slate Oil Bottle.

Code	Description	Item No.
SLA0IL100	Gallery Fireside Products 100ml Slate Oil Bottle	100407



→ GALLERY FIRESIDE PRODUCT

ROPE PACKS 3M X 6MM (COMPLETE WITH GLUE)

Gallery Fireside Products Rope Packs.

Code	Description	Item No.
ROPE3X6	Gallery Fireside Products Rope Packs, available in 3m x 6mm, supplied with 50ml Rope Fix glue	100408



→ GALLERY FIRESIDE PRODUCT

ROPE PACKS 3M X 9MM (COMPLETE WITH GLUE)

Gallery Fireside Products Rope Packs.

Code	Description	Item No.
ROPE3X9	Gallery Fireside Products Rope Packs, available in 3m x 9mm supplied with 50ml Rope Fix glue	100409



→ GALLERY FIRESIDE PRODUCT

ROPE PACKS 3M X 12MM (COMPLETE WITH GLUE)

Gallery Fireside Products Rope Packs.

Code	Description	Item No.
ROPE3X12	Gallery Fireside Products Rope Packs, available in 3m x 12mm supplied with 50ml Rope Fix glue	100416



Direct Air Ventilation Kits

Flue & Ducting's Direct Air Ventilation kits are designed to be used specifically with wood and multi fuel stoves that require external air. We manufacture our specially designed semi rigid aluminium ducting here in Stockport and we offer a wide range of grilles and vents to suit.

Our semi rigid aluminium ducting is supplied in 3 sizes. Compressed to roughly a quarter of its full length, it is suitable for working temperatures of -30 to 250 degrees Celsius and each length comes complete with 2 clamping rings and grille or vent covers of your choice. The direct air kit has been designed so that the duct does not introduce light and air draught in to the room.

Diameter Of Duct	Louvre Grille & Backplate	Louvred Wall Grille	Meshed Wall Grille
100mm (6"x6" Grille)	White, Terr, Buff/ Sand,Black and Brown	Stainless Steel	Stainless Steel
125mm (6"x6" Grille)	White, Terr, Buff/ Sand,Black and Brown	Stainless Steel	Stainless Steel
150mm (7"x7" Grille)	White, Terr, Buff/ Sand,Black and Brown	Stainless Steel	Stainless Steel

Semi rigid aluminium ducts are supplied in 1.5m lengths as standard but bespoke sizes can be purchased on request. Plastic Louvre vents are supplied with backplates and stainless steel vents have integrated spigots.



flue&ducting

Flue and Chimney Supplies

- Any DURA-FLUE chimney liner made to order.
- GO FLUE made to order for all gas and oil fires appliances.
- Same day delivery and collection available for local customers.
- UK wide next day delivery for all other customers.
- Fully stocked range of cowls including all the brands Colt, MAD, Euro and even Flue Cubes!
- Fully stocked range of component parts deluxe adaptors, register plates, chimney pots and much more!

www.flue-ducting.co.uk



Come and visit our trade counter today!

flue&ducting


Flue and Chimney Supplies



To order please call: 0161 480 2994

Email: sales@flue-ducting.co.uk

or collect from our trade counter



www.flue-ducting.co.uk

Flue & Ducting Ltd.
Herrod Avenue, Whitehill Industrial Estate,
Reddish, Stockport SK4 1NU

