

VARIETY OF  
HANDPIECES  
AVAILABLE\*



3-8 mm  
Zoom Collimated  
Handpiece

1-7 mm  
Zoom  
Handpiece

7 mm Fixed  
Collimated  
Handpiece

Dye  
Handpiece  
(585 nm)

Dye  
Handpiece  
(650 nm)

Optional

**SPECIFICATIONS\***

<b>Laser Medium</b>		Nd:YAG Crystal
<b>Wavelength</b>		1064 nm / 532 nm (Option: 585 nm, 650 nm)
<b>Operating Mode</b>		Q-switched & Spectra Mode (Quasi-long Pulse)
<b>Beam Profile</b>		Top Hat Mode
<b>Pulse Energy</b>	<b>1064 mode (Q-switched mode)</b>	Max. 1200 mJ
	<b>532 mode (Q-switched mode)</b>	Max. 400 mJ
	<b>Spectra mode (1064nm)</b>	Max. 1500 mJ
	<b>585 mode</b>	Max. 250 mJ
	<b>650 mode</b>	Max. 150 mJ
<b>Energy Calibration</b>		External, Auto-calibration & Self-restoration
<b>Pulse Width</b>		5 - 10 ns (Q-switched Mode) / 300 us (Spectra Mode)
<b>Solid Dye Laser (Option)</b>		585 nm: 7.5 J/cm <sup>2</sup> , 650 nm: 4.5 J/cm <sup>2</sup>
<b>Spot Size (Auto Sensing)</b>	<b>1064 nm</b>	3,4,5,6,7,8 mm / 1,2,3,4,5,6,7 mm
	<b>532 nm</b>	2.6, 3.4, 4.3, 5.2, 6.0, 6.9 mm / 0.8, 1.7, 2.6, 3.4, 4.3, 5.2, 6.0 mm
	<b>585 nm, 650 nm</b>	2 mm
<b>Pulse Rate</b>	<b>1064, 650, 585, 532 mode</b>	Max. 10 (Hz)
<b>Memory</b>		8 User Programmable Memory
<b>Optical Delivery</b>		Articulated Arm
<b>Aiming Beam</b>		Diode 655 nm (Red), Adjustable Brightness
<b>Cooling</b>		Closed Circuit Water to Air
<b>Input Power</b>		Single phase, AC100-120V or AC220-230V, (Fuse 125V/25A or 250V/15A), 50/60Hz, Power consumption: 1.7 kVA
<b>Dimensions</b>		295 mm (W) x 656 mm (L) x 1700 mm (H) or 11.6 in (W) x 25.8 in (L) x 66.93 in (H)
<b>Weight</b>		88 kg or 194 lb



**SPECTRA™**  
Dual Mode Q-switched  
Nd:YAG Laser

**TAKE YOUR PRACTICE  
TO THE NEXT LEVEL**

THIS LASER PRODUCT COMPLIES WITH FEDERAL PERFORMANCE STANDARD 21 CFR. 1040.10, 1040.11, EN 60601-2-22, EN 60825-1 FOR CLASS IV LASER PRODUCTS - FDA Cleared, CE Marked

LUTRONIC, Inc. Locations

US Headquarters / R&D  
850 Auburn Court  
Fremont, CA 94538

East Coast Office  
Six Neshaminy Interplex, Suite 207  
Trevose, PA 19053

lutronic.com | 888-588-7644

©2013, LUTRONIC Group of Companies. All rights reserved. LUTRONIC, its logo and SPECTRA are trademarks or registered trademarks of the LUTRONIC Group of Companies. This product or the use of this product is covered by one or more US and foreign patents or patent application pending. \*System or Handpiece designs and specifications are subject to change without notice. SPECTRA-BR-4100148900

**LUTRONIC®**

**LUTRONIC®**




# The Next Level in Treatment Versatility

LUTRONIC's Dual-pulsed Q-switched Nd: YAG SPECTRA™ laser has been engineered to meet the growing demands of a busy clinic, and includes a variety of efficacious treatment options, customizable parameters, built-in safety, minimized downtimes, all at an affordable price.

## MULTIPLE LASER MODES AND POWER SETTINGS MAXIMIZE TREATMENT OPTIONS

With four distinct Q-switched mode wavelengths - 1064 nm, 532 nm, 585 nm, 650 nm, the robust Spectra has the versatility to provide your practice with a wide range of clinical options for treating your patients. Lutronic continually expands its treatment applications and the **Spectra is the first Q-switched Nd:YAG laser cleared for the treatment of melasma.** The technically advanced Spectra system offers an edge over other lasers and provides enhanced clinical outcomes.

3D Structure of Melanocyte in Melasma Patient



Before After  
Courtesy of I.H.Kim M.D., Dermatologist, South Korea

## EASE OF USE AND PEACE OF MIND

The Spectra was built with the physician in mind and includes a user-friendly GUI, user programmable buttons for personal parameters, auto-detected handpieces an adjustable aiming beam. It even helps ensure that it stays up and running with its built-in auto-calibration and self-restoration functions.


## BEHIND THE ADVANCED TECHNOLOGY

The robust Spectra has a long list of features that ensure it is a cut above the rest.

- Multiple treatment options
  - Spectra Laser Toning™
  - US Patented, Spectra Peel™
  - Spectra Soft Peel™

- High peak power
- Uniform beam profile
- 4 wavelengths
- Auto-calibration and self-restoration
- Programmable memory buttons
- Ergonomic
- Aiming beam
- Multiple handpieces
- Spectra mode

## PROVIDE THE RESULTS YOUR PATIENTS WANT



Before After  
Courtesy of Kevin Duplechain, M.D., USA



Before After  
Courtesy of Matthew Werner, M.D., USA



Before After  
Courtesy of B.S. Chandrashekar, M.D., India




Before After  
Courtesy of S. I. Chun, M.D., South Korea

## THE POWER YOU NEED, THE THERMAL DAMAGE YOU DON'T

Engineered for performance, the Spectra's beam profile and power options ensure that the energy is delivered efficiently to maximize effect while minimizing damage to surrounding tissue.


## UNIFORM TOP HAT BEAM PROFILE



Others Spectra

## APPLICATIONS

- Melasma
- Epidermal nevi
- Tattoo removal
- Acne scars
- Non-ablative resurfacing
- Pigmented and vascular lesions And more...



SPECTRA's combination of high peak power and short pulse width delivers efficient destruction of the target pigment with minimal collateral thermal damage, meeting the criteria of selective photothermolysis.

"Lutronic's advanced dual mode Nd:YAG SPECTRA laser will bring your practice amazing treatment versatility. Treatments for melasma, tattoo removal, non-ablative resurfacing, as well as pigmented lesions. Our patients are very happy with their results. Additionally, its two dye headpieces are excellent choices for various colored tattoo's."

Mitchel Goldman, M.D., Dermatologist & Cosmetic Surgeon,  
San Diego, CA, USA



**LUTRONIC®**