



The **NEW STANDARD**  
for door & gate hardware

# Explore the NEW STANDARD...



## What's inside...

E-Digital Series	1
C-Series	2
M-Series	3
2000 Series	4
2900 Series Narrow Stile	5
1000 & 3000 Series	6
7000 Series   Gate Boxes	7
P-Series Keyless Panic Trims	8
Panic Hardware	9
Gate Closers	10
Gate Closers cont.	11
Safetech Gate Hardware	12
Specialty Products	13

## Finish Chart

	Antique Brass (AB) US-5
	Bright Brass (BB) US-3
	Bright Chrome (BC) US-26
	Jet Black (JB)
	Oil Rubbed Bronze (OB) Painted
	Satin Chrome (SC) US-26D
	Satin Nickel (SN) US-15
	White (WH)
	Marine Grade (MG)

## Reference Guide

- All Lockey KEYLESS locks come with a Lifetime Mechanical Warranty. [LockeyUSA.com/warranty](http://LockeyUSA.com/warranty)
  - Warranty does not cover the finish.
  - Lockey KEYLESS locks are weather resistant.
  - Unless otherwise noted, all locks come with a 2 3/8" backset. 2 3/4" available upon request.
  - LockeyUSA is a manufacturer and sells through distribution.
- For more information, visit [LockeyUSA.com/Distributors](http://LockeyUSA.com/Distributors).



## Double-Combination (DC)



- Many Lockey products are available with Double-Combination (DC).
- Combination body on both interior and exterior.
- Requires code to unlock from both interior and exterior.
- Product numbers are noted with 'DC'.

As pictured to left: 2835 DC

## Marine Grade (MG)



- Many Lockey products are available with a Marine Grade (MG) finish.
- Designed to extend the lifetime of the finish when exposed to the corrosive elements of saltwater environments.
- Closely resembles Satin Chrome finish.

# E-Digital Series

## E-910R Deadbolt



- ELECTRONIC DEADBOLT LOCK
- ADJUSTABLE DEADBOLT (2 3/8-2 3/4")
- UP TO SIX UNIQUE USER CODES
- ONE-USE (DISPOSABLE) USER CODE
- AUTO-LOCKING FUNCTION
- BATTERY POWERED (4-AA) ALKALINE
- LED ILLUMINATION
- REMOTE COMPATIBLE - UP TO 5-REMOTES (SOLD SEPARATELY)

FINISHES:  
AB | BB | SC | SN | ABZ



ORDER #:  
E-910R

## E-930R Knob



- ELECTRONIC KNOB LOCK
- ADJUSTABLE LATCH (2 3/8-2 3/4")
- UP TO SIX UNIQUE USER CODES
- ONE-USE (DISPOSABLE) USER CODE
- AUTO-LOCKING FUNCTION
- BATTERY POWERED (4-AA) ALKALINE
- LED ILLUMINATION
- REMOTE COMPATIBLE - UP TO 5-REMOTES (SOLD SEPARATELY)

FINISHES:  
AB | BB | SC | SN | ABZ



ORDER #:  
E-930R

## E-985R Lever



- ELECTRONIC LEVER LOCK
- ADJUSTABLE LATCH (2 3/8-2 3/4")
- UP TO SIX UNIQUE USER CODES
- ONE-USE (DISPOSABLE) USER CODE
- AUTO-LOCKING FUNCTION
- BATTERY POWERED (4-AA) ALKALINE
- LED ILLUMINATION
- REMOTE COMPATIBLE - UP TO 5-REMOTES (SOLD SEPARATELY)

FINISHES:  
AB | BB | SC | SN | ABZ



ORDER #:  
E-985R

## E-PRO Touch



- ELECTRONIC LEVER LOCK
- STYLISH TOUCH-SCREEN CONTROL PANEL
- UP TO SIX UNIQUE USER CODES
- ONE-USE (DISPOSABLE) USER CODE
- AUTO-LOCKING FUNCTION
- RANDOM KEYPAD ACTIVATION CODE
- BATTERY POWERED (4-AA) ALKALINE
- REMOTE COMPATIBLE - UP TO 5-REMOTES (SOLD SEPARATELY)
- ONLY AVAILABLE IN SATIN CHROME FINISH

ORDER #:  
EPRO-R

## E-Digital Accessories



### E-DIGITAL REMOTE CONTROL

- REMOTE-FOB FOR E-DIGITAL SERIES
- UP TO 5 REMOTES CAN BE PROGRAMMED WITH EACH LOCK

ORDER#:  
E-REMOTE

### ANTIQUE BRONZE FINISH (ABZ)

AVAILABLE ON E910R, E930R AND E985R

## C-120 Surface/Rim Mount



- SURFACE MOUNT DEADBOLT
- REVERSIBLE LONG/SHORT BAR
- IDEAL FOR LIGHT-DUTY APPLICATIONS
- COMPATIBLE WITH C-25 PULL HANDLE (C-25 NOT AVAILABLE IN BB OR MG FINISH)
- EASY TO CHANGE CODE
- SUITABLE FOR BOTH INDOOR AND OUTDOOR USE
- COMPATIBLE WITH THIN DOOR KIT (TDK) FOR APPLICATIONS 1/4" - 1" THICK

FINISHES:  
AB | BB | SC | SN | JB | OB | WH

ORDER #:  
C-120

## C-150 Hook Bolt



- SURFACE MOUNT HOOK BOLT
- IDEAL FOR SLIDING DOORS
- COMPATIBLE WITH C-25 PULL HANDLE (C-25 NOT AVAILABLE IN BB OR MG FINISH)
- EASY TO CHANGE CODE
- SUITABLE FOR BOTH INDOOR AND OUTDOOR USE
- COMPATIBLE WITH THIN DOOR KIT (TDK) FOR APPLICATIONS 1/4" - 1" THICK

FINISHES:  
AB | BB | SC | SN | JB | OB | WH | MG

ORDER #:  
C-150

## C-170 Cabinet Lock



- SURFACE MOUNT CAM LOCK
- IDEAL FOR CABINET DOORS
- COMPATIBLE WITH C-25 PULL HANDLE (C-25 NOT AVAILABLE IN BB OR MG FINISH)
- EASY TO CHANGE CODE
- COMPATIBLE WITH THIN DOOR KIT (TDK) FOR APPLICATIONS 1/4" - 1" THICK

FINISHES  
AB | BB | SC | SN | OB | WH

ORDER #:  
C-170

## C-Series Accessories



C-SERIES PULL HANDLE  
ORDER #: C-25

FINISHES:  
AB | JB | SC | SN | WH | OB



EXTRA COMBINATION TUMBLERS  
ORDER #: PIN KIT

TAMPER PROOF SCREWS  
ORDER #: TPS



C-SERIES EXTENSION KIT  
ORDER #: EXT-2000



THIN DOOR KIT  
ORDER #: TDK

## M210 Deadbolt



- DEADBOLT SECURITY
- LOW PROFILE
- ADJUSTABLE DEADBOLT
- CHANGEABLE HANDING
- HEAVY-DUTY
- DOUBLE COMBINATION (DC) AVAILABLE

FINISHES:  
AB | BB | SC | SN | JB  
WH | OB | BC | MG



ORDER #'s:  
**M210**  
**M210 DC**

## M210 EZ Deadbolt



- NO DRILLING REQUIRED
- INSTALLS IN MINUTES W/ EZ PLATES
- ADJUSTABLE DEADBOLT
- LOW PROFILE
- CHANGEABLE HANDING
- FITS ALL DOORS 1 3/8"-2" THICK W/ STANDARD 2 1/8" PREP
- DOUBLE COMBINATION (DC) AVAILABLE

FINISHES:  
AB | BB | SC | SN | JB  
WH | OB | BC | MG

ORDER #'s:  
**M210 EZ**  
**M210 DC EZ**

## M220 Surface Mount



- SURFACE-MOUNT DEADBOLT
- REVERSIBLE LONG/SHORT BAR
- NARROW STILE
- CHANGEABLE HANDING
- COMPATIBLE WITH THIN DOOR KIT (TDK) FOR DOORS 1/4" - 1" THICK

FINISHES:  
AB | BB | SC | SN | JB | WH | MG

ORDER #:  
**M220**

## M230 Deadlocking Latch



- DEADLOCKING SPRING LATCH
- LOCKS AUTOMATICALLY
- CHANGEABLE HANDING
- STANDARD: 2 3/8" LATCH
- AVAILABLE: 2 3/4" LATCH
- DOUBLE COMBINATION (DC) AVAILABLE

FINISHES:  
AB | BB | SC | SN | JB  
WH | OB | BC | MG



ORDER #'s:  
**M230**  
**M230 DC**

## Add-A-Bolt DC Gate Kit



- ADJUSTABLE DRIVE-IN DEADBOLT
- DESIGNED FOR GATES WITH STILES 1 1/2" OR 2" THICK

### Add-A-Bolt Gate Kit Includes:

- GB ADD-A-BOLT GATE BOX (POWDER-COATED BLACK)
- M210 DC
- DRIVE-IN DEADBOLT

M210 DC FINISHES:  
AB | BB | SC | SN | JB  
WH | OB | BC | MG

ORDER #:  
**ADD-A-BOLT KIT**

## GB210 DC Gate Kit




- DEADBOLT SECURITY
- ALLOWS FOR PASSAGE WHEN NEEDED

### GB210 Gate Kit Includes:

- GB210 GATE BOX (STEEL OR AL)
- SATIN CHROME M210 DC
- SATIN CHROME KNOB (K) OR LEVER (L)

ORDER #'s:  
**GB210-KIT K (KNOB)**  
**GB210-KIT L (LEVER)**  
**GB210-KIT AL K (KNOB)**  
**GB210-KIT AL L (LEVER)**


## M-Series Accessories



2 3/8" DEADLOCKING SPRING LATCH  
ORDER #: SK-238



2 3/4" DEADLOCKING SPRING LATCH  
ORDER #: SK-234




TAMPER PROOF SCREWS  
ORDER #: TPS



2 3/8" DEADBOLT | ORDER #: D-238



2 3/4" DEADBOLT | ORDER #: D-234




ADJUSTABLE DEADBOLT | ORDER #: D-ADJ




DRIVE-IN DEADBOLT | ORDER #: DID




M-SERIES EXTENSION KIT  
ORDER #: EXT-2000




THIN DOOR KIT  
ORDER #: TDK



M-SERIES PULL HANDLE  
ORDER #: M-25



FINISHES:  
AB | JB | SC | SN | WH | OB



EXTRA COMBINATION TUMBLERS  
ORDER #: PIN KIT



M213 SURFACE-MOUNT LATCH  
ORDER #: M213

\*INSIDE BODY - SC ONLY

FINISHES (OUTSIDE BODY):  
AB | BB | SC | SN | JB  
WH | OB | BC | MG



M-SERIES GATE BOX  
ORDER #'s:  
GB200M | GB200MAL

# 2000 Series



## 2200 Surface/Rim Mount



- SURFACE-MOUNT DEADBOLT
- IDEAL FOR NARROW-STILE DOORS
- LONG & SHORT BAR INCLUDED
- CHANGEABLE HANDING
- APPLICATIONS 1" - 2" THICK
- EXTENSION KITS FOR DOORS UP TO 5" THICK
- THIN DOOR KIT (TDK) FOR DOORS 1/4"-1"
- KEY OVERRIDE AVAILABLE (KO)

ORDER #'s:  
2200  
2200 KO

FINISHES: AB | BB | SC | SN | JB | WH

## 2500 Hook Bolt



- IDEAL FOR SLIDING DOORS AND GATES
- CHANGEABLE HANDING
- APPLICATIONS 1" - 2" THICK
- EXTENSION KITS AVAILABLE UP TO 5" THICK
- THIN DOOR KIT (TDK) FOR DOORS 1/4"-1"
- 3/8" THROW
- KEY OVERRIDE AVAILABLE (KO)

ORDER #'s:  
2500  
2500 KO

FINISHES: AB | BB | SC | SN | JB | WH | OB

## 2210 Deadbolt



- CHANGEABLE HANDING
- DEADBOLT SECURITY
- DOUBLE COMBINATION AVAILABLE (DC)
- ADJUSTABLE DEADBOLT (2 3/8" - 2 3/4")
- COVERS STANDARD 2 1/8" PREP
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB  
WH | OB | BC | MG

ORDER #'s:  
2210      2210 KO  
2210 DC   2210 DC KO

## 2230 Deadlocking Latch



- SELF-LOCKING
- STANDARD: 2 3/8" LATCH
- AVAILABLE: 2 3/4" LATCH
- DOUBLE COMBINATION AVAILABLE (DC)
- CHANGEABLE HANDING
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB  
WH | OB | BC | MG

ORDER #'s:  
2230      2230 KO  
2230 DC   2230 DC KO

## 2435 Inside Lever



- OVAL-SHAPED INTERIOR LEVER
- HOLD-OPEN FEATURE TO LEAVE DOOR UNLATCHED
- SELF-LOCKING
- STANDARD: 2 3/8" LATCH
- AVAILABLE: 2 3/4" LATCH
- CHANGEABLE HANDING
- KEY OVERRIDE AVAILABLE (KO)

FINISHES: AB | BB | SC | SN | JB

ORDER #'s:  
2435  
2435 KO

## 2835 Lever Handle



- LEVER HANDLE ON INSIDE AND OUTSIDE
- PASSAGE FUNCTION
- REVERSIBLE HANDING
- STANDARD: 2 3/8" LATCH
- AVAILABLE: 2 3/4" LATCH
- DOUBLE COMBINATION AVAILABLE

FINISHES: AB | BB | SC | SN | JB  
WH | BC | OB | MG

ORDER #'s:  
2835  
2835 DC

## 2000 Key Override (KO)



KEY OVERRIDE AVAILABLE ON:  
2200 | 2500 | 2210 | 2230 | 2435

- AVAILABLE KEYED ALIKE OR KEYED DIFFERENT
- UNLOCKS WITH EITHER KEY OR CODE
- NO LIFETIME WARRANTY ON KEY OVERRIDE

FINISHES:  
AB | BB | SC | SN | JB  
WH | OB | BC | MG

## 2835 Accessories



2 3/8" LEVER LATCH  
ORDER #: SL-238



2 3/4" LEVER LATCH  
ORDER #: SL-234



3 1/4" x 9" COVER PLATE  
ORDER #: T-COVER 2500



T-METAL TRIM PLATE  
ORDER #: T-METAL




2835 GATE BOX  
ORDER #'s:  
GB2500 | GB2500AL




2835 EXTENSION KIT  
ORDER #: EXT-2835


## 2000 Series Accessories




2 3/8" DEADLOCKING SPRING LATCH  
ORDER #: SK-238




2 3/4" DEADLOCKING SPRING LATCH  
ORDER #: SK-234




OVERSIZED KNOB  
AB | BB | SC | SN | JB  
ORDER #: OSK




2 3/8" DEADBOLT | ORDER #: D-238



2 3/4" DEADBOLT | ORDER #: D-234




ADJUSTABLE DEADBOLT | ORDER #: D-Adj



DRIVE-IN DEADBOLT | ORDER #: DID



2000 SERIES EXTENSION KIT  
ORDER #: EXT-2000



THIN DOOR KIT  
ORDER #: TDK

TAMPER PROOF SCREWS  
ORDER #: TPS



EXTRA COMBINATION TUMBLERS  
ORDER #: PIN KIT

3 1/4" x 9" COVER PLATE  
ORDER #: T-COVER 2500



PUSH/PULL GUARD  
ORDER #: PPG



T-METAL TRIM PLATE  
ORDER #: T-METAL



2000 SERIES GATE BOX  
ORDER #'s:  
GB2500 | GB2500AL

# 2900 Series Narrow Stile



## 2900 Deadbolt



- REPLACES ADAMS-RITE LOCK
- MORTISED DEADBOLT LOCK
- 1 1/8" BACKSET
- FIVE-PLY LAMINATED STEEL BOLT WITH CONCEALED HARDENED STEEL PIN FOR MAXIMUM SECURITY.
- DOUBLE COMBINATION (DC) AVAILABLE



FINISHES:  
AB | BB | SC | SN | JB  
OB | WH | BC | MG

ORDER #'s:  
2900  
2900 DC

## 2950 Hook Bolt



- REPLACES ADAMS-RITE LOCK
- MORTISED HOOK BOLT LOCK
- 1 1/8" BACKSET
- FIVE-PLY LAMINATED STEEL HOOK BOLT WITH CONCEALED HARDENED STEEL PIN FOR MAXIMUM SECURITY.
- DOUBLE COMBINATION (DC) AVAILABLE



FINISHES:  
AB | BB | SC | SN | JB  
OB | WH | BC | MG

ORDER #'s:  
2950  
2950 DC

## 2930 Latch



- REPLACES ADAMS-RITE LOCK
- NARROW STILE LATCH LOCK
- 1 1/8" BACKSET
- LOCKS AUTOMATICALLY
- JANITOR FUNCTION
- DOUBLE COMBINATION (DC) AVAILABLE



FINISHES:  
AB | BB | SC | SN | JB  
OB | WH | BC | MG

ORDER #'s:  
2930  
2930 DC

## 2945 Inside Lever



- REPLACES ADAMS-RITE LOCK
- NARROW STILE LATCH LOCK
- 1 1/8" BACKSET
- LOCKS AUTOMATICALLY
- HOLD-OPEN FEATURE
- INSIDE LEVER HANDLE



FINISHES:  
AB | BB | SC | SN | JB

ORDER #:  
2945

## 2985 Lever Handle



- REPLACES ADAMS-RITE LOCK
- LEVER HANDLE LOCK
- NARROW STILE LATCH LOCK
- 1 1/8" BACKSET
- LOCKS AUTOMATICALLY
- PASSAGE FUNCTION
- DOUBLE COMBINATION (DC) AVAILABLE



FINISHES:  
AB | BB | SC | SN | JB  
OB | WH | BC | MG

ORDER #'s:  
2985  
2985 DC

## 2900 Series Gate Boxes



- STEEL OR ALUMINUM GATE BOXES
- USED TO SECURE GATES WITH 2900 SERIES LOCKS

### GB900 COMPATIBLE WITH:

2930  
2945  
2985

### GB950 COMPATIBLE WITH:

2900  
2950

ORDER #'s:  
GB900 GB900AL  
GB950 GB950 AL

## 2900 Series Accessories



900 DEADBOLT  
ORDER #: 900-BOLT



950 HOOKBOLT  
ORDER #: 950-HOOK



930 LATCH  
ORDER #: 930-LATCH



2900 SERIES EXTENSION KITS  
ORDER #'s:  
EXT-2000 (2900-2950)  
EXT-2835 (2985)



EXTRA COMBINATION TUMBLERS  
ORDER #: PIN KIT



OVERSIZED KNOB  
AB | BB | SC | SN | JB  
ORDER #: OSK



TAMPER PROOF SCREWS  
ORDER #: TPS

# 1000 & 3000 Series



## 1150 Heavy-Duty Lever



- LEVER HANDLE ON BOTH INSIDE AND OUTSIDE
- PASSAGE FUNCTION
- HEAVY-DUTY HANDED LEVERS
- DOUBLE COMBINATION AVAILABLE (DC)
- COMES WITH 2 3/8" AND 2 3/4" LATCHES
- MAGNET-PROOF
- EXTENSION KITS AVAILABLE UP TO 5"

FINISHES:  
AB | BB | SC | MG



ORDER #'s:  
1150 - (RIGHT OR LEFT)  
1150 DC - (RIGHT OR LEFT)

\*MUST SPECIFY HANDING WHEN ORDERING\*  
RIGHT-HAND SHOWN.

## 1600 Heavy-Duty Knob



- KNOB ON BOTH INSIDE AND OUTSIDE
- PASSAGE FUNCTION
- HEAVY-DUTY KNOBS
- DOUBLE COMBINATION AVAILABLE (DC)
- COMES WITH 2 3/8" AND 2 3/4" LATCHES
- MAGNET-PROOF

FINISHES:  
AB | BB | SC | SN | MG



ORDER #'s:  
1600  
1600 DC

## 1150 Accessories



2 3/8" LEVER LATCH  
ORDER #: SL-238



2 3/4" LEVER LATCH  
ORDER #: SL-234



1150 EXTENSION KIT  
ORDER #: EXT KIT-1150

3" x 8 1/2" COVER PLATE  
ORDER #: T-COVER 1150



1150 GATE BOX  
ORDER #'s:  
GB1150 | GB1150AL

## 1600 Accessories



2 3/8" DEADLOCKING SPRING LATCH  
ORDER #: SK-238



2 3/4" DEADLOCKING SPRING LATCH  
ORDER #: SK-234



3" x 8 1/2" COVER PLATE  
ORDER #: T-COVER 1150



1600 GATE BOX  
ORDER #'s:  
GB1150 | GB1150AL

## 3210 Deadbolt



- DEADBOLT SECURITY
- MARINE GRADE FINISH
- ADJUSTABLE DEADBOLT
- OVERSIZED KNOB
- CHANGEABLE HANDING
- DOUBLE COMBINATION AVAILABLE (DC)
- EXTENSION KITS AVAILABLE UP TO 5"
- ONLY AVAILABLE IN MG FINISH

ORDER #'s:  
3210  
3210 DC

## 3230 Latch



- DEADLOCKING SPRING LATCH
- MARINE GRADE FINISH
- STANDARD: 2 3/8" LATCH
- AVAILABLE: 2 3/4" LATCH
- OVERSIZED KNOB
- CHANGEABLE HANDING
- DOUBLE COMBINATION AVAILABLE (DC)
- EXTENSION KITS AVAILABLE UP TO 5"
- ONLY AVAILABLE IN MG FINISH

ORDER #'s:  
3230  
3230 DC

## 3000 Series Accessories



2 3/8" DEADLOCKING SPRING LATCH  
ORDER #: SK-238



2 3/4" DEADLOCKING SPRING LATCH  
ORDER #: SK-234



2 3/8" DEADBOLT | ORDER #: D-238



2 3/4" DEADBOLT | ORDER #: D-234

ADJUSTABLE DEADBOLT | ORDER #: D-Adj

DRIVE-IN DEADBOLT | ORDER #: DID



3000 SERIES EXTENSION KIT  
ORDER #: EXT-2000



TAMPER PROOF SCREWS  
ORDER #: TPS



PUSH/PULL GUARD  
ORDER #: PPG



EXTRA COMBINATION TUMBLERS  
ORDER #: PIN KIT

3 1/4" x 9" COVER PLATE  
ORDER #: T-COVER 2500



3000 SERIES GATE BOX  
ORDER #'s:  
GB2500 | GB2500AL



# 7000 Series



## 7055 Ambidextrous Lever



- NON-HANDED/AMBIDEXTROUS
- DOUBLE-PUSH CAPABILITY (USE OF REPEATED DIGIT IN CODE)
- HOLD-OPEN FEATURE
- LEVER HANDLE ON BOTH INSIDE AND OUTSIDE
- INCLUDES 2 3/8" AND 2 3/4" LATCHES
- COVERS STANDARD 2 1/8" HOLE
- EXTENSION KITS AVAILABLE FOR DOORS UP TO 5" THICK

FINISHES:  
AB | BB | SC | SN

ORDER #:  
7055

## 7070N Ambidextrous Lever



- IDEAL FOR NARROW-STILE DOORS
- RETROFIT LOCK USED WITH *ADAMS-RITE* LATCH
- MOST COMMONLY USED ON ALUMINUM STOREFRONT DOORS
- NON-HANDED/AMBIDEXTROUS
- DOUBLE-PUSH CAPABILITY (USE OF REPEATED DIGIT IN CODE)
- ONLY AVAILABLE IN SATIN CHROME FINISH (SC)

ORDER #:  
7070N

## 7000 Series Accessories

### 2 3/8" DEADLOCKING LEVER LATCH



ORDER #:  
SL-238

### 2 3/4" DEADLOCKING LEVER LATCH



ORDER #:  
SL-234

### PANIC/PUSH PADDLE - AL



P  
U  
S  
H  
ORDER #:  
PANIC PADDLE

### 7000 SERIES EXTENSION KIT



ORDER #:  
EXT. KIT 1150

### EXTRA KEYLESS PINS



ORDER #:  
PIN KIT-7000

## Gate Boxes

### GB1150



- STEEL OR ALUMINUM (AL) GATE BOX
- USED TO SECURE GATES WITH 1000 SERIES LOCKS

GB1150 COMPATIBLE WITH:  
1150  
1600

ORDER #'s:  
GB1150  
GB1150AL

### GB2500



- STEEL OR ALUMINUM (AL) GATE BOX
- USED TO SECURE GATES WITH 2000 AND 3000 SERIES LOCKS

GB2500 COMPATIBLE WITH:  
2210 2230  
2435 2835  
3210 3230

ORDER #'s:  
GB2500  
GB2500AL

### GB200M



- STEEL OR ALUMINUM (AL) GATE BOX
- USED TO SECURE GATES WITH M-SERIES LOCKS

GB200M COMPATIBLE WITH:  
M210  
M230

ORDER #'s:  
GB200M  
GB200MAL

### GB900 | GB950



- STEEL OR ALUMINUM (AL) GATE BOXES
- USED TO SECURE GATES WITH 2900 SERIES LOCKS
- POWDER-COATED BLACK

GB900 COMPATIBLE WITH:  
2930  
2945  
2985

GB950 COMPATIBLE WITH:  
2900  
2950

ORDER #'s:  
GB900 | GB900AL  
GB950 | GB950AL

### GB210



- STEEL OR ALUMINUM (AL) GATE BOX
- DESIGNED FOR USE WITH EITHER A KNOB OR LEVER
- 2 1/8" STANDARD PREP

GB210 COMPATIBLE WITH:  
M210

ORDER #'s:  
GB210  
GB210AL

### GB-Add-A-Bolt



- DRIVE-IN DEADBOLT
- DESIGNED FOR GATES WITH STILES 1 1/2" OR 2" THICK
- COMPATIBLE WITH M210 OR M210 DC (LOCK SOLD SEPARATELY)
- POWDER COATED BLACK

ORDER #:  
GB-ADD-A-BOLT

# P-Series Keyless Panic Trims



## 115-P Heavy-Duty Lever



- KEYLESS PANIC TRIM
- HEAVY-DUTY LEVER HANDLE
- 1150 LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- TAKES THE PLACE OF A KEYED CYLINDER
- PANIC BAR MUST ACCEPT A FLAT TAILPIECE AND HAVE A TURN RADIUS OF 90 DEGREES OR LESS.
- FEATURES PASSAGE FUNCTION

FINISHES:  
AB | BB | SC | MG

ORDER #'s:  
115-P  
115-P DETEX

*\*MUST SPECIFY HANDING WHEN ORDERING\**  
RIGHT-HAND SHOWN.

## 160-P Heavy-Duty Knob



- KEYLESS PANIC TRIM
- HEAVY-DUTY KNOB
- 1600 LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- TAKES THE PLACE OF A KEYED CYLINDER
- PANIC BAR MUST ACCEPT A FLAT TAILPIECE AND HAVE A TURN RADIUS OF 90 DEGREES OR LESS.
- FEATURES PASSAGE FUNCTION
- CHANGEABLE HANDING

FINISHES:  
AB | BB | SC | SN | MG

ORDER #'s:  
160-P  
160-P DETEX

## 230-P Low-Profile



- KEYLESS PANIC TRIM
- THUMB-TURN
- M-SERIES LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- PANIC BAR MUST ACCEPT A FLAT TAILPIECE AND HAVE A TURN RADIUS OF 90 DEGREES OR LESS.
- CHANGEABLE HANDING

FINISHES:  
AB | BB | SC | SN | JB  
WH | BC | OB | MG

ORDER #'s:  
230-P  
230-P DETEX

## 285-P Lever



- KEYLESS PANIC TRIM
- LEVER HANDLE
- 2835 LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- TAKES THE PLACE OF A KEYED CYLINDER
- PANIC BAR MUST ACCEPT A FLAT TAILPIECE AND HAVE A TURN RADIUS OF 90 DEGREES OR LESS.
- FEATURES PASSAGE FUNCTION
- REVERSIBLE HANDING

FINISHES:  
AB | BB | SC | SN | JB  
WH | BC | OB | MG

ORDER #'s:  
285-P  
285-P DETEX

## 310-P Knob



- KEYLESS PANIC TRIM
- MEDIUM-DUTY KNOB
- 3000 SERIES LOCK BODY
- COMPATIBLE WITH LOCKEY AND DETEX PANIC BARS
- TAKES THE PLACE OF A KEYED CYLINDER
- PANIC BAR MUST ACCEPT A FLAT TAILPIECE AND HAVE A TURN RADIUS OF 90 DEGREES OR LESS.
- CHANGEABLE HANDING

FINISH:  
MG (MARINE GRADE)

ORDER #'s:  
310-P  
310-P DETEX

## P-Series Accessories

### M-25 PULL HANDLE FOR 230-P

ORDER #:  
M-25



FINISHES:  
AB | JB | SC | SN | WH | OB

### PUSH/PULL GUARD FOR 310-P

ORDER #:  
PPG



### EXTRA COMBINATION TUMBLERS



ORDER #:  
PIN KIT

# Panic Hardware



## Lockey Panic Bars



- ANSI/BHMA A156.3 SERIES GRADE 1 CERTIFIED
- COMPLIES WITH ANSI A117.A ADA REQUIREMENTS
- UL/cUL LISTED
- NARROW STILE 2 1/2" - DOOR THICKNESS: 1 3/4" (STANDARD)
- DEVICE LENGTH: 33" (36" DOORS) OR 42" (48" DOORS)
- FIELD-SIZABLE - CAN BE CUT TO 27"
- LATCH BOLT: STAINLESS STEEL POWDER METALLURGY WITH 11/16" THROW
- DEADLOCKING LATCH: STAINLESS STEEL POWDER METALLURGY WITH 9/16" THROW
- WEATHER RESISTANT
- MATERIALS: PLATED STEEL OR STAINLESS STEEL WITH ZINC OR STAINLESS STEEL HEAD COVER
- FIRE-RATED (FR) - UL/cUL LISTED 3 HR. FIRE-RATED 10C, UBC 7-2 (1997)
- PLATED STEEL (AL)
- STAINLESS STEEL (SS)

### Lockey Panic Trims



ORDER #'s: 36" DOORS 48" DOORS  
 PB1100 AL PB1142  
 PB1100 SS  
 PB1100 FR



## DETEX Panic Bars



DETEX TRIMS:  
 V-08BN-689 - PASSAGE LEVER  
 V-09BN-689 - JANITOR LEVER

- UL/cUL LISTED
- ANSI AND BHMA GRADE 1 CERTIFIED
- ADA COMPLIANT
- OUTSIDE TRIMS EASILY CHANGED AND COMPATIBLE WITH LOCKEY P-SERIES
- PATENTED MOUNTING PLATE AND STRIKE LOCATOR
- FIELD-SIZABLE
- NON-HANDED
- 100% WEATHERPROOF ALUMINUM EXTRUSION BAR
- FOR WOOD, HOLLOW, METAL, FIBERGLASS AND ALUMINUM DOORS
- AVAILABLE WITH ALARM (V-40xEB) AND WEATHERIZED ALARM (V-40xEBxW)
- FITS 2 1/2" STILE DOORS WITH 99 SURFACE STRIKE (STANDARD)
- FITS 2" NARROW STILE DOORS WITH NS OPTION OR NSK DOOR KIT
- MACHINE AND SELF-DRILLING SCREWS (STANDARD)

ORDER #'s:  
 V-40  
 V-40xEB  
 V-40xEBxW



## Panic Shields



- TURN GATES INTO PANIC EXITS
- PANIC BAR MOUNTING PLATE
- AVAILABLE IN BLACK (B) OR SILVER (S)
- COMPATIBLE WITH ANY PANIC BAR
- AVAILABLE IN 24" AND 12"
- ADJUSTABLE FOR 28" - 54" GATES

No MOUNTING HOLES:  
 24" 12"  
 PS-24 B PS-12 B  
 PS-24 S PS-12 S

### Lockey Compatible Panic Shields



- PANIC SHIELDS WITH MOUNTING HOLES FOR LOCKEY PANIC BARS
- AVAILABLE IN 24" AND 12"
- AVAILABLE IN BLACK (B) OR SILVER (S)

ORDER #'s: 24" 12"  
 PS-1124 B PS-1112 B  
 PS-1124 S PS-1112 S

### DETEX Compatible Panic Shields



- PANIC SHIELDS WITH MOUNTING HOLES FOR DETEX PANIC BARS
- ONLY AVAILABLE IN 24"
- AVAILABLE IN BLACK (B) OR SILVER (S)

ORDER #'s: 24"  
 PSDX B  
 PSDX S

### PANIC SHIELD STRIKE BRACKETS



ORDER #'s:  
 PS-SB BLACK  
 PS-SB SILVER

### KEY BOXES



ORDER #'s:  
 PSGB5 - B  
 PSGB5 - S

### KEYED CYLINDERS



ORDER #:  
 PS-CYL

### KEYLESS TRIM BOXES



FOR 285-P  
 ORDER #:  
 PSGB-900



FOR 230-P  
 ORDER #:  
 PSGB-230

# Gate Closers



## TB100 TurtleBack



- CLOSES BOTH LARGE AND SMALL GATES UP TO 125 LBS.
- FLUSH MOUNT GATE CLOSER
- ADJUSTING SCREW REGULATES CLOSING SPEED
- INSTALLS ON TOP, MIDDLE OR BOTTOM OF GATES
- MOUNTS ON OPENING SIDE OF GATE AND PUSHES THE GATE CLOSED
- BLACK FINISH

**SPECIFICATIONS:**

MAX GATE WEIGHT: 125 LBS.

MAX GATE WIDTH: 54 IN.

MAX OPENING ANGLE: 90 DEGREES



**ORDER #:**  
**TB100**

## TB175 Garden Gate Closer



- FLUSH MOUNT GATE CLOSER
- CLOSES BOTH LARGE AND SMALL GATES UP TO 125 LBS.
- ADJUSTABLE CLOSING AND LATCHING SPEED
- INSTALLS ON TOP, MIDDLE OR BOTTOM OF GATES
- MOUNTS ON OPENING SIDE OF GATE AND PUSHES GATE CLOSED
- AVAILABLE IN BLACK OR WHITE FINISH

**SPECIFICATIONS:**


MAX GATE WEIGHT: 125 LBS.

MAX GATE WIDTH: 54 IN.

MAX OPENING ANGLE: 90 DEGREES

**ORDER #'s:**  
**TB175 BLACK**  
**TB175 WHITE**

## TB200 | 400 | 600 Gate Closers



- CLOSES BOTH LARGE AND SMALL GATES UP TO 250 LBS. (MODELS VARY)
- HYDRAULIC/NITROGEN GAS CONTROLLED CLOSING SPEED
- INSTALLS ON TOP, MIDDLE OR BOTTOM OF GATES
- MOUNTS ON OPENING SIDE OF GATE AND PUSHES GATE CLOSED
- EASY TO INSTALL. MOUNTING BRACKETS AND FITTING BAR INCLUDED
- 110 DEGREE MAXIMUM OPENING ANGLE
- AVAILABLE IN BLACK OR STAINLESS STEEL FINISH (SS)

**SPECIFICATIONS:**

	GATE WEIGHT	GATE WIDTH	EST. OPENING FORCE
TB200:	50-125 LBS.	36-52 IN.	3-7 LBS.
TB400:	75-175 LBS.	40-64 IN.	6-12 LBS.
TB600:	150-250 LBS.	44-72 IN.	8-18 LBS.

\*MEASUREMENTS DO NOT TAKE INTO CONSIDERATION THE HINGE ARRANGEMENTS, QUALITY OF HINGES, EASE OF OPERATION, WIND, AND OTHER VARIABLE FACTORS.

**ORDER #'s:**  
**TB200 TB200SS**  
**TB400 TB400SS**  
**TB600 TB600SS**

# Gate Closers



TB250+ | 450+ | 650+ Adjustable



- ADJUSTABLE HYDRAULIC (NITROGEN GAS) CONTROLLED CLOSING SPEED
- QUICK AND EASY INSTALLATION
- INSTALLS ON TOP, MIDDLE OR BOTTOM OF GATES
- MOUNTS ON OPENING SIDE OF GATE AND PUSHES GATE CLOSED
- MADE OF STEEL WITH A ZINC PLATE FINISH
- 110 DEGREE MAXIMUM OPENING ANGLE

SPECIFICATIONS:	MAX GATE WEIGHT	MAX GATE WIDTH
TB250+:	125 LBS.	52 IN.
TB450+:	175 LBS.	64 IN.
TB650+:	250 LBS.	72 IN.

Gate Closer	36" Gate	48" Gate	60" Gate
<i>Added Opening Force</i>			
No Closer	3/4 lb.	1/2 lb.	1/4 lb.
TB-250+	6 lbs.	4 lbs.	3 lbs.
TB-450+	10 lbs.	8 lbs.	6 lbs.
TB-650+	13 lbs.	10 lbs.	8 lbs.
<i>Added Force at 45° Open</i>			
TB-250+	7 lbs.	5 lbs.	4.5 lbs.
TB-450+	13 lbs.	9.5 lbs.	8 lbs.
TB-650+	18.5 lbs.	13.5 lbs.	12 lbs.

Constant Closing Pressure	Approximate Width	Approximate Weight
0 lbs.		
45 lbs.	36-52 Inches	50-125 lbs.
90 lbs.	40-64 Inches	75-175 lbs.
135 lbs.	44-72 Inches	150-250 lbs.

\*MEASUREMENTS DO NOT TAKE INTO CONSIDERATION THE HINGE ARRANGEMENTS, QUALITY OF HINGES, EASE OF OPERATION, WIND, AND OTHER VARIABLE FACTORS.

**ORDER #'s:**  
**TB250+**  
**TB450+**  
**TB650+**

## TB950 Magnum Hinge/Closer



- ADJUSTABLE GATE CLOSER AND HINGE ALL-IN-ONE
- HEAVY-DUTY
- UL/cUL LISTED GRADE 1
- ADA COMPLIANT AND BHMA CERTIFIED
- LOW-PROFILE AND CONCEALABLE
- ADJUSTMENTS FOR CLOSING AND LATCHING SPEED
- 180 DEGREE CAPABLE WITH 180° DRIVE PLATE (NOT INCLUDED)
- COMPATIBLE WITH BOTH RIGHT AND LEFT-HAND GATES



SPECIFICATIONS:	
GATE WIDTH:	32-52 IN.
GATE WEIGHT:	50-250 LBS.
OPENING ANGLE:	90 DEGREES
MIN. OPERATING TEMPERATURE:	-40 F

**TB950 - 180° DRIVE PLATE**  
**ORDER #: TB950-180 PLATE**

**ORDER #:**  
**TB950 MAGNUM**



# SAFETECH Gate Hardware



## SafeT-Hinge SHH-135S



- HEAVY-DUTY SELF-CLOSING GATE HINGE
- SLOTS FOR EASY ADJUSTMENTS
- ADJUSTABLE TENSIONS
- MADE OF FIBER REINFORCED POLYMER
- FOR USE ON WOOD/METAL/VINYL GATES
- GATE CLOSING WEIGHT: 70 LBS.
- MAX GATE WEIGHT: 900 LBS.

**ORDER #:**  
**SHH-135S**

## SafeT-Hinge SHH-135LS



- HEAVY-DUTY SELF-CLOSING GATE HINGE
- LEGS FOR EASY ADJUSTMENTS
- ADJUSTABLE TENSIONS
- MADE OF FIBER REINFORCED POLYMER
- FOR USE ON WOOD/METAL/VINYL GATES
- GATE CLOSING WEIGHT: 70 LBS.
- MAX GATE WEIGHT: 900 LBS.

**ORDER #:**  
**SHH-135LS**

## SafeT-Hinge SHG-90S



- SELF-CLOSING GATE HINGE
- SLOTS FOR EASY ADJUSTMENTS
- ADJUSTABLE TENSIONS
- MADE OF FIBER REINFORCED POLYMER
- FOR USE ON METAL/VINYL GATES
- GATE CLOSING WEIGHT: 66 LBS.
- MAX GATE WEIGHT: 350 LBS.

**ORDER #:**  
**SHG-90S**

## SafeT-Hinge SHG-90L



- SELF-CLOSING GATE HINGE
- LEGS FOR EASY ADJUSTMENTS
- ADJUSTABLE TENSIONS
- MADE OF FIBER REINFORCED POLYMER
- FOR USE ON METAL/VINYL GATES
- GATE CLOSING WEIGHT: 66 LBS.
- MAX GATE WEIGHT: 350 LBS.

**ORDER #:**  
**SHG-90L**

## SafeT-Latch SL-25



- IDEAL FOR CHILD AND PET GATES
- PATENTED SELF-LATCHING MECHANISM
- ADJUSTABLE
- HEIGHT: 8"
- BOTH VERTICALLY AND HORIZONTALLY LOCKABLE
- MADE OF FIBER REINFORCED POLYMER
- BIND-FREE OPERATION
- UV STABILIZED AND RUST PROOF
- STAINLESS STEEL COMPONENTS

**ORDER #:**  
**SL-25**

## SafeT-Latch SL-50



- IDEAL FOR POOL GATES
- PATENTED SELF-LATCHING MECHANISM
- ADJUSTABLE
- HEIGHT: 20"
- BOTH VERTICALLY AND HORIZONTALLY LOCKABLE
- MADE OF FIBER REINFORCED POLYMER
- BIND-FREE OPERATION
- UV STABILIZED AND RUST PROOF
- STAINLESS STEEL COMPONENTS

**ORDER #:**  
**SL-50**

## Cobra Gravity Lock



- GRAVITY LATCH/LOCK (SL-1000)
- DOUBLE-SIDED AVAILABLE (SL-2000)
- MADE OF FIBER REINFORCED POLYMER
- BIND-FREE OPERATION
- STAINLESS STEEL COMPONENTS
- DURABLE AND RELIABLE SECURITY
- GATE POST: UP TO 5" THICK
- GATE CLEARANCE: UP TO 1 1/2"

**ORDER #'s:**  
**SL-1000**  
**SL-2000**

## SafeT-Handle SHDL



- HEAVY-DUTY GATE HANDLE
- MADE OF FIBER REINFORCED POLYMER
- SLEEK, STYLISH DESIGN
- EASY TO INSTALL

**ORDER #:**  
**SHDL-150**

## Keyless Key Safe Box



- SECURE SOLUTION TO CONTROL ACCESS TO KEYS
- EASY TO CHANGE COMBINATION
- SUITABLE FOR BOTH INDOOR AND OUTDOOR USE
- IDEAL FOR LOCATIONS WHERE IT IS NOT POSSIBLE TO HAND-OVER KEYS
- MECHANICAL RELIABILITY

FINISHES:  
SN | JB | WH | MG (MARINE GRADE)

ORDER #:  
KEY BOX

## MS-40 Combination Slide-Bolt



- SURFACE-MOUNT COMBINATION SLIDE-BOLT
- TAMPER-PROOF SCREWS INCLUDED
- IDEAL FOR EQUIPPING A VARIETY OF APPLICATIONS WITH KEYLESS ACCESS

RECOMMENDED USES:

- GATES
- SHEDS
- CABINETS

ORDER #:  
MS-40

## Combo-Cork Bottle Lock



THE LOCKEY COMBO-CORK BOTTLE LOCK IS THE PERFECT SOLUTION TO SECURE FINE WINES AND LIQUORS. SIMPLY SET THE COMBINATION, TWIST THE TOP AND REST ASSURED THAT YOUR BOTTLES ARE SECURE.

- FITS MOST WINE AND LIQUOR BOTTLES
- EASY TO CHANGE COMBINATION
- IDEAL FOR CHILD-PROOFING WINE AND LIQUOR BOTTLES



ORDER #'s:  
BOT-LOC



LockeyUSA.com  
989.773.2363

PO Box 543  
Mt. Pleasant, MI 48858

