



# GH-X

## Test Results

### 2013



UNIQUE  
NANO-  
TECHNOLOGY



EXTENDED  
MACHINERY  
LIFE



LESS  
INTERNAL  
WEAR



REDUCE  
DOWNTIME



IMPROVE  
POWER & TORQUE  
PERFORMANCE




EXTENDS  
MAINTENANCE  
INTERVALS



## Lithium Complex Grease


### 4-ball AW: ASTM D-ASTM 2266

#### Wear Scar Diameter (WSD) Test Results




### 4 Balls EP ASTM 2596

#### Extreme Pressure Properties Test Results




### 4-ball AW: ASTM D-ASTM 2266

#### Wear Scar Diameter (WSD) Test Results




### 4 Balls EP ASTM 2596

#### Extreme Pressure Properties Test Results




# Lithium Complex Grease


4-ball AW: ASTM D-ASTM 2266




4 Balls EP ASTM 2596



4-ball AW: ASTM D-ASTM 2266



4 Balls EP ASTM 2596






## Lithium Base Grease


### 4-ball AW: ASTM D-ASTM 2266

#### Wear Scar Diameter (WSD) Test Results




### 4 Balls EP ASTM 2596

#### Extreme Pressure Properties Test Results




### 4-ball AW: ASTM D-ASTM 2266

#### Wear Scar Diameter (WSD) Test Results




### 4 Balls EP ASTM 2596

#### Extreme Pressure Properties Test Results




# Lithium EP Grease

## 4-ball AW: ASTM D-ASTM 2266




## 4 Balls EP ASTM 2596




# Calcium Sulfonate Grease

## 4-ball AW: ASTM D-ASTM 2266



## 4-ball EP Wear Testing: ASTM 2596






## Aluminum Complex Grease


### 4-ball AW: ASTM D-ASTM 2266

#### Wear Scar Diameter (WSD) Test Results



### 4 Balls EP ASTM 2596


#### Extreme Pressure Properties Test Results



## Polyurea Grease


### 4-ball AW: ASTM D-ASTM 2266

#### Wear Scar Diameter (WSD) Test Results



### 4 Balls EP ASTM 2596


#### Extreme Pressure Properties Test Results






# Railway - Lithium EP Grease


## 4-ball AW: ASTM D-ASTM 2266




## 4 Balls EP ASTM 2596



## 4-ball AW: ASTM D-ASTM 2266



## 4 Balls EP ASTM 2596





Award winning  
TECHNOLOGY



**NanoMaterials Ltd.**

1 Shidlovski Street, P.O. Box 13294, Argaman Complex Industrial Zone, Yavne 81225, ISRAEL  
tel: 972-8-933-4088 | fax: 972-8-930-2675 | email: [info@apnano.com](mailto:info@apnano.com) | web: [www.apnano.com](http://www.apnano.com)