

## References of Autologous Stem Cell Therapy for Erectile Dysfunction:

[1]

NIH Consensus Conference  
Impotence. NIH consensus development panel on impotence  
JAMA, 270 (1993), pp. 83–90

[2]

M. Albersen, A.W. Shindel, K.B. Mwamukonda, T.F. Lue  
The future is today. Emerging drugs for the treatment of erectile dysfunction  
Expert Opin. Emerg. Drugs, 15 (2010), pp. 467–480

[3]

C. Gratzke, J. Angulo, K. Chitaley, Y.-T. Dai, N.N. Kim, J.-S. Paick et al.  
Anatomy, physiology, and pathophysiology of erectile dysfunction  
J. Sex. Med., 7 (2010), pp. 445–475

[4]

D. Shin, G. Pregenzer, J.M. Gardin  
Erectile dysfunction: a disease marker for cardiovascular disease  
Cardiology, 19 (2011), pp. 5–11

[5]

J.P. Mulhall, T.J. Bivalacqua, E.F. Becher  
Standard operating procedure for the preservation of erectile function outcomes after radical prostatectomy  
J. Sex. Med., 10 (2012), pp. 195–203

[6]

M. Albersen, S. Joniau, H. Claes, H. Van Poppel  
Preclinical evidence for the benefits of penile rehabilitation therapy following nerve-sparing radical prostatectomy

DaSilva Institute | 1250 South Tamiami Trail | Sarasota, Florida USA 34239

Phone: 888-832-7458 | email: [welcome@DaSilvaInstitute.com](mailto:welcome@DaSilvaInstitute.com)

Web: [www.DaSilvaInstitute.com](http://www.DaSilvaInstitute.com)

[7]

M. Albersen, M. Kendirci, F. Van der Aa, W.J.G. Hellstrom, T.F. Lue, J.L. Spees  
Multipotent stromal cell therapy for cavernous nerve injury-induced erectile dysfunction  
J. Sex. Med., 9 (2012), pp. 385–403

[8]

M. Boolell, M.J. Allen, S.A. Ballard, S. Gepi-Attee, G.J. Muirhead, A.M. Naylor et al.  
Sildenafil. An orally active type 5 cyclic GMP-specific phosphodiesterase inhibitor for the treatment of penile erectile dysfunction  
Int. J. Impotence Res., 8 (1996), pp. 47–52

[9]

M. Albersen, L. Linsen, H. Tinel, P. Sandner, K. Van Renterghem  
Synergistic effects of BAY 60 – 4552 and vardenafil on relaxation of corpus cavernosum tissue of patients with erectile dysfunction and clinical phosphodiesterase type 5 inhibitor failure  
J. Sex. Med., 10 (2013), pp. 1268–1277

[10]

K. Hatzimouratidis, D. Hatzichristou  
Phosphodiesterase type 5 inhibitors: the day after  
Eur. Urol., 51 (2007), pp. 75–88

[11]

L. Hakim, F. Van der Aa, T.J. Bivalacqua, P. Hedlund, M. Albersen  
Emerging tools for erectile dysfunction: a role for regenerative medicine  
Nat. Rev. Urol., 9 (2012), pp. 520–536

[12]

C. Hanson-Divers, S.E. Jackson, T.F. Lue, S.Y. Crawford, R.C. Rosen

Health outcomes variables important to patients in the treatment of erectile dysfunction

J. Urol., 159 (1998), pp. 1541–1547 [Article](#) |  [PDF \(737 K\)](#)

[13]

H. Zhang, M. Albersen, X. Jin, G. Lin

Stem cells. Novel players in the treatment of erectile dysfunction

Asian J. Androl., 14 (2011), pp. 145–155

[14]

R.J. Jankowski, B.M. Deasy, J. Huard

Muscle-derived stem cells

Gene Ther., 9 (2002), pp. 642–647

[15]

M. Dominici, K. Le Blanc, I. Mueller, I. Slaper-Cortenbach, F. Marini, D. Krause et al.

Minimal criteria for defining multipotent mesenchymal stromal cells. The international society for cellular therapy position statement

Cytotherapy, 8 (2006), pp. 315–317 [Article](#) |  [PDF \(74 K\)](#)

[16]

L. Casteilla, V. Planat-Benard, P. Laharrague, B. Cousin

Adipose-derived stromal cells. Their identity and uses in clinical trials, an update

World J. Stem Cell, 3 (2011), pp. 25–33

[17]

J.M. Gimble, B.A. Bunnell, E.S. Chiu, F. Guilak  
Concise review of adipose-derived stromal vascular fraction  
cells and stem cells: let's not get lost in translation  
Stem cell, 29 (2011), pp. 749–754

[18]

X. Qiu, T.M. Fandel, L. Ferretti, M. Albersen, H. Orabi, H.  
Zhang et al.  
Both immediate and delayed intracavernous injection of  
autologous adipose-derived stromal vascular fraction  
enhances recovery of erectile function in a rat model of  
cavernous nerve injury Eur. Urol., 62 (2012), pp. 720–727 Article



| [PDF \(3351 K\)](#)

[19]

P.R. Crisostomo, T.A. Markel, Y. Wang, D.R. Meldrum  
Surgically relevant aspects of stem cell paracrine effects  
Surgery, 143 (2008), pp. 577–581 Article | PDF (402 K)

[20]

P.R. Baraniak, T.C. McDevitt  
Stem cell paracrine actions and tissue regeneration  
Regener. Med., 5 (2010), pp. 121–143

[21]

M. Albersen, T.M. Fandel, G. Lin, G. Wang, L. Banie, C.-S. Lin  
et al. Injections of adipose tissue-derived stem cells and stem  
cell lysate improve recovery of erectile function in a rat model  
of cavernous nerve injury  
J. Sex. Med., 7 (2010), pp. 3331–3340

[22]

C. Sun, H. Lin, W. Yu, X. Li, Y. Chen, X. Qiu et al.  
Neurotrophic effect of bone marrow mesenchymal stem cells  
for erectile dysfunction in diabetic rats  
Int. J. Androl., 35 (2012), pp. 601–607

[23]

J.-K. Ryu, M. Tumurbaatar, H.-R. Jin, W.J. Kim, M.-H. Kwon,  
S. Piao et al.  
Intracavernous delivery of freshly isolated stromal vascular  
fraction rescues erectile function by enhancing endothelial  
regeneration in the streptozotocin-induced diabetic mouse  
J. Sex. Med., 9 (2012), pp. 3051–3065

[24]

D. Bochinski, G.T. Lin, L. Nunes, R. Carrion, N. Rahman, C.S.  
Lin et al.  
The effect of neural embryonic stem cell therapy in a rat model  
of cavernosal nerve injury BJU Int., 94 (2004), pp. 904–909

[25]

Y. Kim, F. de Miguel, I. Usiene, D. Kwon, N. Yoshimura, J.  
Huard et al.  
Injection of skeletal muscle-derived cells into the penis  
improves erectile function  
Int. J. Impotence Res., 18 (2006), pp. 329–334

[26]

T.J. Bivalacqua, W. Deng, M. Kendirci, M.F. Usta, C.  
Robinson, B.K. Taylor et al.  
Mesenchymal stem cells alone or ex vivo gene modified with  
endothelial nitric oxide synthase reverse age-associated  
erectile dysfunction  
Am. J. Physiol. Heart Circ. Physiol., 292 (2007), pp. H1278–H1290

[27]

G. Nolazco, I. Kovanecz, D. Vernet, R. Gelfand, J. Tsao, M.G. Ferrini et al.

Effect of muscle-derived stem cells on the restoration of corpora cavernosa smooth muscle and erectile function in the aged rat

BJU Int., 101 (2008), pp. 1156–1164

[28]

P.A. Fall, M. Izikki, L. Tu, S. Swieb, F. Giuliano, J. Bernabe et al.

Apoptosis and effects of intracavernous bone marrow cell injection in a rat model of postprostatectomy erectile dysfunction

Eur. Urol., 56 (2009), pp. 716–725

[29]

M.T. Abdel Aziz, S. El-Haggar, T. Mostafa, H. Atta, H. Fouad, S. Mahfouz et al.

Effect of mesenchymal stem cell penile transplantation on erectile signaling of aged rats

Andrologia, 42 (2010), pp. 187–192

[30]

M.M. Garcia, T.M. Fandel, G. Lin, A.W. Shindel, L. Banie, C.-S. Lin et al.

Treatment of erectile dysfunction in the obese type 2 diabetic ZDF rat with adipose tissue-derived stem cells

J. Sex. Med., 7 (2010), pp. 89–98

[31]

Y.-C. Huang, H. Ning, A.W. Shindel, T.M. Fandel, G. Lin, A.M. Harraz et al.

The effect of intracavernous injection of adipose tissue-derived stem cells on hyperlipidemia-associated erectile dysfunction in a rat model

J. Sex. Med., 7 (2010), pp. 1391–1400

DaSilva Institute | 1250 South Tamiami Trail | Sarasota, Florida USA 34239

Phone: 888-832-7458 | email: [welcome@DaSilvaInstitute.com](mailto:welcome@DaSilvaInstitute.com)

Web: [www.DaSilvaInstitute.com](http://www.DaSilvaInstitute.com)

[32]

M. Kendirci, L. Trost, B. Bakondi, M.J. Whitney, W.J.G.

Hellstrom, J.L. Spees

Transplantation of nonhematopoietic adult bone marrow stem/progenitor cells isolated by p75 nerve growth factor receptor into the penis rescues erectile function in a rat model of cavernous nerve injury

J. Urol., 184 (2010), pp. 1560–1566 Article |  PDF (1226 K) |

[33]

X. Qiu, H. Lin, Y. Wang, W. Yu, Y. Chen, R. Wang et al.

Intracavernous transplantation of bone marrow-derived mesenchymal stem cells restores erectile function of streptozocin-induced diabetic rats

J. Sex. Med., 8 (2011), pp. 427–436

[34]

T.M. Fandel, M. Albersen, G. Lin, X. Qiu, H. Ning, L. Banie et al.

Recruitment of intracavernously injected adipose-derived stem cells to the major pelvic ganglion improves erectile function in a rat model of cavernous nerve injury

Eur. Urol., 61 (2011), pp. 201–210

[35]

J.C. Woo, W.J. Bae, S.J. Kim, S.D. Kim, D.W. Sohn, S.H. Hong et al.

Transplantation of muscle-derived stem cells into the corpus cavernosum restores erectile function in a rat model of cavernous nerve injury

Korean J. Urol., 52 (2011), pp. 359–363

[36]

G. Lin, X. Qiu, T. Fandel, L. Banie, G. Wang, T.F. Lue et al.

Tracking intracavernously injected adipose-derived stem cells to bone marrow

Int. J. Impotence Res., 23 (2011), pp. 268–275

DaSilva Institute | 1250 South Tamiami Trail | Sarasota, Florida USA 34239

Phone: 888-832-7458 | email: [welcome@DaSilvaInstitute.com](mailto:welcome@DaSilvaInstitute.com)

Web: [www.DaSilvaInstitute.com](http://www.DaSilvaInstitute.com)

[37]

X. Qiu, C. Sun, W. Yu, H. Lin, Z. Sun, Y. Chen et al.  
Combined strategy of mesenchymal stem cell injection with  
vascular endothelial growth factor gene therapy for the  
treatment of diabetes-associated erectile dysfunction  
J. Androl., 33 (2012), pp. 37–44

[38]

X. Qiu, J. Villalta, L. Ferretti, T.M. Fandel, M. Albersen, G. Lin  
et al.  
Effects of intravenous injection of adipose-derived stem cells  
in a rat model of radiation therapy-induced erectile dysfunction  
J. Sex. Med., 9 (2012), pp. 1834–1841

[39]

S.J. Kim, S.H. Park, Y.C. Sung, S.W. Kim  
Effect of mesenchymal stem cells associated to matrixen on  
the erectile function in the rat model with bilateral cavernous  
nerve crushing injury  
Int. Braz. J. Urol., 38 (2012), pp. 833–841

[40]

S. Piao, I.G. Kim, J.Y. Lee, S.H. Hong, S.W. Kim, T.K. Hwang  
et al.  
Therapeutic effect of adipose-derived stem cells and BDNF-  
immobilized PLGA membrane in a rat model of cavernous  
nerve injury  
J. Sex. Med., 9 (2012), pp. 1968–1979

[41]

H. Nishimatsu, E. Suzuki, S. Kumano, A. Nomiya, M. Liu, H.  
Kume et al.  
Adrenomedullin mediates adipose tissue-derived stem cell-  
induced restoration of erectile function in diabetic rats  
J. Sex. Med., 9 (2012), pp. 482–493

[42]

C. Ying, M. Yang, X. Zheng, W. Hu, X. Wang  
Effects of intracavernous injection of adipose-derived stem cells on cavernous nerve regeneration in a rat model  
*Cell. Mol. Neurobiol.*, 33 (2013), pp. 233–240

[43]

I.G. Kim, S. Piao, J.Y. Lee, S.H. Hong, T.-K. Hwang, S.W. Kim et al.  
Effect of an adipose-derived stem cell and nerve growth factor-incorporated hydrogel on recovery of erectile function in a rat model of cavernous nerve injury  
*Tissue Eng.*, 19 (2013), pp. 14–23

[44]

D. You, M.J. Jang, J. Lee, I.G. Jeong, H.S. Kim, K.H. Moon et al.  
Periprostatic implantation of human bone marrow-derived mesenchymal stem cells potentiates recovery of erectile function by intracavernosal injection in a rat model of cavernous nerve injury

[Urology](#), 81 (2013), pp. 104–110 Article |  PDF (1302 K)

[45]

D. You, M.J. Jang, J. Lee, N. Suh, I.G. Jeong, D.W. Sohn et al.  
Comparative analysis of periprostatic implantation and intracavernosal injection of human adipose tissue-derived stem cells for erectile function recovery in a rat model of cavernous nerve injury  
*Prostate*, 73 (2013), pp. 278–286

[46]

H. Zhang, R. Yang, Z. Wang, G. Lin, T.F. Lue, C.-S. Lin  
Adipose tissue-derived stem cells secrete CXCL5 cytokine with neurotrophic effects on cavernous nerve regeneration  
*J. Sex. Med.*, 8 (2011), pp. 437–446

DaSilva Institute | 1250 South Tamiami Trail | Sarasota, Florida USA 34239

Phone: 888-832-7458 | email: [welcome@DaSilvaInstitute.com](mailto:welcome@DaSilvaInstitute.com)

Web: [www.DaSilvaInstitute.com](http://www.DaSilvaInstitute.com)

[47]

Y. Yeghiazarians, Y. Zhang, M. Prasad, H. Shih, S.A. Saini, J. Takagawa et al.

Injection of bone marrow cell extract into infarcted hearts results in functional improvement comparable to intact cell therapy

Mol. Ther., 17 (2009), pp. 1250–1256

[48]

Albersen M, Lue TF. Re. Transplantation of nonhematopoietic adult bone marrow stem/progenitor cells isolated by p75 nerve growth factor receptor into the penis rescues erectile function in a rat model of cavernous nerve injury. M. Kendirci, L. Trost, B. Bakondi, M. J. Whitne. J. Urol. 2011; 185: 1158–9; author reply 1159–61.

[49]

S. Cellek, T.J. Bivalacqua, A.L. Burnett, K. Chitaley, C.-S. Lin  
Common pitfalls in some of the experimental studies in erectile function and dysfunction: a consensus article  
J. Sex. Med., 9 (2012), pp. 2770–2784

[View Record in Scopus](#) | [Full Text via CrossRef](#) | [Cited By in Scopus \(3\)](#)

[50]

J.Y. Bahk, J.H. Jung, H. Han, S.K. Min, Y.S. Lee

Treatment of diabetic impotence with umbilical cord blood stem cell intracavernosal transplant: preliminary report of 7 cases

Exp. Clin. Transplant., 8 (2010), pp. 150–160

[51]

F. Castiglione, P. Hedlund, F. Van der Aa, T.J. Bivalacqua, P. Rigatti, H. Van Poppel et al.

Intratunical injection of human adipose tissue-derived stem cells prevents fibrosis and is associated with improved erectile function in a rat model of Peyronie's disease

DaSilva Institute | 1250 South Tamiami Trail | Sarasota, Florida USA 34239

Phone: 888-832-7458 | email: [welcome@DaSilvaInstitute.com](mailto:welcome@DaSilvaInstitute.com)

Web: [www.DaSilvaInstitute.com](http://www.DaSilvaInstitute.com)

Eur. Urol., 63 (2013), pp. 551–560 Article |  PDF (2853 K) |

[52]

C.-S. Lin, T.F. Lue

Adipose-derived stem cells for the treatment of Peyronie's disease?

Eur. Urol., 63 (2013), pp. 561–562

Article |  PDF (86 K)

[53]

L. Ferretti, X. Qiu, T.M. Fandel, H. Orabi, L. Banie, G. Lin et al.  
Stem cell therapy for peyronie's disease. morphological and functional outcomes of intraplaque injection of adipose-derived stem cells on a rat model of peyronie's disease

J. Sex. Med., 9 (Suppl. 5) (2012), pp. 311–312

[54]

A.J. Salgado, R.L. Reis, N.J. Sousa, J.M. Gimble

Adipose tissue derived stem cells secretome. Soluble factors and their roles in regenerative medicine

Curr. Stem Cell Res. Ther., 5 (2010), pp. 103–110