



US006526808C2

(12) **EX PARTE REEXAMINATION CERTIFICATE** (9017th)
United States Patent
Pieroni et al.

(10) **Number:** **US 6,526,808 C2**
(45) **Certificate Issued:** **May 15, 2012**

(54) **SMOKE AND CLEAN AIR GENERATING MACHINE FOR DETECTING PRESENCE AND LOCATION OF LEAKS IN A FLUID SYSTEM**

(75) Inventors: **Kenneth Alan Pieroni**, Fullerton, CA (US); **Jim Eli Saffie**, Santa Monica, CA (US)

(73) Assignee: **Envirotech, Inc.**, Costa Mesa, CA (US)

Reexamination Request:
No. 90/011,916, Sep. 23, 2011

Reexamination Certificate for:
Patent No.: **6,526,808**
Issued: **Mar. 4, 2003**
Appl. No.: **09/348,320**
Filed: **Jul. 7, 1999**

Reexamination Certificate C1 6,526,808 issued Jul. 19, 2011

Certificate of Correction issued Nov. 15, 2011.

(51) **Int. Cl.**
G01M 3/20 (2006.01)
G01M 3/28 (2006.01)

(52) **U.S. Cl.** **73/40.7**

(58) **Field of Classification Search** None
See application file for complete search history.


(56) **References Cited**

To view the complete listing of prior art documents cited during the proceeding for Reexamination Control Number 90/011,916, please refer to the USPTO's public Patent Application Information Retrieval (PAIR) system under the Display References tab.

Primary Examiner—John Heyman

(57) **ABSTRACT**

A smoke and clean air generating machine for detecting the presence and location of leaks in a fluid system (e.g. the evaporative or brake system of a motor vehicle). A source of gas (e.g. air or nitrogen) under pressure is delivered to a smoke generating apparatus or to a flow meter by way of a multi-position selector valve. With the selector valve in a first position, gas is delivered to the system under tests via the flowmeter to detect the presence of a leak in need of repair depending upon the reading of the flow meter. With the selector valve in a second position, gas is delivered to the smoke generating apparatus so that smoke can be supplied to the system under test to locate the leak. With the selector valve in a third position between the first and second positions, pressure is bled from the machine to disable the smoke generating apparatus and thereby terminate the production of smoke.



1

**EX PARTE
REEXAMINATION CERTIFICATE
ISSUED UNDER 35 U.S.C. 307**

NO AMENDMENTS HAVE BEEN MADE TO
THE PATENT

2

AS A RESULT OF REEXAMINATION, IT HAS BEEN
DETERMINED THAT:

5 The patentability of claims **9** and **10** is confirmed.
Claims **1-7** and **8** were not reexamined.

* * * * *