



Commercial and Industrial Grade Retractable Power Cord Reels



FEATURES

NEMA 2 rated - Indoor use

NEMA 4 rated - indoor/outdoor use, including wet locations

- 30-Amp/600-Volt rated slip ring
- Heavy-duty formed steel mounting base: mount to ceiling, floor, or wall
- All steel construction
- **NEW!** Available in yellow, white or black powder-coat finish
- Adjustable ball stop included
- Positive lock ratchet included
- 6' feeder cord included
- Made in USA

APPLICATIONS:

- Construction
- Maintenance/Service
- Manufacturing
- Vehicle Charging Stations
- Retail
- Education/Hospitality
- Utilities
- Medical/Laboratories

OPTIONS

- 2 - 4 Conductors
- 12 - 16 AWG
- SJOW, SOOW, SEOW (black or white cable)
- 25', 35' and 50' standard cord length, custom cord lengths available upon request




ACCESSORIES*

RTB Series Cord Reels are de-rated to NEMA 2 when accessories are added.

GFCI inline with feeder cord.

- Options include: outlet boxes, plugs, connectors, or work lights
- Optional Pivot Base rotates up to 345°
- Optional Swivel Base 360° continuous rotation



345° Pivot Base

Specifications


Ask your KH Industries temporary power specialist for a dimensional drawing for complete measurements.

Height: 13.83 in.

Width: 7.75 in.

Depth: 12 in.

Weight: varies based on cord type and length



360° Continuous Swivel Base



RTB Yellow Powder-Coated Retractable Cord Reel Series

KH Industries offers the following selection of **yellow-powder coated retractable power cord reels** that will meet most lift/drag applications and environmental needs. Additional models are available including stretch or retrieve cord reels, as well as made-to-order cord reels, and specialty application cord reels; contact us for details.

Configuration (payout end)	NEMA Rating	Cord Length	Gauge/ Conductor	Cord Type	Volts	Max Amps	Slip ring rating	NEMA Plug (Feeder)	KH Model #
All Models Below Feature Yellow Powder-Coated Cable Reel with Black Cable									
Blunt End	4	25'	16/3	SO	600	10	600V/30A	Blunt End	RTBA3L-WW-B16F
Blunt End	4	35'	16/3	SO	600	10	600V/30A	Blunt End	RTBA3L-WW-B16H
Blunt End	4	50'	16/3	SO	600	10	600V/30A	Blunt End	RTBA3L-WW-B16K
Yellow Outlet Box 15A Duplex/Duplex	2	25'	16/3	SJ	125	10	600V/30A	5-15P	RTBA3L-WDD515-J16F
Yellow Outlet Box 15A Duplex/Duplex	2	35'	16/3	SJ	125	10	600V/30A	5-15P	RTBA3L-WDD515-J16H
Yellow Outlet Box 15A Duplex/Duplex	2	50'	16/3	SJ	125	10	600V/30A	5-15P	RTBA3L-WDD515-J16K
Yellow Outlet Box 15A Duplex/Duplex	2	50'	14/3	SJ	125	15	600V/30A	5-15P	RTBA3L-WDD515-J14K
Blunt End	4	50'	14/3	SJ	300	15	600V/30A	Blunt End	RTBA3L-WW-J14K
Blunt End	4	25'	14/3	SO	600	15	600V/30A	Blunt End	RTBB3L-WW-B14F
Blunt End	2	25'	12/3	SJ	125	20	600V/30A	5-20P	RTBB3L-WW-J12F
Blunt End	2	50'	12/3	SJ	125	20	600V/30A	5-20P	RTBB3L-WW-J12K
Yellow Outlet Box 20A Duplex/Blank	2	25'	12/3	SJ	125	20	600V/30A	5-20P GFCI	RTBB3L-WGB520-J12F
Yellow Outlet Box 20A Duplex/Blank	2	50'	12/3	SJ	125	20	600V/30A	5-20P GFCI	RTBB3L-WGB520-J12K
Yellow Outlet Box 20A Duplex/Duplex	2	25'	12/3	SJ	125	20	600V/30A	5-20P	RTBB3L-WDD520-J12F
Yellow Outlet Box 20A Duplex/Duplex	2	50'	12/3	SJ	125	20	600V/30A	5-20P	RTBB3L-WDD520-J12K
Blunt End	4	25'	12/3	SO	600	20	600V/30A	Blunt End	RTBB3L-WW-B12F
Blunt End	4	25'	12/4	SO	600	20	600V/30A	Blunt End	RTBB4L-WW-B12F
Accessories									
Pivot Base, 345°									RTBF-PVB
Swivel Base, 360° continuous			3C				600V/30A		RTBF-SWB3
Additional configurations are available, including custom cord lengths, black outlet boxes, cover plates, plugs, and connectors. RTB Series can accommodate: 2 - 4 Conductors, 12 - 16 AWG Cord Gauges, SJOW (white or black color), SOOW (black only), SEOW (white only) cord types.									

KH ReelTuff™ Cord Reels are available from KH Industries.
For more information, including custom configuration:
Call: 716-312-0088 or Visit: www.KHindustries.com



RTB White Powder-Coated Retractable Cord Reel Series



KH Industries offers the following selection of **white powder-coated retractable power cord reels** that will meet most lift/drag applications and environmental needs. Additional models are available including stretch or retrieve cord reels, as well as made-to-order cord reels, and specialty application cord reels; contact us for details.

Configuration (payout end)	NEMA Rating	Cord Length	Gauge/ Conductor	Cord Type/Color	Volts	Max Amps	Slip ring rating	NEMA Plug (Feeder)	KH Model #
All Models Below Feature White Powder-Coated Cable Reel with White Cable									
Blunt End	4	25'	12/3	SEOW White	600	20	600V/30A	Blunt End	RTBB3LW-WW-H12F
Blunt End	4	25'	12/3	SJOW White	300	20	600V/30A	Blunt End	RTBB3LW-WW-P12F
Black Outlet Box 15A Duplex/Duplex	2	25'	12/3	SJOW White	125	15	600V/30A	5-15P	RTBB3LW-1DD515-P12F
Black Outlet Box 20A Duplex/Duplex	2	25'	12/3	SEOW White	125	20	600V/30A	5-20P	RTBB3LW-1DD520-H12F
Black Outlet Box 20A Duplex/Duplex	2	25'	12/3	SJOW White	125	20	600V/30A	5-20P	RTBB3LW-1DD520-P12F
Black Outlet Box 20A GFCI/Duplex	2	25'	12/3	SEOW White	125	20	600V/30A	5-20P	RTBB3LW-1GD520-H12F
Black Outlet Box 20A GFCI/Blank	2	25'	12/3	SJOW White	125	20	600V/30A	5-20P	RTBB3LW-1GB520-P12F
5-20R	2	25'	12/3	SEOW White	125	20	600V/30A	5-20P	RTBB3LW-C520-H12F
5-20R	2	25'	12/3	SJOW White	125	20	600V/30A	5-20P	RTBB3LW-C520-P12F
Blunt End	4	35'	12/3	SJOW White	300	20	600V/30A	Blunt End	RTBB3LW-WW-P12H
Black Outlet Box 20A GFCI/Duplex	2	30'	12/3	SEOW White	125	20	600V/30A	5-20P	RTBB3LW-1GD520-H12G
Black Outlet Box 20A Duplex/Duplex	2	35'	12/3	SJOW White	125	20	600V/30A	5-20P	RTBB3LW-1DD520-P12H
Black Outlet Box 20A GFCI/Blank	2	35'	12/3	SJOW White	125	20	600V/30A	5-20P	RTBB3LW-1GB520-P12H
Blunt End	4	50'	12/3	SJOW White	300	20	600V/30A	Blunt End	RTBB3LW-WW-P12K
5-20R	2	50'	12/3	SJOW White	125	20	600V/30A	5-20P	RTBB3LW-C520-P12K
All Models Below Feature White Powder-Coated Cable Reel with Black Cable									
Blunt End	4	25'	12/3	SJOW Black	300	20	600V/30A	Blunt End	RTBB3LW-WW-J12F
Blunt End	4	50'	12/3	SJOW Black	300	20	600V/30A	Blunt End	RTBB3LW-WW-J12K
Black Outlet Box 20A Duplex/Duplex	2	25'	12/3	SJOW Black	125	20	600V/30A	5-20P	RTBB3LW-1DD520-J12F
Black Outlet Box 20A Duplex/Duplex	2	50'	12/3	SJOW Black	125	20	600V/30A	5-20P	RTBB3LW-1DD520-J12K
Accessories									
Pivot Base, 345°									RTBF-PVB
Swivel Base, 360° continuous			3C				600V/30A		RTBF-SWB3
Additional configurations are available, including custom cord lengths, yellow outlet boxes, cover plates, plugs, or connectors. RTB Series can accommodate: 2 - 4 Conductors, 12 - 16 AWG Cord Gauges, SJOW (white or black color), SOOW (black only), SEOW (white only) cord types.									



KH ReelTuff™ Cord Reels are available from KH Industries.
For more information, including custom configuration:
Call: 716-312-0088 or Visit: www.KHindustries.com



RTB Black Powder-Coated Retractable Cord Reel Series



KH Industries offers the following selection of **black powder-coated retractable power cord reels** that will meet most lift/drag applications and environmental needs. Additional models are available including stretch or retrieve cord reels, as well as made-to-order cord reels, and specialty application cord reels; contact us for details.

Configuration (payout end)	NEMA Rating	Cord Length	Gauge/ Conductor	Cord Type/Color	Volts	Max Amps	Slip ring rating	NEMA Plug (Feeder)	KH Model #
All Models Below Feature Black Powder-Coated Cable Reel with Black Cable									
Blunt End	4	25'	12/3	SJOW Black	300	20	600V/30A	Blunt End	RTBB3LB-WW-J12F
Blunt End	4	50'	12/3	SJOW Black	300	20	600V/30A	Blunt End	RTBB3LB-WW-J12K
Black Outlet Box 20A Duplex/Duplex	2	25'	12/3	SJOW Black	125	20	600V/30A	5-20P	RTBB3LB-1DD520-J12F
Black Outlet Box 20A Duplex/Duplex	2	50'	12/3	SJOW Black	125	20	600V/30A	5-20P	RTBB3LB-1DD520-J12K
Black Outlet Box 20A GFCI/Blank	2	25'	12/3	SJOW Black	125	20	600V/30A	5-20P	RTBB3LB-1GB520-J12F
Black Outlet Box 20A GFCI/Blank	2	50'	12/3	SJOW Black	125	20	600V/30A	5-20P	RTBB3LB-1GB520-J12K
Accessories									
Pivot Base, 345°									RTBF-PVB
Swivel Base, 360° continuous			3C				600V/30A		RTBF-SWB3
Additional configurations are available, including custom cord lengths, yellow outlet boxes, cover plates, plugs, or connectors. RTB Series can accommodate: 2 - 4 Conductors, 12 - 16 AWG Cord Gauges, SJOW (white or black color), SOOW (black only), SEOW (white only) cord types.									

Need More Power?

Check out our higher amperage ReelTuff Cord Reels:



RTF Series, NEMA 4X
Corrosion Resistant for outdoor & indoor use
 Up to 25 Amps
 3 to 12 Conductors
 80' max cord length



RTI/RTM Series, NEMA 4, High Current
Outdoor & indoor use
 Up to 110 Amps
 2 to 20 Conductors
 150' max cord length



RTV/RTW Series, NEMA 4
Outdoor & indoor use
 Up to 130 Amps
 2 to 36 Conductors
 200' max cord length

Motorized cord reels are available in the RTF, RTI, RTM, RTV and RTW cord reel series.



KH ReelTuff™ Cord Reels are available from KH Industries.
 For more information, including custom configuration:
 Call: 716-312-0088 or Visit: www.KHindustries.com

