

INKS & INDUSTRIAL COATINGS

SILBERCOTE® Aqua Pellet Aluminum Pigment Series



SILBERLINE®

The Architects of Light®



For over 70 years,

Siberline has been an industry leader in providing metallic pigments to the coatings market. Our inks and industrial coatings portfolios are comprised of a broad range of grades consisting of high performance metallic pigments designed for the unique needs of the inks and coatings industries.



SILBERCOTE Aqua Pellet Aluminum Pigment

Siberline's new SILBERCOTE Aqua Pellet is a non-leaching, low-dusting, low VOC aluminum granule pigment that offers formulators and manufacturers proprietary passivation technology in a pellet form. It is available in small to large custom particle sizes and is compatible in waterborne systems.

Aqua Pellet contains less than 1.5% residual solvent, which allows for lower VOC inks and coatings to be formulated. This flexible pigment is easily dispersed in water, alcohol or glycol ethers and offers excellent gassing stability in waterborne inks and coatings. The pellet provides ease of handling and customer container clean up. Because it allows for 100% consumption, no residual paste is left in the container.

SILBERCOTE Aqua Pellet Series

Provides excellent adhesion, aesthetics, and high pigment concentration.

27112 contains a fine particle size aluminum flake pigment with an extremely bright silver effect

- Excellent water stability resulting in extremely low gassing
- Cost-effective in comparison to silica coated grades
- Suggested applications are waterborne inks and some waterborne industrial paints.

27128 contains a medium particle size aluminum flake pigment with good sparkle.

- Features broader solvent compatibility, making it easier to use
 - Easy dispersion and excellent gassing stability
 - Suggested applications are waterborne coatings and some waterborne screen printing inks
-

Environmentally-friendly

If you are looking for an environmentally-friendly aluminum pigment, Aqua Pellet has very low VOC content and the ability to disperse in water. Because it does not require solvent, it is safe for air transportation.

Packaging

- 200 g sample
- 15 kg pails



SILBERCOTE Aqua Pellet Series

Grade	Percentage Non-volatile by Weight	Aluminum Flake Content	Diameter (50%) Microns	Carrier Percentage	Flake Geometry	Application
SILBERCOTE Aqua Pellet 27112	>98.5%	77.1 - 78.3%	12	21.4 - 21.7%	Silver Dollar	Inks, Industrial Coatings
SILBERCOTE Aqua Pellet 27128	>98.5%	78.8 - 80.0%	28	19.7 - 20.0%	Cornflake	Industrial Coatings

SILBERCOTE Aqua Pellet Incorporation Guidelines

The recommended method of dispersion is to soak the granules in 1 to 2 times their weight of water, then mix gently to a creamy consistency, free of agglomerates by low shear stirring. When completely dispersed, the balance of the formulation may be slowly added under gentle but efficient agitation. To avoid damage to the pigment flakes that could induce gassing and reduce the metallic effect, agitation should be efficient but low shear. If it is necessary to use high shear to dissolve or disperse any component of the binder, this should be done before introducing the aluminum pigment. The final pH should be as close to neutral as possible. As the water stability of this grade is very system dependent, small scale trials are recommended to verify the required level of performance.

Silberline's product application engineers and technical service teams can help you select the appropriate product grade, formulation or application technique for your specific process. By using high quality test methods and practices at Silberline's advanced technical and manufacturing center, we can help customers solve their most challenging coatings problems.

Global Reach

Silberline has been an industry leader for over 70 years providing metallic pigments and technical expertise to industrial customers around the world. Whether you need special effect or performance-enhancing products for automotive, industrial coatings, ink or plastics, contact The Architects of Light at your local office below or visit www.silberline.com.



North America

Silberline Global Headquarters

130 Lincoln Drive
Tamaqua, PA 18252
USA

Phone: 570-668-6050
Toll-Free (USA & Canada): 800-348-4824
Fax: 570-668-0197
E-Mail: order@silberline.com



Ernest Scheller III Center for Technical
Functions and Advanced Manufacturing

36 Progress Avenue
Tamaqua, PA 18252
USA

Phone: 570-668-6050
Toll-Free (USA & Canada): 877-492-7881
Fax: 800-828-9855
E-Mail: technical@silberline.com

Silberline Customer Care Center

4905 W. Tilghman Street, Suite 110
Allentown, PA 18104
USA

Phone: 570-668-6050
Toll-Free (USA & Canada): 800-348-4824
Fax: 800-828-9855
E-Mail: order@silberline.com

Silberline Manufacturing Facility

2010 Guy Brown Drive
Decatur, IN 46733
USA

Phone: 570-668-6050
Toll-Free (USA & Canada): 800-348-4824
Fax: 260-728-2589

Silberline Sales Office – Mexico

Silberline Pigmentos, SRL de CV
Blvd. Atlixayotl Torre Bosques II
#5320-200

Reserva Territorial Atlixayotl
San Andres Cholula
Puebla – CP 72810
Mexico
Phone: 52-222-2252774

Asia Pacific

Silberline Asia Pacific Pte. Ltd.

50 Science Park Road
#04-01/02 The Kendall
Singapore Science Park II
Singapore 117406

Phone: 65-6411-0170
Fax: 65-6779-0080
E-Mail: sapmkt@silberline.com

Silberline Pigment (Suzhou) Co., Ltd.

Suzhou Industrial Park
Room 704, Building 1
Zhong Yin Hui Long Plaza, No. 8
Suzhou Avenue West
Suzhou, Jiangsu Province
China 215021
Phone: 86-512-6733-3150

Silberline Yasida Pigments (Jinan) Co., Ltd.

CaoFan Town
Zhangqiu, Shandong Province
China 250221
Phone: 86-531-8887-0325
Fax: 86-531-8376-0199
星铂联雅思达颜料（济南）有限公司
山东省章丘市曹范镇 250221
电话: 86-531-8887-0325
传真: 86-531-8376-0199



ISO 9001
CQM-37-2004-0517-0001
ISO 14001
CQM-37-2004-0517-0002



C002-Q
C002-E

Silberline Specialty Effect Pigments
India Pvt. Ltd.

Level 8, Vibgyor Towers
C-62, Block G
Bandra Kurla Complex
Mumbai 400098
India
E-Mail: sapmkt@silberline.com

South America

Silberline Brasil Limitada

Rue Dr. Tirso Martins, 100, Cj. 701
Vila Mariana

Sao Paulo – Cep. 04120-050
Brazil
Phone: 55-11-3562-2780
Fax: 55-11-3562-2783



Europe/Africa

Silberline Limited

Banbeath Road
Leven, Fife
Scotland KY8 5HD

Phone: 44 (0) 1333 424734
Fax: 44 (0) 1333 421369
E-Mail: euinfo@silberline.com



© 2016 Silberline. All Rights Reserved. The Silberline "S" Logo, Silberline®, The Architects of Light®, and all products denoted with an "®" or "™" are trademarks or registered trademarks of Silberline Manufacturing Co., Inc., and/or its affiliates.

All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, express warranty or implied warranty of merchantability or fitness for a particular purpose or use, all of which are hereby disclaimed, or as a representation, express or implied, for which Silberline assumes legal responsibility, and they are offered solely for your consideration, investigation and verification. Individual product information and materials safety data sheets are available from Silberline upon request and must be referred to because of potential serious hazards associated with the use of these products. Assistance in grade selection can be obtained through your local Silberline representative. For product formulations and assistance, contact Silberline's Technical Service/Product Applications Department. Silberline makes no guarantee, warranty or implied warranty of merchantability or fitness for a particular purpose or use regarding the mixture of the products referred to herein with other ingredients, whether or not performed in accordance with guidelines established by Silberline, all of which are hereby disclaimed.

The Architects of Light®
silberline.com