STEAM SOLUTIONS FOR HEALTHY LIVING

2016 CATALOG & PRICE BOOK FOR AX SERIES

(Supplement to 2015 Amerec Price Book)





TABLE OF CONTENTS

AX Series Steam Generator	3
A6 Touch Screen Control	4
Olympic & Cascade Packages	4
Steam Controls & Accessories	5-7
Technical Specifications & Rough-In Guide	8

INTRODUCING THE NEXT GENERATION OF THE SUPERIOR STEAM EXPERIENCE

Performance Features of Amerec AX Generators

- Sequential Temperature Control delivers a more consistent flow of Soft Steam and a more stable, comfortable steam bath experience.
- 3 sizes handle a range of steam bath sizes up to 550 cubic feet.
- AX generators can be connected together to heat steam baths larger than 550 cubic feet.
- Intelligent start preheats baths to be ready when needed.
- Warm Start, a feature used in Day Spas and for use with A6 control only, maintains a tank water temperature at just below boiling, which reduces heating time by 2-3 minutes. Warm Start cables must be ordered separately.
- Exterior plug-in jacks allow quick and easy connection of control and sensor cables.
- 240 and 208 volt models can be wired in the field for 1 or 3 phase power.
- Stainless steel tank and water level probes provide years of trouble-free operation.
- Removable heating elements provide easy and economical service.



How to select the proper AX generator kW size:

Step 1	Calculate the cubic footage of the steam room by
	multiplying Length x width x height = cubic feet.
	(Maximum recommended ceiling height is 8')

Step 2 If wall and ceiling surface material is natural stone (marble, granite, slate, travertine, porcelain tile, etc.) multiply cubic footage in Step 1 by 1.75 = cubic feet.

Step 3 Select the appropriate kW size generator based on cubic footage range below.

Model	kW	Cubic Footage Min - Max	Volts	Item No.	List Price
AX7.5	7.5	80 – 200	240	9016-400	\$ 2,400
AX11	11.2	175 - 375	240	9016-600	\$ 2,800
AX14	14.1	350 - 550	240	9016-800	\$ 3,200
AX7.5	7.5	80 - 200	208	9016-500	\$ 2,400
AX11	11.2	175 – 375	208	9016-700	\$ 2,800
AX14	14.1	350 - 550	208	9016-900	\$ 3,200

ALL NEW A6 TOUCH SCREEN CONTROL & ACCESSORY PACKAGES FOR QUICK & EASY ORDERING

A6 Touch Screen Control Features

- 4.3" capacitive touchscreen.
- Low profile surface mount or recessed mount assembly available.
- Intelligent Start pre-heats bath to be ready when needed.
- Temperature control and time duration adjustments.
- Controls colored lights and fragrance injector options.
- Monthly calendar programming.
- Weekday programming.
- Stores favorite bath settings.
- "amerecConnect" Wi-Fi app controls bath operation.
- Smart home system interface.
- Multiple languages.
- Energy saving function Standby mode.
- Dimensions 3.5"W x 5.0"H x 0.53"D



Olympic Package



Includes: 1 - A6 Touch Screen Control

1 - ComfortFlo Steam Head

1 - ADX Auto Drain 1 - ADP Drip Pan

Olympic Package-CP	Polished Chrome	9016-101	\$1,600
Olympic Package-PB	Polished Brass	9016-102	\$1,600
Olympic Package-WH	White	9016-104	\$1,600
Olympic Package-PN	Polished Nickel	9016-105	\$1,600
Olympic Package-BN	Brushed Nickel	9016-106	\$1,600
Olympic Package-ORB	Oil Rubbed Bronze	9016-107	\$1,600

Cascade Package



Includes: 1 - A6 Touch Screen Control

1 - ComfortFlo Steam Head

1 - ADX Auto Drain 1 - ADP Drip Pan

2 - Chromatherapy Lights

1 - Fragrance Injector Pump

Cascade Package-CP	Polished Chrome	9026-101	\$3,000
Cascade Package-PB	Polished Brass	9026-102	\$3,000
Cascade Package-WH	White	9026-104	\$3,000
Cascade Package-PN	Polished Nickel	9026-105	\$3,000
Cascade Package-BN	Brushed Nickel	9026-106	\$3,000
Cascade Package-ORB	Oil Rubbed Bronze	9026-107	\$3,000

INDIVIDUAL STEAM CONTROLS & ACCESSORIES

A6 Touch Screen Control Panel Kit, Dimensions 3.5"W x 5.09"H x 0.53"D

Includes A6 control, steam head, and sensor.

A6 Control	Kit-CP	Polished Chrome	9106-101	\$1,100
A6 Control	Kit-PB	Polished Brass	9106-102	\$1,100
A6 Control	Kit-WH	White	9106-104	\$1,100
A6 Control	Kit-PN	Polished Nickel	9106-105	\$1,100
A6 Control	Kit-BN	Brushed Nickel	9106-106	\$1,100
A6 Control	Kit-ORB	Oil Rubbed Bronze	9106-107	\$1,100
A6 Control	Panel O	nly	9126-020	\$ 800



3.5"

A3 Control Panel Kit, Dimensions 3.38"W x 4.25"H x 0.3"D Includes A3 control, steam head, and sensor.

A3 Control	Kit-CP	Polished Chrome	9103-101	\$ 600
A3 Control	Kit-PB	Polished Brass	9103-102	\$ 600
A3 Control	Kit-WH	White	9103-104	\$ 600
A3 Control	Kit-PN	Polished Nickel	9103-105	\$ 600
A3 Control	Kit-BN	Brushed Nickel	9103-106	\$ 600
A3 Control	Kit-ORB	Oil Rubbed Bronze	9103-107	\$ 600
A3 Control	Panel O	nly	9126-030	\$ 300



ADTX Automatic Drain Valve for AX Series Generators

Order one per generator.

3DTX Automatic Drain Valve Kit 9210-205 \$ 400



Stainless Steel Generator Drip Pan

Order one per generator. Dimensions: 26" x 8" x 2".

ADP Steam Generator Drip Pan 9210-100 \$ 135



ComfortFlo™ Steam Head w/ Insulator

CFSH-CP	Polished Chrome	8812-31	\$ 165
CFSH-PB	Polished Brass	8812-32	\$ 165
CFSH-WH	White	8812-34	\$ 165
CFSH-PN	Polished Nickel	8812-35	\$ 165
CFSH-BN	Brushed Nickel	8812-36	\$ 165
CFSH-ORB	Oil Rubbed Bronze	8812-37	\$ 165



INDIVIDUAL STEAM ACCESSORIES

LED Light Kit

Chromatherapy Kit includes two (2) LEDs, housing, transformer and color selection control. White Kit includes 1 LED, housing and transformer. Additional LED ordered separately. Maximum of (7) colors, or 2 white LED per installation. On/Off switch supplied by others. Chromatherapy LEDs not to be used as the primary light source.



A210XLK-2	Chromatherapy LED Kit	9223-213	\$850
FC210X-LI	Additional LED-Chromatherapy	9223-110	\$210
A210XLKW	White LED Kit	9223-211	\$450
FC210XW-1	Additional LED-White	9223-111	\$210

Fragrance Injector Pump Kit

Delivers essence oils directly into the copper steam line. Pump kit includes one (1) 16 oz. bottle of Eucalyptus oil and wall mounted caddy.

A220FP-2	Fragrance Injector Kit	9223-224	\$ 825
Fragrance, Eucalypt	us, Supreme Grade, 100% Pure		
Eucalyptus-2	2 oz. bottle	9253-171	\$ 16
Eucalyptus-8	8 oz. bottle	9253-172	\$ 24
Eucalyptus-1	6 16 oz. bottle	9253-173	\$ 40
Eucalyptus-6	4 1 gallon jug	9253-175	\$ 200





BlueCube Steam Shower Sound System

The BlueCube Steam Shower Sound system offers superior sound quality for your personal steam shower. The BlueCube hideaway stereo is designed to be out-of-sight and plays music wirelessly via a Bluetooth enabled smartphone, MP3 or USB device. Includes an RF 2-way remote control and a pair of waterproof flush-mount 2-way speakers.



BLUECUE	BE Sound System, Speakers	9252-058	\$1,200
SPEAKER	S Waterproof Speakers, 1 pa	air 9252-030	\$ 460
Wall Mount, F	old Down Teak Shower Seat		
TEAK SE	AT 20" x 13" Teak Seat	9270-029	\$ 330



1	*
-	
1	-

Wall	Mount	Fold	Down	White	Polav	Shower	Soat
A A CI I I	WIOUIIL,	roiu	DUVVII	vviiite	Relax	SHOWEL	Seat

RELAX 13 ½" x 9 ¼" White Seat 9270-02 \$ 130



ASX120 Dual Cartridge Scale-X Water Treatment System

ASX120	Scale-X Water Treatment System	9209-012	\$ 530
ASX120-RFX	Cartridge Replacement Kit	9209-042	\$ 180



STEAM ACCESSORIES

Rento Shower Accessories			<u> </u>
Rento Scent, 14 oz. Citrus Scent Eucalyptus Scent	9253-122 9253-120		2
Rento Bamboo Bath Brush	9261-30	\$ 20.00	A 14 Library
Rento Bamboo Oval Nail Brush	9261-31	\$ 7.50	Pages Argain
Rento Bamboo Body Brush	9261-32	\$ 17.50	Market and
Rento Sauna Soap, 150g, Midsummer Birch	9261-311	\$ 8.75	
Rento Towel, Natural Black, 81 x 145 cm	9239-001	\$ 60.00	
Rento Linen Terry Wash Mitten, 14 x 24 cm, Black	9239-041	\$ 18.75	
Rento Linen Terry Back Washer, 14 x 70 cm, Black	9239-051	\$ 30.00	

AMEREC AX STEAM GENERATOR SIZING AND ROUGH-IN GUIDE

Steam Room Cu Ft				1 Ph	ase 3		nase	Shipping	
Model	Min.	Max.	Voltage	Watts	Amps	Breaker	Amps	Breaker	Weight (lbs.)
AX7.5	80	200	240	7500	31	40	18	30	35
AX7.5	80	200	208	7510	36	50	21	30	35
AX11	175	375	240	11000	46	60	26	40	35
AX11	175	375	208	11240	18 & 36	30 & 50	31	40	35
AX14	350	550	240	14000	21 & 38	30 & 50	34	50	35
AX14	350	550	208	13580	24 & 42	30 & 50	38	50	35

To calculate the generator size required, multiply the length x width x height of the steam room.

For rooms made of natural stone, multiply the cubic volume by 1.75 (stone re quires more power to heat)

(Maximum recommended ceiling height is 8 feet.)

For rooms exceeding \$50 cubic feet, generators may be ganged together to achieve required capacity.

Each generator will require its own power source as described in the chart above.

Example: Room size 750 cu ft, power available 240V 1 phase:

Use two AX11 generators.

Requires one 60A circuit for each AX11 steamer (total of two circuits)

Example: Room size 925 cu ft power available 240V 1 phase: Use one AX11 (requires one 60A circuit) plus one AX14 (requires 2

circuits, one 30A + one 50A)

One control required, regardless of quantity of generators. Additional controls may be connected

AX steamers are compatible with Amerec's A6 control or A3 digital control.



