

Hole ID	From (m)	To (m)	Drill Intercept (m)	Est. True Width (m)	Au gpt	Ag gpt	AgEq gpt*
LC17-34 [†]	214.0	214.9	0.9	0.8	1.03	151.0	228
LC17-45	222.3	227.2	4.9	4.1	1.71	231.8	360
incl.	224.5	225.0	0.5	0.4	7.07	938.0	1,468
LC17-58 [†]	319.9	321.9	2.0	1.8	0.28	221.5	243
LC17-65 [†]	243.0	244.5	1.5	1.4	13.22	2,006.7	2,999
incl.	243.5	244.0	0.5	0.4	39.20	5,930.0	8,870
LC17-69 [†]	180.4	182.0	1.6	1.4	0.18	172.5	186
LC17-72 [†]	254.9	256.7	1.8	1.6	3.41	265.4	521
incl.	254.9	255.6	0.7	0.6	7.69	590.0	1,167
LCU18-25 [§]	43.8	44.9	1.1	1.0	2.75	231.5	438
W. Ave.				1.7	2.84	416.6	629

Note: all numbers are rounded. All intercepts were previously announced as "Un-named veins" except where noted.

* AgEq based on 75 (Ag):1 (Au) and 100% metallurgical recovery.

† True thickness reinterpreted on intercept from previous news release.

§ New drill intercept.

All assays were completed by ALS Chemex in Hermosillo, Mexico, and North Vancouver, BC, Canada.