




PSA-CT4P PSE Conformance Test Suite for 4-Pair 802.3bt PSE's

Product Overview



Optional Feature to PSA-3000 Family of PowerSync Analyzers

Key Features

- Robust 802.3bt 4-Pair PSE Conformance Testing
- Fully Automated Port Sequencing and Statistics covering up to 24 PSE Ports with one PSA-3000
- Greater than 92% 802.3bt PICS Coverage from 24 Tests Producing up to 344 Test Parameters per Port
- Fully Emulates All Type-1, 2, 3, and 4 PD's Including Single and Dual Signature Classes and PoE LLDP-Capable PD's
- Test Type-3 and Type-4 PSE's that Allocate Power Using Multi-Event, LLDP, or Both Multi-Event and LLDP
- Automatically Adapts to All Prevalent PSE Signaling and Power Management Behaviors
- Configurable Waveform Trace Diagnostic Generation and Retention
- Colorful and Informative Spreadsheet Reporting with Compliance (Pass/Fail) Notations and Parameter Statistics
- Run & Sequence from PSA Interactive GUI or PowerShell PSA Command Line

Verification, Simplified.

Overview

IEEE 802.3 PSE's

4-Pair End Span PSE's

4-Pair Mid-Span PSE's

4-Pair Power Injectors

The Industry "Norm"

**Unmatched 802.3bt
Specification Coverage**

**Widely Used by PSE
Silicon Manufacturers**

Fully Automated One-Button Testing

**Automatic Adaptation to
PSE Probing and PD
Qualification Methods**

**Flexibly Sequence Tests
and Test Ports**

**Pop-Up Spreadsheet
Reporting with Statistics
and Limit Evaluation**

Always Up-To- Date

**Constantly Enhanced
and Improved**

**Tracking Service Support
Agreement**

Responsive Support

Verification, Simplified.

With the introduction of the IEEE 802.3bt standard, Power-over-Ethernet expanded from a 30W powering system to a 90W powering system involving power delivery across all 8 conductors of a Cat 5/6/7 cabling system supporting up to 100 meters distance between PSE (power source) and PD (power consumer). In order to meet this challenge, extensive new features were added placing many new demands on both PSE's and PD's. The added complexity on the PSE side is best expressed comparing the 31 page 802.3bt PSE state machine to the 4 page 802.3at PSE state machine.

Higher Power, Higher Flexibility with 802.3bt

Before 802.3bt, PD's were restricted to receiving power on two wire pairs with a maximum load at the PD interface of 25.5 watts. With 802.3bt, PD's can be designed to draw over 70 watts from four wire pairs and further, PD's may choose to combine that power to one integrated power load or to split it into two autonomous power loads. PSE's are challenged to qualify that PD's can accept 4-pair power and to work with imperfections in cabling and components that may cause 4-pair power to divide between wire pairs unevenly. Power classifications for PD's are expanded from 5 classes in 802.3at to 13 classes in 802.3bt. While 802.3at introduced one mode of PD power demotion, 802.3bt introduces at least 27 modes of PD power demotion whereby PD's are granted less power than requested.

The 802.3bt standard also specifies a new form of PoE Link Layer Discovery Protocol (LLDP) that expands the TLV fields carrying PSE and PD information from 12 to 29 while maintaining PD power allocations with a granularity of 0.1 watt.

Fully Automated Testing with Very High Test Coverage

Given the complexity of a fully compliant 4-Pair 802.3bt PSE, the range of test cases that must be run is so enormous as to prohibit manual testing as a practical solution. The 4-Pair PSE Conformance Test Suite produces over 300 test parameters for each PSE port tested with a maximum possible count of 344 test parameters. The test suite automatically adapts to a wide range of possible PSE implementations and produces a number of implementation-specific test parameters.

The 24 tests that make up the 4-Pair Conformance Test Suite cover **over 92% of the PSE PICS** (conformance check list items) in the IEEE 802.3bt specification while also covering many specification requires that the published PSE PICS overlooked. The 4-Pair PSE Conformance Test Suite is widely used throughout the internetworking community as the industry "norm" for PSE specification compliance.

IEEE 802.3af, 802.3at, 802.3bt Cross-Compatibility

All 802.3bt PSE's must properly recognize and power PD's developed under the 802.3af, 802.3at, and 802.3bt standards. The 4-Pair PSE Conformance Test Suite includes emulations of many PD's including those conforming to the older standards.

Robust Diagnostics and Reporting

The 4-Pair PSE Conformance Test Suite automatically sequences to a pop-up spreadsheet report with full color notations of parameter pass/fail status per port and cross-port statistics for each parameter. The report also includes Sifos proprietary scoring for PSE Safety and PSE Interoperability.

PSE Conformance Tests & Parameters

Detection & Connection Check Probing and Functional Tests

det_v

Detection Probe Physical Parameters

Captures and analyzes PSE detection probe voltages with both valid and slightly non-valid detection signatures emulating single and dual signature PD's.

Open_Circuit_Voc_A	Peak Open Circuit Detection Voltage on Alt-A Pairset
Open_Circuit_Voc_B	Peak Open Circuit Detection Voltage on Alt-B Pairset
Backoff_Voltage_A	IDLE State voltage during detection backoff on the Alt-A Pairset
Backoff_Voltage_B	IDLE State voltage during detection backoff on the Alt-A Pairset
Backoff_Voltage_Ss	IDLE State voltage during Single Signature detection backoff across both Pairsets (as a single signature PD would detect it)
Max_Det_Step_V_A	Maximum Detection Voltage with Valid Detection Signature - Alt-A Pairset
Max_Det_Step_V_B	Maximum Detection Voltage with Valid Detection Signature - Alt-B Pairset
Min_Det_Step_V_A	Minimum Valid Step Voltage with Valid Detection Signature - Alt-A Pairset
Min_Det_Step_V_B	Minimum Valid Step Voltage with Valid Detection Signature - Alt-B Pairset
Det_Step_Changes_A	Count of Detection Step Transitions on the Alt-A Pairset
Det_Step_Changes_B	Count of Detection Step Transitions on the Alt-B Pairset
Min_Step_DV_A	Detection Step Magnitude from Max Voltage to Min Voltage - Alt-A Pairset
Min_Step_DV_B	Detection Step Magnitude from Max Voltage to Min Voltage - Alt-A Pairset
Pre-Det_CC_Step_V_A	Magnitude of any non-802 pre-detection signaling on the Alt-A Pairset
Pre-Det_CC_Step_V_B	Magnitude of any non-802 pre-detection signaling on the Alt-A Pairset

det_cc

Connection Check Probe Physical Parameters

Captures and analyzes PSE 4-pair connection check probe voltages with both valid and slightly non-valid detection signatures emulating single and dual signature PD's.

Presumed_CC_DET_SEQ	CC_DET_SEQ as described by the 802.3bt PSE State Machine, derived from observations of signaling at the PSE physical interface.
Conn_Chk_SS_V_A	Peak connection check voltage on the Alt-A Pairset with Single Signature
Conn_Chk_SS_V_B	Peak connection check voltage on the Alt-B Pairset with Single Signature
Conn_Chk_DS_V_A	Peak connection check voltage on the Alt-A Pairset with Dual Signature
Conn_Chk_DS_V_B	Peak connection check voltage on the Alt-B Pairset with Dual Signature
High_Signature_CC_A	Flag indicating invalid signature compliance to PSE state machine on the Alt-A Pairset. 1 is a PASS, 0 is a FAIL.
High_Signature_CC_B	Flag indicating invalid signature compliance to PSE state machine on the Alt-B Pairset. 1 is a PASS, 0 is a FAIL.
4Pair_Start_Fail	Flag indication that the 4-Pair PSE failed to produce any signaling on at least one Pairset when a valid PD signature was connected.

det_i

Detection Current Limiting and Slew Rate

Measures maximum current sourcing capability from a PSE during detection. This behavior is essential to protecting non-PD's connected to the PSE.

Isc_Init_A	Peak detection current @ >1.5V on the Alt-A Pairset
Isc_Init_B	Peak detection current @ >1.5V on the Alt-B Pairset
Isc_Det_A	Peak detection current @ >2.2V on the Alt-A Pairset
Isc_Det_B	Peak detection current @ >2.2V on the Alt-B Pairset
Det_Slew_A	Maximum expected detection voltage slew rate on the Alt-A Pairset
Det_Slew_B	Maximum expected detection voltage slew rate on the Alt-B Pairset

det_time

Detection & Connection Check Timing

Measures detection backoff and detection / connection check probe timing parameters.

Detect_Time_Tdet_A	Time from start of detection until end of detection on the Alt-A Pairset
Detect_Time_Tdet_B	Time from start of detection until end of detection on the Alt-A Pairset (IDLE state) Time from end of a detection sequence until start of a new detection sequence given an invalid Single Signature
Backoff_Time_SS	

Detection & Connection Check Probing and Functional Tests

Det2Det_Time	CC_DET_SEQ 0, 1, and 3 ONLY: The time duration between the end of detection on the PRI Pairset and the start of detection on the SEC pairset.
Det+CC_Time	CC_DET_SEQ 2 ONLY: The total time duration of Detection on both pairsets and Connection Check.
CC2Det_Time	CC_DET_SEQ 0, 3 ONLY: The time from end of Connection Check until start of the first Pairset Detection.

det_resource Detection Source Impedance

Determine the type of detection probe (voltage versus current probing) and determine effective source impedance of a current probing scheme. Assesses risk of PSE port powering another PSE port.

PSE_Detect_Source	PSE Detection Scheme. 0= Voltage probing, 1= Current probing.
PSE_Source_Zout_A	The source impedance of the Detection probing on the Alt-A Pairset. A pure voltage source will report as 0 Ω .
PSE_Source_Zout_B	The source impedance of the Detection probing on the Alt-B Pairset. A pure voltage source will report as 0 Ω .

det_range Detection Accept and Reject Ranges

Assesses the range of acceptable PD signatures given both single and dual signature PD emulations.

Rgood_Max_Single	Maximum Detection signature resistance that gets powered given a Single Signature PD
Rgood_Min_Single	Minimum Detection signature resistance that gets powered given a Single Signature PD
Cgood_Max_Single	Maximum Capacitive signature that gets powered given a Single Signature PD
Rgood_Max_Dual_A	Maximum Detection signature resistance that gets powered on the Alt-A Pairset given a Dual Signature PD
Rgood_Max_Dual_B	Maximum Detection signature resistance that gets powered on the Alt-B Pairset given a Dual Signature PD
Rgood_Min_Dual_A	Minimum Detection signature resistance that gets powered on the Alt-A Pairset given a Dual Signature PD
Rgood_Min_Dual_B	Minimum Detection signature resistance that gets powered on the Alt-B Pairset given a Dual Signature PD
Cgood_Max_Dual_A	Maximum Capacitive signature that gets powered on the Alt-A Pairset given a Dual Signature PD
Cgood_Max_Dual_B	Maximum Capacitive signature that gets powered on the Alt-B Pairset given a Dual Signature PD

cc_response Connection Check Validity

Determines that connection check performed by a 4-pair PSE properly resolves single versus dual signature PD implementations. Also assesses PSE response to a 2-pair PD connection.

Single_Sig_Response	Flag indicating that the PSE properly characterized a Single Signature PD prior to powering. 1= Success, 0= Failure.
Dual_Sig_Response	Flag indicating that the PSE properly characterized a Dual Signature PD prior to powering. 1= Success, 0= Failure.
2Pair_PD_A	Flag indicating the count of Pairsets powered when a valid PD signature is connected only on the Alt-A Pairset. 0= No Pairsets powered, 1= Alt-A Pairset powered, 2= both pairsets powered.
2Pair_PD_B	Flag indicating the count of Pairsets powered when a valid PD signature is connected only on the Alt-B Pairset. 0= No Pairsets powered, 1= Alt-A Pairset powered, 2= both pairsets powered.

Classification Probing and Functional Tests

class_v

Classification Voltages

Captures and analyzes PSE classification and class probe voltage levels, focusing on only the final classification performed prior to power-up. Also analyzes class probe reset where presented.

Vclass_max_SS	Maximum Class Event Voltage measured as the peak of both pairsets given a Single Signature PD emulation
Vclass_min_SS	Minimum Class Event Voltage measured as the peak of both pairsets given a Single Signature PD emulation
Vmark_SS	Median Mark region voltage from the peak of both pairsets given a Single Signature PD emulation
Vreset_SS	If the PSE utilizes a Class Probe given Single Signature PD connection, this is the maximum voltage following the completion of the class probe until the start of Event 1 Classification. Reports -1 if there is no class reset.
Vclass_max_DSA	Maximum Class Event Voltage on the Alt-A Pairset given a Dual Signature PD emulation
Vclass_max_DSB	Maximum Class Event Voltage on the Alt-B Pairset given a Dual Signature PD emulation
Vclass_min_DSA	Minimum Class Event Voltage on the Alt-A Pairset given a Dual Signature PD emulation
Vclass_min_DSB	Minimum Class Event Voltage on the Alt-B Pairset given a Dual Signature PD emulation
Vmark_DSA	Median Mark region voltage on the Alt-A Pairset given a Dual Signature PD emulation
Vmark_DSB	Median Mark region voltage on the Alt-B Pairset given a Dual Signature PD emulation
Vreset_DSA	If the PSE utilizes a Class Probe given Dual Signature PD connection, this is the maximum voltage following the completion of the class probe until the start of Event 1 Classification on the Alt-A Pairset. Reports -1 if there is no class reset.
Vreset_DSB	If the PSE utilizes a Class Probe given Dual Signature PD connection, this is the maximum voltage following the completion of the class probe until the start of Event 1 Classification on the Alt-A Pairset. Reports -1 if there is no class reset.

class_time

Classification Timing

Captures and analyzes PSE classification signal timing, focusing on only the final classification performed prior to power-up.

Vclass_max_SS	Maximum Class Event Voltage measured as the peak of both pairsets given a Single Signature PD emulation
Vclass_min_SS	Minimum Class Event Voltage measured as the peak of both pairsets given a Single Signature PD emulation
Vmark_SS	Median Mark region voltage from the peak of both pairsets given a Single Signature PD emulation
Vreset_SS	If the PSE utilizes a Class Probe given Single Signature PD connection, this is the maximum voltage following the completion of the class probe until the start of Event 1 Classification. Reports -1 if there is no class reset.
Vclass_max_DSA	Max. Class Event Voltage on the Alt-A Pairset given Dual Signature PD emulation
Vclass_max_DSB	Max. Class Event Voltage on the Alt-B Pairset given Dual Signature PD emulation
Vclass_min_DSA	Min. Class Event Voltage on the Alt-A Pairset given Dual Signature PD emulation
Vclass_min_DSB	Min. Class Event Voltage on the Alt-B Pairset given Dual Signature PD emulation
Vmark_DSA	Median Mark region voltage on the Alt-A Pairset given Dual Signature PD emulation
Vmark_DSB	Median Mark region voltage on the Alt-B Pairset given Dual Signature PD emulation
Vreset_DSA	If the PSE utilizes a Class Probe given Dual Signature PD connection, this is the maximum voltage following the completion of the class probe until the start of Event 1 Classification on the Alt-A Pairset. Reports -1 if there is no class reset.
Vreset_DSB	If the PSE utilizes a Class Probe given Dual Signature PD connection, this is the maximum voltage following the completion of the class probe until the start of Event 1 Classification on the Alt-A Pairset. Reports -1 if there is no class reset.
Class_Probe_SS	Flag indicating if a Class Probe is discovered given a Single Signature PD. 1= Class Probe Discovered, 0= No Class Probe.
EV_Count_7_SS	Class Event Count in response to Class 7 (Single Signature) PD on either the Alt-A or Alt-B pairset.
Long_EV1_Time_SS	Duration of Event #1 (LCE) Class Pulse prior to power-up given a Single Signature PD connection.
Min_Class_EV_Time_SS	Minimum duration of any non-LCE Class Event prior to power-up given a Single Signature PD.
Max_Class_EV_Time_SS	Maximum duration of any non-LCE Class Event prior to power-up given a Single Signature PD.
Min_Mark_EV_Time_SS	Minimum duration of any non-final Mark Event prior to power-up given a Single Signature PD.
Max_Mark_EV_Time_SS	Maximum duration of any non-final Mark Event prior to power-up given a Single Signature PD.
Final_Mark_EV_Time_SS	Duration of the final Mark Event leading into Power-Up given a Single Signature PD.

Classification Probing and Functional Tests

CI_Prb_Reset_Time_SS	If the PSE utilizes a Class Probe given Single Signature PD connection, this is the time duration from end-of-Class-Probe until start of Event #1. Set to -1 if no class probing.
Class_Probe_DA	Flag indicating if a Class Probe is discovered on the Alt-A Pairset given a Dual Signature PD. 1= Class Probe Discovered, 0= No Class Probe.
EV_Count_5D_DA	Class Event Count on the Alt-A Pairset in response to a Dual Class 5 PD
Long_EV1_Time_DA	Duration of Event #1 (LCE) Class Pulse prior to power-up on the Alt-A Pairset given a Dual Signature PD connection.
Min_Class_EV_Time_DA	Minimum duration of any non-LCE Class Event on the Alt-A Pairset prior to power-up given a Dual Signature PD.
Max_Class_EV_Time_DA	Maximum duration of any non-LCE Class Event on the Alt-A Pairset prior to power-up given a Dual Signature PD.
Min_Mark_EV_Time_DA	Minimum duration of any non-final Mark Event on the Alt-A Pairset prior to power-up given a Dual Signature PD.
Max_Mark_EV_Time_DA	Maximum duration of any non-final Mark Event on the Alt-A Pairset prior to power-up given a Dual Signature PD.
Final_Mark_EV_Time_DA	Duration of the final Mark Event on the Alt-A Pairset leading into Power-Up given a Dual Signature PD.
CI_Prb_Reset_Time_DA	If the PSE utilizes a Class Probe on the Alt-A Pairset given a Dual Signature PD connection, this is the time duration from end-of-Class-Probe until start of Event #1. Set to -1 if no class probing.
Class_Probe_DB	Flag indicating if a Class Probe is discovered on the Alt-B Pairset given a Dual Signature PD. 1= Class Probe Discovered, 0= No Class Probe.
EV_Count_5D_DB	Class Event Count on the Alt-B Pairset in response to a Dual Class 5 PD
Long_EV1_Time_DB	Duration of Event #1 (LCE) Class Pulse prior to power-up on the Alt-B Pairset given a Dual Signature PD connection.
Min_Class_EV_Time_DB	Minimum duration of any non-LCE Class Event on the Alt-B Pairset prior to power-up given a Dual Signature PD.
Max_Class_EV_Time_DB	Maximum duration of any non-LCE Class Event on the Alt-B Pairset prior to power-up given a Dual Signature PD.
Min_Mark_EV_Time_DB	Minimum duration of any non-final Mark Event on the Alt-B Pairset prior to power-up given a Dual Signature PD.
Max_Mark_EV_Time_DB	Maximum duration of any non-final Mark Event on the Alt-B Pairset prior to power-up given a Dual Signature PD.
Final_Mark_EV_Time_DB	Duration of the final Mark Event on the Alt-B Pairset leading into Power-Up given a Dual Signature PD.
CI_Prb_Reset_Time_DB	If the PSE utilizes a Class Probe on the Alt-B Pairset given a Dual Signature PD connection, this is the time duration from end-of-Class-Probe until start of Event #1. Set to -1 if no class probing.

class_response

PSE Classification Responses to All PD Types

Evaluates PSE responses to a variety of PD types including both single and dual signature. Assesses maximum power PSE will grant at power-up and PSE 2-pair powering behavior.

Class_3_Count	Class Event count in response to Class 3 (Single Signature) PD
Class_4_Count	Class Event count in response to Class 4 (Single Signature) PD
Class_5_Count	Class Event count in response to Class 5 (Single Signature) PD
Class_6_Count	Class Event count in response to Class 6 (Single Signature) PD
Class_7_Count	Class Event count in response to Class 7 (Single Signature) PD
Class_8_Count	Class Event count in response to Class 8 (Single Signature) PD
Class_2D_Count_A	Class Event count on the Alt-A Pairset in response to a Dual Class 2 PD
Class_2D_Count_B	Class Event count on the Alt-B Pairset in response to a Dual Class 2 PD
Class_3D_Count_A	Class Event count on the Alt-A Pairset in response to a Dual Class 3 PD
Class_3D_Count_B	Class Event count on the Alt-B Pairset in response to a Dual Class 3 PD
Class_4D_Count_A	Class Event count on the Alt-A Pairset in response to a Dual Class 4 PD
Class_4D_Count_B	Class Event count on the Alt-B Pairset in response to a Dual Class 4 PD
Class_5D_Count_A	Class Event count on the Alt-A Pairset in response to a Dual Class 5 PD
Class_5D_Count_B	Class Event count on the Alt-B Pairset in response to a Dual Class 5 PD
Max_SS_Class	Maximum Single Signature PD Class that the PSE will assign at power-up
Max_DS_Class	Maximum Dual Signature PD Class that both Alt-A and Alt-B Pairsets will assign at power-up
Init_Grant_Match	Flag indicating that the maximum power granted to Dual Signature PD's corresponds to the

Classification Probing and Functional Tests

	maximum power granted to Single Signature PD's. 1= Correspondance, 0 = Inconsistent
2-Pair_Pairset	Flag indicating which Pairset gets 2-Pair powered if and when the PSE performs 2-Pair powering. Set to 0 if PSE always 4-Pair powers, 1 if Alt-A Pairset powered, 2 if Alt-B Pairset powered.
PRI_4pr_Pairset	Primary (PRI) Pairset where Classification occurs given Single Signature PD connection. 1= Alt-A Pairset, 2= Alt-B Pairset, 12= Either Pairset.

class_err

PSE Processing of Deviant Class Signatures

Evaluates PSE current limiting to very high class and mark loads and PSE powering response to current limited signatures and to invalid class signature sequences.

Class_Ilim_A	Classification Event current limit on the Alt-A Pairset.
Class_Ilim_B	Classification Event current limit on the Alt-B Pairset.
Pwr_CI_52_SS	Flag indicating if PSE powers a 52mA Class signature given a Single Signature PD. 0= No Power. 1= Power Applied.
Pwr_CI_52_DSA	Flag indicating if PSE powers the Alt-A Pairset a 52mA Class signature given a Dual Signature PD. 0= No Power. 1= Power Applied.
Pwr_CI_52_DSB	Flag indicating if PSE powers the Alt-B Pairset a 52mA Class signature given a Dual Signature PD. 0= No Power. 1= Power Applied.
Mark_Ilim_A	Mark Event current limit on the Alt-A Pairset.
Mark_Ilim_B	Mark Event current limit on the Alt-B Pairset.
Inval_Sig_EV2_SS	Flag indicating if the PSE powers an uneven 2-Event classification given a Single Signature PD where Event 1 is 40mA, Event 2 is 18 mA. 0 = No Power, 1= Power Applied. =0 for 1-Event PSE.
Inval_Sig_EV4_SS	Flag indicating if the PSE powers an uneven 4-Event classification given a Single Signature PD where Event #4 differs from Event #3. 0 = No Power, 1= Power Applied. =0 for < 4-Event PSE.
Inval_Sig_EV5_SS	Flag indicating if the PSE powers an uneven 5-Event classification given a Single Signature PD where Event #5 differs from Event #4. 0 = No Power, 1= Power Applied. =0 for < 5-Event PSE.
Inval_Sig_EV2_DSA	Flag indicating if the PSE powers the Alt-A Pairset following an uneven 2-Event classification given a Dual Signature PD. 0 = No Power, 1= Power Applied.
Inval_Sig_EV2_DSB	Flag indicating if the PSE powers the Alt-B Pairset following an uneven 2-Event classification given a Dual Signature PD. 0 = No Power, 1= Power Applied. =0 for 1-Event PSE.
Inval_Sig_EV4_DSA	Flag indicating if the PSE powers the Alt-A Pairset following an uneven 4-Event classification where Event #4 differs from Event #3 given a Dual Signature PD. 0 = No Power, 1= Power Applied.
Inval_Sig_EV4_DSB	Flag indicating if the PSE powers the Alt-B Pairset following an uneven 4-Event classification where Event #4 differs from Event #3 given a Dual Signature PD. 0 = No Power, 1= Power Applied.

class_ildp

LLDP Protocol & Power Grant Testing Emulating Single Signature PD's

Assesses 802.3bt PSE LLDP (29 octet) basic protocol fields, protocol timing, and power request processing for 802.3bt single signature PD's.

PSE_LLDP_Time_SS	Time from Power On to 1st LLDP Frame. -1 = No Frame Received < 45 seconds
LLDP_Length	TLV Length Field. 29 for 802.3bt
PSE_Pwr_Pair	MDI Legacy Powered Pair. Confirm the value of either 1 or 2. All other values fail. Value = 1 means the Signal Pairs are in use. Value = 2 means the Spare Pairs are in use.
PSE_MDI_Pwr_Sup	MDI Power Support Field. 4 bit value where bits 0-2 are set and bit 3 is don't care.
PSE_Pwr_Class	MDI 802.3at PSE Class Support. Class 4 and above will specify 4
PSE_Source_Priority	MDI 802.3at Type-Source-Priority field. If PSE is Type-3 and Type-4 it will specify Type-2
PSE_Ext_Type	Extended PSE Type. Either Type-3 or Type-4
PSE_Ext_Status_SS	Powering Status of PSE. =41 if set to Both_Alts and 4pr_Pwr_Single =21 if et to Alt_A or Alt_B and 2pr_Pwr. Otherwise set to 0.
PSE_Ext_Class_SS	Assigned Class available from the PSE. =41 if Class between 1 and 8 and 4pr_Pwr_Single. =21 if Class between 1 and 4 and 2pr_Pwr. Otherwise set to 0
PSE_Max_Pwr_SS	Reported PSE maximum available port power. There are no restrictions on this value.
PSE_Class_6_Ext_Pwr	Flag indicating that PSE allows extended power allocations to a Class 6 PD. If PSE_Max_Pwr_SS reports > 51.0 watts, a class 6 LLDP power request exceeding 51.0 watts is performed. 0 = Power Allocation limited to 51.0 watts and 1= Power Allocation exceeded 51.0 watts.
PSE_Pwr_Class_DS	Value of the Dual-sig Extended Class for Alt-A and Alt-B. Set to 1 if both TLVs are set to Single

Classification Probing and Functional Tests

	Signature otherwise set to 0.
PSE_Echo_Time_1SS	Time from a PD request for an initial power until the frame containing the Echo of that request is received
PSE_Alloc_Time_1SS	Time from a PD request for an initial power until the frame containing the Allocation of that request is received
PSE_Alloc_LowPwr_1SS	Power Allocated by the PSE when requesting an initial power
PSE_Echo_Time_2SS	Time from a PD request for a change to the max power available until the frame containing the Echo of that request is received
PSE_Alloc_Time_2SS	Time from a PD request for a change to the max power available until the frame containing the Allocation of that request is received
PSE_Alloc_MaxPwr_2SS	Indicates Power was Allocated by the PSE when requesting a change to the max power available. =1 if Allocated, =0 if Not Allocated
Link_Down_Shutdown	Disconnect the LAN. Set to 1 if Power NOT removed. 0 if Power removed

class Ildp2 **LLDP Protocol & Power Grant Testing Emulating Dual Signature PD's**

Assesses 802.3bt PSE LLDP (29 octet) basic protocol fields, protocol timing, and power request processing for 802.3bt dual signature PD's.

PSE_LLDP_Time_DS	Time from Power On to 1st LLDP Frame. -1 = None Received < 45 sec.
PSE_Ext_Status_DS	Powering Status of PSE. =42 if set to Both_Alts and 4pr_Pwr_Dual =21 if et to Alt_A or Alt_B and 2pr_Pwr. Otherwise set to 0.
PSE_Ext_Class_DSA	Assigned Class available from the PSE on Alt-A. =42 if Class between 1 and 5 and 4pr_Pwr_Dual. =21 if Class between 1 and 4 and 2pr_Pwr. Otherwise set to 0
PSE_Ext_Class_DSB	Assigned Class available from the PSE on Alt-B. =42 if Class between 1 and 5 and 4pr_Pwr_Dual. =21 if Class between 1 and 4 and 2pr_Pwr. Otherwise set to 0
PSE_Max_Pwr_DS	Reported PSE maximum available port power. There are no restrictions on this value. Value is the sum of both pairsets.
PSE_Pwr_Class_SS	Value of the Single-sig Extended Class for Alt-A and Alt-B. Set to 1 if TLV is set to Single Signature otherwise set to 0.
PSE_Echo_Time_1DS	Time from a PD request for a change to a low power until the frame containing the Echo of that request is received
PSE_Alloc_Time_1DS	Time from a PD request for a change to a low power until the frame containing the Allocation of that request is received
PSE_Alloc_LowPwr_1DSA	Power Allocated on Alt-A by the PSE when requesting a change to a low power
PSE_Alloc_LowPwr_1DSB	Power Allocated on Alt-B by the PSE when requesting a change to a low power
PSE_Echo_Time_2DS	Time from a PD request for a change to the max power available until the frame containing the Echo of that request is received
PSE_Alloc_Time_2DS	Time from a PD request for a change to the max power available until the frame containing the Allocation of that request is received
PSE_Alloc_MaxPwr_2DSA	Indicates Power was Allocated on Alt-A by the PSE when requesting a change to the max power available. =1 if Allocated, =0 if Not Allocated
PSE_Alloc_MaxPwr_2DSB	Indicates Power was Allocated on Alt-B by the PSE when requesting a change to the max power available. =1 if Allocated, =0 if Not Allocated
PSE_Alloc_Limit_DS	Flag indicating if PSE will over-allocate to a Class 3 D power-up. 1 = max allocation consistent with assigned pairset classe. 0= allocation exceeded pairset assigned classes.

Power-Up Processes

pwrup_time **Power-Up Timing Parameters**

Measures power-up rise time and time delay from completion of detection until POWER_ON state.

Pwr_On_Time_Tpon_SS	Time duration from the end of Detection and Connection Check until the end of the POWER_UP state given a Single Signature PD.
Pwr_On_Time_Tpon_DSA	Time duration from the end of Detection and Connection Check until the end of the POWER_UP state on the Alt-A Pairset given a Dual Signature PD.
Pwr_On_Time_Tpon_DSB	Time duration from the end of Detection and Connection Check until the end of the POWER_UP state on the Alt-B Pairset given a Dual Signature PD.

Power-Up Processes

	state on the Alt-B Pairset given a Dual Signature PD.
Pwrup_Rise_Time_A	Estimated time (μ sec) for the Alt-A Pairset to transit from 10% of V_{pse} to 90% of V_{pse} while applying power.
Pwrup_Rise_Time_B	Estimated time (μ sec) for the Alt-B Pairset to transit from 10% of V_{pse} to 90% of V_{pse} while applying power.
Pwr_Stagger_Time_SS4	Time duration between primary (PRI) Pairset power-up and secondary (SEC) pairset power-up given Single Signature Class 4. Set to 0 for simultaneous power-ups and to -1 for 2-pair power-ups.
Pwr_Stagger_Time_SS5	Time duration between primary (PRI) Pairset power-up and secondary (SEC) pairset power-up given Single Signature Class 5. Set to 0 for simultaneous power-ups and to -1 for 2-pair power-ups.
Pwr_Stagger_Time_DS	Time duration between primary (PRI) Pairset power-up and secondary (SEC) pairset power-up given Dual Signature PD. Set to 0 for simultaneous power-ups and to -1 for 2-pair power-ups.

pwrup_inrush

PSE Current Limiting Behaviors During Power-Up

Evaluates PSE current limiting and inrush overload tolerance parameters. Assures compliance to 802.3bt figure 145-22, Inrush current and timing limits in the POWER_UP state.

linrush_min_Class_3	Minimum 4-Pair Inrush current from power-up until 50msec after power-up given Single Signature Class 3 PD
linrush_min_Class_5	Minimum 4-Pair Inrush current from power-up until 50msec after power-up given Single Signature Class 5 PD
linrush_min_Class_7	Minimum 4-Pair Inrush current from power-up until 50msec after power-up given Single Signature Class 7 PD
linrush_min_Class_1D_A	Minimum Alt-A Pairset Inrush current from power-up until 50msec after power-up given Dual Signature Class PD
linrush_min_Class_1D_B	Minimum Alt-B Pairset Inrush current from power-up until 50msec after power-up given Dual Signature Class PD
linrush_4P_max_Class_3	Maximum 4-Pair Inrush current from 1msec after power-up until shutdown given a Single Signature Class 3 PD
linrush_4P_max1_Class_5	Maximum 4-Pair Inrush current from 1msec after power-up until shutdown given a Single Signature Class 5 PD and given a PSE that grants a maximum of Class 4 power.
linrush_4P_max2_Class_5	Maximum 4-Pair Inrush current from 1msec after power-up until shutdown given a Single Signature Class 5 PD and given a PSE that grants greater than Class 4 power.
linrush_4P_max1_Class_7	Maximum 4-Pair Inrush current from 1msec after power-up until shutdown given a Single Signature Class 7 PD and given a PSE that grants a maximum of Class 4 power.
linrush_4P_max2_Class_7	Maximum 4-Pair Inrush current from 1msec after power-up until shutdown given a Single Signature Class 7 PD and given a PSE that grants greater than Class 4 power.
linrush_2P_max_Class_3	Maximum 2-Pair Inrush current from 1msec after power-up until shutdown given a Single Signature Class 3 PD.
linrush_2P_max1_Class_7	Maximum 2-Pair Inrush current from 1msec after power-up until shutdown given a Single Signature Class 7 PD and given a PSE that grants a maximum of Class 4 power.
linrush_2P_max2_Class_7	Maximum 2-Pair Inrush current from 1msec after power-up until shutdown given a Single Signature Class 7 PD and given a PSE that grants greater than Class 4 power.
linrush_2p_max_CI_1D_A	Maximum 2-Pair Inrush current on the Alt-A Pairset from 1msec after power-up until shutdown given a Dual Signature Class 1 PD.
linrush_2p_max_CI_1D_B	Maximum 2-Pair Inrush current on the Alt-B Pairset from 1msec after power-up until shutdown given a Dual Signature Class 1 PD.
Tinrush_minPr_Class_3	Inrush Shutdown Time measured from power-up until power removal given Single Signature Class 3 PD - minimum of the Alt-A and Alt-B Pairsets
Tinrush_maxPr_Class_3	Inrush Shutdown Time measured from power-up until power removal given Single Signature Class 3 PD - maximum of the Alt-A and Alt-B Pairsets
Tinrush_minPr_Class_7	Inrush Shutdown Time measured from power-up until power removal given Single Signature Class 7 PD - minimum of the Alt-A and Alt-B Pairsets
Tinrush_maxPr_Class_7	Inrush Shutdown Time measured from power-up until power removal given Single Signature Class 7 PD - maximum of the Alt-A and Alt-B Pairsets
Tinrush_Class_1D_A	Inrush Shutdown Time measured from power-up until power removal on the Alt-A Pairset given Dual Signature Class 1 PD
Tinrush_Class_1D_B	Inrush Shutdown Time measured from power-up until power removal on the Alt-B Pairset given Dual Signature Class 1 PD

Power-Up Processes

Delay_Inrush_Class_7	Inrush Shutdown Time measured from power-up until power removal on both Pairsets given a Single Signature Class 7 PD and an inrush overload that is delayed by 25msec from power-up
Delay_Inrush_Class_2D_A	Inrush Shutdown Time measured on the Alt-A Pairset from power-up until power removal given a Dual Signature Class 1 PD and an inrush overload that is delayed by 25msec from power-up of the Alt-A Pairset
Delay_Inrush_Class_2D_B	Inrush Shutdown Time measured on the Alt-B Pairset from power-up until power removal given a Dual Signature Class 1 PD and an inrush overload that is delayed by 25msec from power-up of the Alt-B Pairset
45ms_Pwr_Stat_Class_7	Flag indicating if PSE maintained power when a 45msec Inrush current overload is applied given a Single Signature Class 7 PD. 1= Power Maintained, 0= Power Removed.
45ms_Pwr_Stat_Class_2D_A	Flag indicating if PSE maintained power on the Alt-A Pairset when a 45msec Inrush current overload is applied given a Dual Signature Class 2 PD. 1= Power Maintained, 0= Power Removed.
45ms_Pwr_Stat_Class_2D_B	Flag indicating if PSE maintained power on the Alt-B Pairset when a 45msec Inrush current overload is applied given a Dual Signature Class 2 PD. 1= Power Maintained, 0= Power Removed.
Vinrush_Class_2D_A	Inrush voltage on the Alt-A Pairset while the PSE is in current limit.
Vinrush_Class_2D_B	Inrush voltage on the Alt-B Pairset while the PSE is in current limit.

PSE Powered-On Performance and Processes

pwrn_v	Powered Port Voltages, Ripple, and Noise
Measures PSE port DC and AC voltages in response to minimum and maximum power loads.	
Vpse_Max_Alt_A	PSE output voltage on the Alt-A Pairset when PSE is powered and lightly loaded (~1W).
Vpse_Max_Alt_B	PSE output voltage on the Alt-B Pairset when PSE is powered and lightly loaded (~1W).
Vpse_Min_Alt_A	PSE output voltage on the Alt-A Pairset when PSE is powered and heavily loaded (~95% of Pclass).
Vpse_Min_Alt_B	PSE output voltage on the Alt-B Pairset when PSE is powered and heavily loaded (~95% of Pclass).
Vport_PSE_diff=	Difference between Alt-A and Alt-B output voltages when PSE is 4-pair powered and has zero mA load.
V_ripple_A	Low frequency (20Hz-150Hz) ripple measured on the Alt-A Pairset when the PSE is powered. Measurement made at both low and high power load with maximum of the two reported.
V_ripple_B	Low frequency (20Hz-150Hz) ripple measured on the Alt-B Pairset when the PSE is powered. Measurement made at both low and high power load with maximum of the two reported.
V_noise_A	High frequency (50KHz-300KHz) noise measured on the Alt-A Pairset when the PSE is powered. Measurement made at both low and high power load with maximum of the two reported.
V_noise_B	High frequency (50KHz-300KHz) noise measured on the Alt-B Pairset when the PSE is powered. Measurement made at both low and high power load with maximum of the two reported.
V_trans_A	Minimum voltage measured on the Alt-A Pairset during a load transition from ~0.5W to ~Pclass and back over a short (< 5msec) duration.
V_trans_B	Minimum voltage measured on the Alt-B Pairset during a load transition from ~0.5W to ~Pclass and back over a short (< 5msec) duration.
pwrn_pwrpcap	PSE Port Static Power Capacity
Measures the maximum power delivery capability of a PSE port given various PD Classifications and LLDP power allocations.	
Max_Asgn_Class_SS	The maximum classification a PSE will assign to a Single Signature PD through either event counts or LLDP.
Pcon_c1	Maximum sustained power (in watts) to a Class 1 PD
Icon_%_c1	Maximum sustained load current as a % of Icon for a Class 1 PD, the minimum required load current associated with Pclass . To pass, this should be ≥ 100%.
Pcon_c2	Maximum sustained power (in watts) to a Class 2 PD
Icon_%_c2	Maximum sustained load current as a % of Icon for a Class 2 PD, the minimum required load current associated with Pclass . To pass, this should be ≥ 100%.
Pcon_c3	Maximum sustained power (in watts) to a Class 3 PD
Icon_%_c3	Maximum sustained load current as a % of Icon for a Class 3 PD, the minimum required load current associated with Pclass . To pass, this should be ≥ 100%.
Pcon_c4	Maximum sustained power (in watts) to a Class 4 PD
Icon_%_c4	Maximum sustained load current as a % of Icon for a Class 4 PD, the minimum required load current associated with Pclass . To pass, this should be ≥ 100%.

PSE Powered-On Performance and Processes

Pcon_c5	Maximum sustained power (in watts) to a Class 5 PD
Icon_%_c5	Maximum sustained load current as a % of Icon for a Class 5 PD, the minimum required load current associated with Pclass . To pass, this should be $\geq 100\%$.
Pcon_c6	Maximum sustained power (in watts) to a Class 6 PD
Icon_%_c6	Maximum sustained load current as a % of Icon for a Class 6 PD, the minimum required load current associated with Pclass . To pass, this should be $\geq 100\%$.
Pcon_c7	Maximum sustained power (in watts) to a Class 7 PD
Icon_%_c7	Maximum sustained load current as a % of Icon for a Class 7 PD, the minimum required load current associated with Pclass . To pass, this should be $\geq 100\%$.
Pcon_c8	Maximum sustained power (in watts) to a Class 8 PD
Icon_%_c8	Maximum sustained load current as a % of Icon for a Class 8 PD, the minimum required load current associated with Pclass . To pass, this should be $\geq 100\%$.
Type_N_Enable	Powering status when a load of $\sim 90\%$ Pclass (Icon) is applied at 80 msec following power-up.
Pclass_LLDP_95%	LLDP Granting PSE's Only: Power status when a negotiation for 95% of the maximum available PSE port power is negotiated, then the corresponding PD load with maximum cable loss is applied.
Pclass_LLDP_75%	LLDP Granting PSE's Only: Power status when a negotiation for 75% of the maximum available PSE port power is negotiated, then the corresponding PD load with maximum cable loss is applied.
Max_Asgn_Class_DS	The maximum classifications a PSE will assign to a Dual Signature PD (<u>on both pairsets</u>) through either event counts or LLDP.
Pcon_c1DA	Maximum sustained power on the Alt-A pairset (in watts) to a Dual Class 1 PD
Icon_%_c1DA	Given a Dual Class 1 PD, the maximum sustained Alt-A load current as a % of Icon_2p , the minimum required load current associated with Pclass_2p . To pass, this should be $\geq 100\%$.
Pcon_c2DB	Maximum sustained power on the Alt-B pairset (in watts) to a Dual Class 2 PD
Icon_%_c2DB	Given a Dual Class 2 PD, the maximum sustained Alt-B load current as a % of Icon_2p , the minimum required load current associated with Pclass_2p . To pass, this should be $\geq 100\%$.
Pcon_c3DA	Maximum sustained power on the Alt-A pairset (in watts) to a Dual Class 3 PD
Icon_%_c3DA	Given a Dual Class 3 PD, the maximum sustained Alt-A load current as a % of Icon_2p , the minimum required load current associated with Pclass_2p . To pass, this should be $\geq 100\%$.
Pcon_c4DB	Maximum sustained power on the Alt-B pairset (in watts) to a Dual Class 4 PD
Icon_%_c4DB	Given a Dual Class 4 PD, the maximum sustained Alt-B load current as a % of Icon_2p , the minimum required load current associated with Pclass_2p . To pass, this should be $\geq 100\%$.
Pcon_c5DA	Maximum sustained power on the Alt-A pairset (in watts) to a Dual Class 4 PD
Icon_%_c5DA	Given a Dual Class 4 PD, the maximum sustained Alt-A load current as a % of Icon_2p , the minimum required load current associated with Pclass_2p . To pass, this should be $\geq 100\%$.

pwrn_unbal

PSE Port Pair-to-Pair Unbalance Tolerance

Assesses PSE ability to support worst case pairset-to-pairset unbalanced loading given single signature PD emulations.

pseP2pUnbal_c4A	<p>If a PSE powers Class 4 with 4-Pairs: The powering status when a total load of $\sim 90\%$ Icon is shifted onto the Alt-A pairset and the load current on the Alt-B pairset is zero mA. 0= Unpowered, 1= Powered.</p>
pseP2pUnbal_c4B	<p>If a PSE powers Class 4 with 4-Pairs: The powering status when a total load of $\sim 90\%$ Icon is shifted onto the Alt-B pairset and the load current on the Alt-A pairset is zero mA. 0= Unpowered, 1= Powered.</p>
pseP2pUnbal_c5A	<p>The powering status when a total load of $\sim 90\%$ Icon is split such that the Alt-A pairset gets Icon_2p_unb and the Alt-B pairset gets the remaining load current ($90\% * \mathbf{Icon} - \mathbf{Icon_2p_unb}$). Icon_2p_unb = 560mA for assigned class 5, 692mA for assigned class 6, 794mA for assigned class 7, and 948mA for assigned class 8. 0= Unpowered, 1= Powered.</p> <p>The powering status when a total load of $\sim 90\%$ Icon is split such that the Alt-B pairset gets Icon_2p_unb and the Alt-A pairset gets the remaining load current ($90\% * \mathbf{Icon} - \mathbf{Icon_2p_unb}$). Icon_2p_unb = 560mA for assigned class 5, 692mA for assigned class 6, 794mA for assigned class 7, and 948mA for assigned class 8. 0= Unpowered, 1= Powered.</p>
pseP2pUnbal_c6A	
pseP2pUnbal_c7A	
pseP2pUnbal_c8A	
pseP2pUnbal_c5B	
pseP2pUnbal_c6B	
pseP2pUnbal_c7B	
pseP2pUnbal_c8B	

PSE Powered-On Performance and Processes

pwr_on_maxi

PSE Response to Maximum Overloads

Evaluates PSE characteristics with respect to the POWER_ON state PI operating current templates in Figures 145-23 and 145-24 of the 802.3bt specification.

llim_2p_max_SSA	Maximum pairset current measured during “short circuit” overload from the maximum single signature class PD that the PSE will grant full power to. Assessed on both the Alt-A and Alt-B pairsets.
llim_2p_max_SSB	Time from short circuit overload assertion until first pairset shutdown.
Tlim_SS	The low side of this parameter is not enforceable because the standard allows that when PSE output voltage drops below Vport_pse_2p(Min) , the PSE may remove power without regard to Tlim. A PSE that is limiting output current would almost certainly drop output voltage below Vport_pse_2p(min) .
llim_2p_max_DSA	Maximum pairset current measured during “short circuit” overload from the maximum dual signature class PD that the PSE will grant full power to. Assessed on both the Alt-A and Alt-B pairsets.
llim_2p_max_DSB	Time from short circuit overload assertion until Alt-A pairset shutdown. See Tlim_SS above.
Tlim_DSA	Time from short circuit overload assertion until Alt-B pairset shutdown. See Tlim_SS above.
Tlim_DSB	Minimum current sustained with llim_min_2p (400mA) applied to Alt-A, then to Alt-B pairsets for Tlim_min . Reports the minimum of both pairsets.
llim_min_cAB3	PSE Powering status 100msec after class 3 llim_min_2p transient was applied for Tlim_min on each pairset. 1= PSE did not remove power. 0= Power was removed.
Max_trans_c3	Minimum current sustained with llim_min_2p (684mA) applied to Alt-A, then to Alt-B pairsets for Tlim_min . Reports the minimum of both pairsets.
llim_min_cAB4	PSE Powering status 100msec after class 4 llim_min_2p transient was applied for Tlim_min on each pairset. 1= PSE did not remove power. 0= Power was removed.
Max_trans_c4	Minimum current sustained with llim_min_2p (580mA) applied simultaneously to Alt-A and Alt-B pairsets for Tlim_min . Reports the minimum of both pairsets.
llim_min_cAB5	PSE Powering status 100msec after class 5 llim_min_2p transient was applied for Tlim_min on both pairsets. 1= PSE did not remove power. 0= Power was removed.
Max_trans_c5	Minimum current sustained with llim_min_2p (720mA) applied Alt-A and Alt-B pairsets for Tlim_min . Reports the minimum of both pairsets.
llim_min_cAB6	PSE Powering status 100msec after class 6 llim_min_2p transient was applied for Tlim_min on both pairsets. 1= PSE did not remove power. 0= Power was removed.
Max_trans_c6	Minimum current sustained with llim_min_2p (850mA) applied Alt-A and Alt-B pairsets for Tlim_min . Reports the minimum of both pairsets.
llim_min_cAB7	PSE Powering status 100msec after class 7 llim_min_2p transient was applied for Tlim_min on both pairsets. 1= PSE did not remove power. 0= Power was removed.
Max_trans_c7	Minimum current sustained with llim_min_2p (1005mA) applied Alt-A and Alt-B pairsets for Tlim_min . Reports the minimum of both pairsets.
llim_min_cAB8	PSE Powering status 100msec after class 8 llim_min_2p transient was applied for Tlim_min on both pairsets. 1= PSE did not remove power. 0= Power was removed.
Max_trans_c8	Minimum current sustained with llim_min_2p (400mA) applied Alt-A and Alt-B pairsets for Tlim_min . Reports the minimum of both pairsets.
llim_min_cAB3D	PSE Powering status 100msec after dual class 3 llim_min_2p transient was applied for Tlim_min on both pairsets. 1= PSE did not remove power. 0= Power was removed.
Max_trans_c3D	Minimum current sustained with llim_min_2p (684mA) applied Alt-A and Alt-B pairsets for Tlim_min . Reports the minimum of both pairsets.
llim_min_cAB4D	PSE Powering status 100msec after dual class 4 llim_min_2p transient was applied for Tlim_min on both pairsets. 1= PSE did not remove power. 0= Power was removed.
Max_trans_c4D	Minimum current sustained with llim_min_2p (990mA) applied Alt-A and Alt-B pairsets for Tlim_min . Reports the minimum of both pairsets.
llim_min_cAB5D	PSE Powering status 100msec after dual class 5 llim_min_2p transient was applied for Tlim_min on both pairsets. 1= PSE did not remove power. 0= Power was removed.
Max_trans_c5D	Minimum Alt-A voltage in response to a maximum transient overload (llim_min) of 250usec duration from the maximum class PD a PSE will grant full power to.
Vtrans_2p_A	Minimum Alt-B voltage in response to a maximum transient overload (llim_min) of 250usec duration from the maximum class PD a PSE will grant full power to.
Vtrans_2p_B	Flag indicating power removed from both pairsets of Type-3 PSE with 852mA per pairset for >
lport_max_type3	

PSE Powered-On Performance and Processes

lport_max_type4	75 msec. 0= Power removed, 1= Powered after 75 msec. Flag indicating power removed from both pairsets of Type-4 PSE with 1302mA per pairset for > 75 msec. 0= Power removed, 1= Powered after 75 msec.
lpls_type	Flag indicating power removed from both pairsets of Type-4 PSE with Maximum LPS current per pairset for > 4 sec. Maximum LPS current is the current that restricts PSE to <100 Watt output. 0= Power removed, 1= Powered after 4 sec.

pwrn_overld

PSE Response to Maximum PD Power Transients

Assesses powered PSE port behaviors with respect to **lpeak**, the maximum power overload allowed to a PD as defined in Equation 145-11 of the 802.3bt standard.

lpeak_c1	Flag indicating if the PSE maintains power following an lpeak current transient of duration Tcut_min (50msec) to a Class 1 PD. 1= Powered, 0= Not powered.
lpeak_c2	Flag indicating if the PSE maintains power following an lpeak current transient of duration Tcut_min (50msec) to a Class 2 PD. 1= Powered, 0= Not powered.
lpeak_c3	Flag indicating if the PSE maintains power following an lpeak current transient of duration Tcut_min (50msec) to a Class 3 PD. 1= Powered, 0= Not powered.
Vport_lpeak_c3	Minimum voltage during lpeak Class 3 transient.
lpeak_5%DC_c3	Flag indicating if PSE maintains power following a 5% duty cycle transient load of lpeak to a Class 3 PD. 1= Powered, 0= Not powered.
lpeak_c4	Flag indicating if the PSE maintains power following an lpeak current transient of duration Tcut_min (50msec) to a Class 4 PD.
Vport_lpeak_c4	Minimum voltage during lpeak Class 4 transient.
lpeak_5%DC_c4	Flag indicating if PSE maintains power following a 5% duty cycle transient load of lpeak to a Class 4 PD. 1= Powered, 0= Not powered.
lpeak_c5	Flag indicating if the PSE maintains power following an lpeak current transient of duration Tcut_min (50msec) to a Class 4 PD. 1= Powered, 0= Not powered.
Vport_lpeak_c5	Minimum voltage during lpeak Class 5 transient.
lpeak_5%DC_c5	Flag indicating if PSE maintains power following a 5% duty cycle transient load of lpeak to a Class 4 PD. 1= Powered, 0= Not powered.
lpeak_c6	Flag indicating if the PSE maintains power following an lpeak current transient of duration Tcut_min (50msec) to a Class 6 PD. 1= Powered, 0= Not powered.
Vport_lpeak_c6	Minimum voltage during lpeak Class 6 transient.
lpeak_5%DC_c6	Flag indicating if PSE maintains power following a 5% duty cycle transient load of lpeak to a Class 6 PD. 1= Powered, 0= Not powered.
lpeak_c7	Flag indicating if the PSE maintains power following an lpeak current transient of duration Tcut_min (50msec) to a Class 7 PD. 1= Powered, 0= Not powered.
Vport_lpeak_c7	Minimum voltage during lpeak Class 7 transient.
lpeak_5%DC_c7	Flag indicating if PSE maintains power following a 5% duty cycle transient load of lpeak to a Class 7 PD. 1= Powered, 0= Not powered.
lpeak_c8	Flag indicating if the PSE maintains power following an lpeak current transient of duration Tcut_min (50msec) to a Class 8 PD. 1= Powered, 0= Not powered.
Vport_lpeak_c8	Minimum voltage during lpeak Class 8 transient.
lpeak_5%DC_c8	Flag indicating if PSE maintains power following a 5% duty cycle transient load of lpeak to a Class 8 PD. 1= Powered, 0= Not powered.
lpeak_c1D	Flag indicating if the PSE maintains power following lpeak_2p current transients of duration Tcut_min (50msec) applied to both pairsets of a Dual Class 1 PD. 1= Powered, 0= Not powered.
lpeak_c2D	Flag indicating if the PSE maintains power following lpeak_2p current transients of duration Tcut_min (50msec) applied to both pairsets of a Dual Class 2 PD. 1= Powered, 0= Not powered.
lpeak_c3D	Flag indicating if the PSE maintains power following lpeak_2p current transients of duration Tcut_min (50msec) applied to both pairsets of a Dual Class 3 PD. 1= Powered, 0= Not powered.
lpeak_c4D	Flag indicating if the PSE maintains power following lpeak_2p current transients of duration Tcut_min (50msec) applied to both pairsets of a Dual Class 4 PD. 1= Powered, 0= Not powered.
lpeak_c5D	Flag indicating if the PSE maintains power following lpeak_2p current transients of duration Tcut_min (50msec) applied to both pairsets of a Dual Class 5 PD. 1= Powered, 0= Not powered.

MPS Processes for Power Removal on PD Disconnect

mps_dc_valid

Valid DC MPS Load Thresholds and Tolerances

Evaluates PSE DC current thresholds for 4-pair and pairset power removal and PSE tolerance of low power MPS conditions.

Ihold_c3	Minimum 4-pair load current, split evenly between pairsets, that will maintain power to a Class 3 PD. Report -1 if PSE only does 2-Pair power with Class 3.
Ihold_2p_c3A	Minimum 2-pair load current on Alt-A pairset that will maintain power to a Class 3 PD. If PSE powers with 4-pairs, the Alt-B pairset will be drawing 1.5 mA during the scan. Set to -1 for any unpowered pairset.
Ihold_2p_c3B	Minimum 2-pair load current on Alt-B pairset that will maintain power to a Class 3 PD. If PSE powers with 4-pairs, the Alt-A pairset will be drawing 1.5 mA during the scan.
Ihold_c5	Minimum 4-pair load current, split evenly between pairsets, that will maintain power to a Class 5 PD
Ihold_2p_c5A	Minimum 2-pair load current on Alt-A pairset that will maintain power to a Class 5 PD when the Alt-B pairset is drawing 1.5 mA
Ihold_2p_c5B	Minimum 2-pair load current on Alt-B pairset that will maintain power to a Class 5 PD when the Alt-A pairset is drawing 1.5 mA
Ihold_c7	Minimum 4-pair load current, split evenly between pairsets, that will maintain power to a Class 7 PD
Ihold_2p_c7A	Minimum 2-pair load current on Alt-A pairset that will maintain power to a Class 7 PD when the Alt-B pairset is drawing 1.5 mA
Ihold_2p_c7B	Minimum 2-pair load current on Alt-B pairset that will maintain power to a Class 7 PD when the Alt-A pairset is drawing 1.5 mA
Ihold_2p_c2DA	Minimum Alt-A load current to maintain power on the Alt-A pairset given a dual signature PD and 80mA load on the Alt-B pairset.
Ihold_2p_c2DB	Minimum Alt-B load current to maintain power on the Alt-B pairset given a dual signature PD and 80mA load on the Alt-A pairset.
LP_MPS_Tol_c3	Flag indicating if 2-Pair or 4-Pair power is maintained following a succession of low power MPS impulses providing valid current for Tmps with 2.15% duty cycle given a Class 3 PD. 1= Powered, 0= Power removed.
LP_MPS_Tol_c5	Flag indicating if 4-Pair power is maintained following a succession of low power MPS impulses providing valid current for Tmps with 2.15% duty cycle given a Class 5 PD. 1= Powered, 0= Power removed.
LP_MPS_Tol_c7	Flag indicating if 4-Pair power is maintained following a succession of low power MPS impulses providing valid current for Tmps with 2.15% duty cycle given a Class 7 PD. 1= Powered, 0= Power removed.
LP_MPS_Tol_c2D	Flag indicating if power is maintained on both pairsets following a succession of low power MPS impulses providing valid current for Tmps with 2.15% duty cycle given a Class 2D PD. 1= Powered, 0= Power removed.

mps_dc_pwrdrn

Disconnect Shutdown Timing

Evaluates disconnect shutdown timing given single and dual signature emulations and invalid MPS signatures.

Tmpdo_c3A	Time from PD disconnect until power removal on Alt-A pairset given a Class 3 PD. Tested using a load current of Ihold_min - 1 mA. Set to -1 if PSE only powers the Alt-B pairset.
Tmpdo_c3B	Time from PD disconnect until power removal on Alt-B pairset given a Class 3 PD. Tested using a load current of Ihold_min - 1 mA. Set to -1 if PSE only powers the Alt-A pairset.
Tmpdo_c5A	Time from PD disconnect until power removal on Alt-A pairset given a Class 5 PD. Tested using a load current of Ihold_min - 1 mA.
Tmpdo_c5B	Time from PD disconnect until power removal on Alt-B pairset given a Class 5 PD. Tested using a load current of Ihold_min - 1 mA.
Tmpdo_c7A	Time from PD disconnect until power removal on Alt-A pairset given a Class 7 PD. Tested using a load current of Ihold_min - 1 mA.
Tmpdo_c7B	Time from PD disconnect until power removal on Alt-B pairset given a Class 7 PD. Tested using a load current of Ihold_min - 1 mA.
Tmpdo_c2DA	Time from Alt-A pairset disconnect until power removal on the Alt-A pairset given a dual Class 2 PD. Tested using load current of Ihold_2p_min - 1 mA.
4pr_Stat_c2DA	Flag indicating if PSE removes power on one pairset or both pairsets when the Alt-A pairset is disconnected. 0= No power, 1= Alt-B powered, 2= Alt-A powered.
Tmpdo_c2D	Time from Alt-B pairset disconnect until power removal on the Alt-B pairset given a dual Class 2 PD. Tested using load current of Ihold_2p_min - 1 mA.
4pr_Stat_c2DB	Flag indicating if PSE removes power on one pairset or both pairsets when the Alt-B pairset is disconnected.


PSE Power-Down Characteristics

pwrndn_time	Discharge Time and Output Capacitance
	Evaluates PSE disconnect discharge timing as well as output characteristics during power removal.
Turnoff_time_Toff_A	PSE shutdown time on the Alt-A pairset following a PD Disconnect. The measurement is performed with a hypothetical 320KΩ load applied across the pairset. Measured Cout_A and Output_Rp_A values enable the decay time modeling used to produce Toff.
Turnoff_time_Toff_B	PSE shutdown time on the Alt-B pairset following a PD Disconnect. The measurement is performed with a hypothetical 320KΩ load applied across the pairset. Measured Cout_B and Output_Rp_B values enable the decay time modeling used to produce Toff.
Cout_A	PSE output capacitance on the Alt-A pairset as measured immediately after disconnect shutdown.
Cout_B	PSE output capacitance on the Alt-B pairset as measured immediately after disconnect shutdown.
Output_Rp_A	Effective PSE discharge resistance on the Alt-A pairset as measured immediately after disconnect shutdown.
Output_Rp_B	Effective PSE discharge resistance on the Alt-B pairset as measured immediately after disconnect shutdown.

pwrndn_v	Error Delay Timing
	Measures PSE port time delay between an overload shutdown and restoration of PD power.
Error_Delay_SS_A	Time between overload shutdown and attempted new detection of a single signature PD on the Alt-A pairset.
Error_Delay_SS_B	Time between overload shutdown and attempted new detection of a single signature PD on the Alt-B pairset.
Error_Delay_DS_A	Time between overload shutdown and attempted new detection of a dual signature PD on the Alt-A pairset.
Error_Delay_DS_B	Time between overload shutdown and attempted new detection of a dual signature PD on the Alt-B pairset.
Idle_Voff_SS_A	Average voltage during the error delay period on the Alt-A pairset given a single signature PD
Idle_Voff_SS_B	Average voltage during the error delay period on the Alt-B pairset given a single signature PD
Idle_Voff_DS_A	Average voltage during the error delay period on the Alt-A pairset given a dual signature PD
Idle_Voff_DS_B	Average voltage during the error delay period on the Alt-B pairset given a dual signature PD

Configuring and Running the PSE Conformance Test Suite

The 4-Pair PSE Conformance Test Suite is accessed from either PSA Interactive Software (GUI) or PowerShell PSA, an extended Tcl/Tk command line shell.



PSA Interactive PSE Tab Menu

Within **PSA Interactive**, two menus are relevant to the PSE Conformance Test Suite. First the **PSE** tab menu allows users to describe, discover, or load previously stored PSE Attributes. These parameters are critical to the behavior of the PSE 4-Pair Conformance Test Suite and must be properly established for any PSE to be tested.


PSE attributes include **PSE Type** (e.g. Type-3 or Type-4), **PSE Pairs** (4-Pair), **PSE Polarity** (MDI or MDI-X on each pairset), **Max Power Grant** method (PHY, LLDP, or PHY+LLDP), and **MPS Method** (DC). If these parameters are not properly declared and applied, then the PSE conformance test sequencing may produce errors, inappropriate or missing parameters, or incorrect limit checking. PSE attributes can be automatically discovered from a connected PSE using the **Auto Discover** menu. They can be saved for future recall using the **Save PSE Attr** control and they can

be recalled and applied to the PSA instrument by using the **Load PSE Attr** control. In the lower right corner of the main window, the presently described **PSE Type** and **Powered Pairs** is always displayed in blue. The 4-Pair PSE Conformance Test Suite will only be activated when this indicator displays **Type-3, 4-Pair** or **Type-4, 4-Pair**.

In PowerShell PSA, PSE attributes can be auto-discovered using the **psa_auto_port** command and can be recalled using the **psa_pse** command. PSE attributes are saved using the **psa_saveConfig** command.

Once the PSE Type and associated PSE attributes are properly established and applied to the connected PSA instrument, the **Conf. Test** tab menu is accessed to configure fully automated test sequences. This menu will automatically configure itself for **4-Pair** PSE testing when the most recently described PSE is **Type-3, 4-Pair** or **Type-4, 4-Pair**. Using this menu, automated sequences of selected tests across selected test ports are readily configured and initiated. Alternatively, the menu supports running just a **Single Test** on a single port.

When the menu is configured for **4-Pair** PSE testing, users have the option to run **Full Conformance** testing or to run testing where Dual Signature test cases are excluded in order to speed up some of the longer tests such as **pwrn_pwracap** and **pwrn_maxi**. Generally, a complete conformance test would require that **All Tests** be run with the **Full Conformance** setting.



PSA Interactive Conformance Test Menu

Other PSE attributes including maximum power granting method (**Max Grant**) and **MPS** method are displayed and correspond to settings established in the PSE tab menu. These attributes affect which tests are available and selectable in the menu.

User's may also select one of two reporting options when sequencing tests including the default option to produce a pop-up (Microsoft Excel) spreadsheet report that performs all test parameter limit checking and analysis.

Multi-Port PSE connections can rapidly be verified prior to testing from this menu using the **Check Connects** control after selecting the desired **Ports**. This feature can save the inconvenience of re-running the test suite when one or more ports experiences a bad physical connection.

Additionally, users may opt to have waveform traces produced by each test appear on screen as each test runs. Test sequences may be re-cycled up to 16 times using a **Cycle Count** control for those who need to perform exhaustive QA while getting insights into intermittent PSE behaviors.

Test sequencing from PowerShell PSA is performed using the **sequence** command and requires that PSE attributes be properly set and applied before executing that command.

The 4-Pair PSE Conformance Test Suite Standard Report

The standard spreadsheet test report for the 4-Pair SE Conformance Test Suite provides efficient feedback by clearly notating any specification compliance violations both by test parameter and by test (PSE) port. The report also accumulates minimum, maximum, and average parameter values across PSE ports so that users can spot individual port deviations and assess performance to design goals. Multiple cycles of testing can be specified to produce one report page per sequence cycle.

All test limit processing automatically adapts the type of PSE (Type-3 or Type-4), the High Power Grant Method, and to other factors that are specified before the sequence begins. Test limit tables are found on the **Limits** page of the report.

The standard report includes a **Notes** page with detailed explanations of each parameter in each test including references to 802.3bt PICS and associated 802.3bt clauses.

The standard report also includes Sifos proprietary indexes summarizing PSE **Safety** and PSE **Interop**. These scores are derived from weighted appraisals of each test parameter in each test. Separate report tabs for Safety and Interop display the scoring performed for each index.

The report will automatically scale to the number of tested PSE ports and will produce multiple pages for multiple test cycles.

PSE Conformance Test Suite		PSA-3000 Ports				802.3bt 4Pr Conformance Report								
May 15 2020 3:28 AM		1-1	1-2	2-1	2-2	UNITS	Min	Max	Average	Low Limit	P/F	High Limit	P/F	
Port Count: 4														
Loop Count: 1														
PSE Tested: Sample Type-4-4-Port PSE														
Chassis ID: 192.168.221.88														
TestLoop: 1														
Test: det v														
Open_Circuit_Voc_A=	15.4	14.8	15	15.4	volts	14.8	15.4	15.2	0	Pass	30	Pass		
Open_Circuit_Voc_B=	15.3	15.2	15	15.1	volts	15	15.3	15.2	0	Pass	30	Pass		
Backoff_Voltage_A=	1.1	1.1	1.1	1.1	volts	1.1	1.1	1.1	0	Pass	2.8	Pass		
Backoff_Voltage_B=	1.3	1.3	1.2	1.2	volts	1.2	1.3	1.3	0	Pass	2.8	Pass		
Max_Det_Step_V_A=	1.4	1.4	1.5	1.5	volts	1.4	1.5	1.5	0	Pass	2.8	Pass		
Max_Det_Step_V_B=	8.02	8.04	8.22	8.23	volts	8.02	8.23	8.13	3.8	Pass	10	Pass		
Min_Det_Step_V_A=	8.02	8.04	8.28	8.29	volts	8.02	8.29	8.16	3.8	Pass	10	Pass		
Min_Det_Step_V_B=	4.44	4.48	4.5	4.51	volts	4.44	4.51	4.48	2.8	Pass	9	Pass		
Det_Step_Changes_A=	4.48	4.48	4.95	4.96	volts	4.48	4.96	4.72	2.8	Pass	9	Pass		
Det_Step_Changes_B=	3	3	3	3	---	3	3	3	1	Pass	9	Pass		
Min_Step_DV_A=	1.73	1.73	1.76	1.76	volts	1.73	1.76	1.75	1	Pass	7.2	Pass		
Min_Step_DV_B=	1.71	1.72	1.77	1.78	volts	1.71	1.77	1.74	1	Pass	7.2	Pass		
Pre-Deb_CC_Step_V_A=	5.31	5.33	5.6	5.6	volts	5.31	5.6	5.46	0	Pass	10	Pass		
Pre-Deb_CC_Step_V_B=	1.85	1.87	1.82	1.82	volts	1.82	1.87	1.84	0	Pass	10	Pass		
Test: det cc														
Presumed_CC_DET_Sig=	1	1	1	1	---	1	1	1	0	Pass	3	Pass		
Conn_Chk_SS_V_A=	8.05	8.1	8.26	8.27	volts	8.05	8.27	8.17	2.8	Pass	10	Pass		
Conn_Chk_SS_V_B=	8.05	8.06	8.3	8.32	volts	8.05	8.32	8.18	2.8	Pass	10	Pass		
Conn_Chk_DS_V_A=	5.28	5.28	5.22	5.22	volts	5.22	5.28	5.25	2.8	Pass	10	Pass		
Conn_Chk_DS_V_B=	5.31	5.31	5.26	5.26	volts	5.26	5.31	5.29	2.8	Pass	10	Pass		
High_Signature_CC_A=	1	1	1	1	---	1	1	1	1	Pass	1	Pass		
High_Signature_CC_B=	1	1	1	1	---	1	1	1	1	Pass	1	Pass		
4Pair_Start_Fail=	0	0	0	0	---	0	0	0	0	Pass	0	Pass		
Test: det i														
Isr_Init_A=	0.34	0.38	0.29	0.34	mA	0.29	0.38	0.33	0	Pass	5	Pass		
Isr_Init_B=	0.28	0.29	0.29	0.3	mA	0.28	0.3	0.29	0	Pass	5	Pass		
Isr_Det_A=	0.34	0.38	0.28	0.3	mA	0.28	0.38	0.32	0	Pass	5	Pass		
Isr_Det_B=	0.28	0.29	0.28	0.3	mA	0.28	0.3	0.27	0	Pass	5	Pass		
Det_Slew_A=	0.0058	0.0072	0.0056	0.006	V/usec	0.0056	0.0072	0.0064	0	Pass	0.1	Pass		
Det_Slew_B=	0.0052	0.0052	0.0052	0.006	V/usec	0.0052	0.006	0.0054	0	Pass	0.1	Pass		
Test: det range														
Rgood_Max_Single=	26	27	26	28	Kohm	26	28	26.8	27	Fail	32	Pass		
Rgood_Min_Single=	16	16	16	16	Kohm	16	16	16	16	Pass	19	Pass		
Cgood_Max_Single=	0.1	0.1	0.1	0.1	uF	0.1	0.1	0.1	0	Pass	10	Pass		
Rgood_Max_Dual_A=	26	28	27	28	Kohm	26	28	27.3	27	Fail	32	Pass		
Rgood_Max_Dual_B=	27	27	28	27	Kohm	27	28	27.3	27	Pass	32	Pass		
Rgood_Min_Dual_A=	16	16	16	16	Kohm	16	16	16	16	Pass	19	Pass		
Rgood_Min_Dual_B=	16	16	16	16	Kohm	16	16	16	16	Pass	19	Pass		
Cgood_Max_Dual_A=	0.1	0.1	0.1	0.1	uF	0.1	0.1	0.1	0	Pass	10	Pass		
Cgood_Max_Dual_B=	0.1	0.1	0.1	0.1	uF	0.1	0.1	0.1	0	Pass	10	Pass		
Test: det time														
Detect_Time_Idet_A=	267.6	265.6	267.6	265.6	msec	265.6	267.6	266.6	0	Pass	500	Pass		
Detect_Time_Idet_B=	267.6	265.6	267.6	265.6	msec	265.6	267.6	266.6	0	Pass	500	Pass		
Backoff_Time_SS=	821.4	897.7	821.6	897.7	msec	897.7	821.6	856.7	0	Pass	9999	Pass		
Det2Det_Time=	382.8	378.9	382.8	380.9	msec	378.9	382.8	381.4	0	Pass	400	Pass		
Test: det source														
PSE_Detect_Source=	1	1	1	1	---	1	1	1	0	Pass	1	Pass		
PSE_Source_Port_A=	300	300	300	300	Kohm	300	300	300	48	Pass	300	Pass		
PSE_Source_Port_B=	300	300	300	300	Kohm	300	300	300	48	Pass	300	Pass		
Test: cc response														
Single_Sig_Response=	1	1	1	1	---	1	1	1	1	Pass	1	Pass		
Dual_Sig_Response=	1	1	1	1	---	1	1	1	1	Pass	1	Pass		
2Pair_PD_A=	1	1	1	1	---	1	1	1	0	Pass	2	Pass		
2Pair_PD_B=	1	1	1	1	---	1	1	1	0	Pass	2	Pass		
Test: class v														
Vclass_max_SS=	18	17.8	17.8	18.1	volts	17.8	18.1	17.9	15.5	Pass	20.5	Pass		
Vclass_min_SS=	17.6	17.4	17.4	17.7	volts	17.4	17.7	17.5	15.5	Pass	20.5	Pass		
Vreset_SS=	8.4	8.2	8.1	8.5	volts	8.1	8.5	8.3	7	Pass	10	Pass		
Vreset_DS=	-1	-1	-1	-1	---	-1	-1	-1	0	Pass	2.8	Pass		
Vclass_max_DSA=	18	17.9	17.8	18.2	volts	17.8	18.2	18	15.5	Pass	20.5	Pass		
Vclass_max_DSB=	18	18	17.9	18	volts	17.9	18	18	15.5	Pass	20.5	Pass		
Vclass_min_DSA=	17.6	17.4	17.4	17.7	volts	17.4	17.7	17.5	15.5	Pass	20.5	Pass		
Vclass_min_DSB=	17.5	17.6	17.4	17.5	volts	17.4	17.6	17.5	15.5	Pass	20.5	Pass		
Vreset_DSA=	8.4	8.2	8.2	8.5	volts	8.2	8.5	8.3	7	Pass	10	Pass		
Vreset_DSB=	8.3	8.3	8.3	8.3	volts	8.3	8.3	8.3	7	Pass	10	Pass		
Vreset_DSA=	-1	-1	-1	-1	---	-1	-1	-1	-1	Pass	2.8	Pass		
Vreset_DSB=	-1	-1	-1	-1	---	-1	-1	-1	-1	Pass	2.8	Pass		
Test: class time														
Class_Evnt_SS=	0	0	0	0	---	0	0	0	0	Pass	1	Pass		
EV_Count_T_SS=	5	5	5	5	Events	5	5	5	5	1	Pass	5	Pass	
Long_EV1_Time_SS=	93.7	93.8	95.7	93.8	msec	93.7	95.7	94.3	88	Pass	105	Pass		
Min_Class_EV_Time_SS=	9.7	7.8	7.8	7.8	msec	7.8	9.7	8.3	6	Pass	20	Pass		
Max_Class_EV_Time_SS=	15.7	13.7	13.7	13.7	msec	13.7	15.7	14.2	6	Pass	20	Pass		
Min_Mark_EV_Time_SS=	7.8	9.7	9.7	9.7	msec	7.8	9.7	9.2	6	Pass	12	Pass		

PSE 4-Pair Conformance Test Suite Standard Report (excerpt)

Ordering Information

PSA-CT4P*, 4-Pair PSE Conformance Test Suite for One PSA Address (Up to 24 Test Ports)

PSA-CT-TS1, Tracking Service, 4-Pair and 2-Pair PSE Conformance Suites for One Year for One PSA Address

PSA-CT-TS2, Tracking Service, 4-Pair and 2-Pair PSE Conformance Suites for Two Years for One PSA Address

PSA-CT-STS1, Tracking Service, 4-Pair and 2-Pair PSE Conformance Suites for One Year for Multiple PSA Addresses Operating at a Single Site

PSA-CT-STS2, Tracking Service, 4-Pair and 2-Pair PSE Conformance Suites for Two Years for Multiple PSA Addresses Operating at a Single Site

PSA-48-QTD, PowerSync Analyzer Test Suite 48 Port Discount

***NOTE:** *PSA-CT4P* requires one or more **PSA-3202** test blades or **PSA-3402** Compact PSA and is also supported on the **PSA-3248** RackPack PSA.

Sifos Technologies, Inc.
1 Tech Drive, Suite 100
Andover, MA 01810
+1 (978) 975-2100
www.sifos.com
sales@sifos.com

Verification, *Simplified.*